



Product	Intel 7260M2NA		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2014/09/19	Test Site	CTR
Test Condition	LTE-Band 2 (3M)	Test Range	30MHz~20GHz


**LTE-Band 2 (3M) QPSK(1,7) CH18615**

Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
3704	-53.440	1.1	-52.340	-13
5554.5	-65.672	1.23	-64.442	-13
7406	-65.672	1.59	-64.082	-13
9257.5	-64.544	1.89	-62.654	-13
11109	-63.991	2.07	-61.921	-13
12960.5	-64.774	2.26	-62.514	-13
14812	-61.880	2.64	-59.240	-13
16663.5	-58.322	3.5	-54.822	-13
18515	-59.739	3.7	-56.039	-13







Frequency	
Auto Tune	
Center Freq	3.00000000 GHz
Start Freq	1.00000000 GHz
Stop Freq	5.00000000 GHz
CF Step	400.000000 MHz
Auto	Man
Freq Offset	0 Hz




Frequency	
Auto Tune	
Center Freq	7.50000000 GHz
Start Freq	5.00000000 GHz
Stop Freq	10.00000000 GHz
CF Step	500.000000 MHz
Auto	Man
Freq Offset	0 Hz




Product	Intel 7260M2NA		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2014/09/19	Test Site	CTR
Test Condition	LTE-Band 2 (3M)	Test Range	30MHz~20GHz


**LTE-Band 2 (3M) 16QAM(1,7) CH18900**

Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
3756	-54.570	1.1	-53.470	-13
5640	-64.359	1.23	-63.129	-13
7520	-66.122	1.59	-64.532	-13
9400	-66.059	1.89	-64.169	-13
11280	-67.333	2.07	-65.263	-13
13160	-66.285	2.26	-64.025	-13
15040	-61.641	2.64	-59.001	-13
16930	-58.357	3.5	-54.857	-13
18800	-59.524	3.7	-55.824	-13







Frequency
Auto Tune
Center Freq 3.000000000 GHz
Start Freq 1.000000000 GHz
Stop Freq 5.000000000 GHz
CF Step 400.0000000 MHz Auto Man
Freq Offset 0 Hz




Frequency
Auto Tune
Center Freq 7.500000000 GHz
Start Freq 5.000000000 GHz
Stop Freq 10.000000000 GHz
CF Step 500.0000000 MHz Auto Man
Freq Offset 0 Hz




Product	Intel 7260M2NA		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2014/09/19	Test Site	CTR
Test Condition	LTE-Band 2 (5M)	Test Range	30MHz~20GHz


**LTE-Band 2 (5M) QPSK(1,12) CH18625**

Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
3704	-52.993	1.1	-51.893	-13
5557.5	-62.704	1.23	-61.474	-13
7410	-66.531	1.59	-64.941	-13
9262.5	-65.579	1.89	-63.689	-13
11115	-66.461	2.07	-64.391	-13
12967.5	-65.022	2.26	-62.762	-13
14820	-61.588	2.64	-58.948	-13
16672.5	-59.442	3.5	-55.942	-13
18525	-60.174	3.7	-56.474	-13






Frequency	
Auto Tune	
Center Freq	3.00000000 GHz
Start Freq	1.00000000 GHz
Stop Freq	5.00000000 GHz
CF Step	400.000000 MHz
Auto	Man
Freq Offset	0 Hz




Frequency	
Auto Tune	
Center Freq	7.50000000 GHz
Start Freq	5.00000000 GHz
Stop Freq	10.00000000 GHz
CF Step	500.000000 MHz
Auto	Man
Freq Offset	0 Hz





Frequency	
Auto Tune	
Center Freq	12.50000000 GHz
Start Freq	10.00000000 GHz
Stop Freq	15.00000000 GHz
CF Step	500.000000 MHz
Auto	Man
Freq Offset	0 Hz





Frequency	
Auto Tune	
Center Freq	17.50000000 GHz
Start Freq	15.00000000 GHz
Stop Freq	20.00000000 GHz
CF Step	500.000000 MHz
Auto	Man
Freq Offset	0 Hz

Product	Intel 7260M2NA		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2014/09/19	Test Site	CTR
Test Condition	LTE-Band 2 (5M)	Test Range	30MHz~20GHz


### LTE-Band 2 (5M) 16QAM(1,0) CH18625

Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
3700	-53.610	1.1	-52.510	-13
5548	-62.405	1.23	-61.175	-13
7410	-65.437	1.59	-63.847	-13
9262.5	-65.612	1.89	-63.722	-13
11115	-66.336	2.07	-64.266	-13
12967.5	-65.401	2.26	-63.141	-13
14820	-61.725	2.64	-59.085	-13
16672.5	-59.767	3.5	-56.267	-13
18525	-60.062	3.7	-56.362	-13







Frequency	
Auto Tune	
Center Freq	3.000000000 GHz
Start Freq	1.000000000 GHz
Stop Freq	5.000000000 GHz
CF Step	400.0000000 MHz
	Auto Man
Freq Offset	0 Hz




Frequency	
Auto Tune	
Center Freq	7.500000000 GHz
Start Freq	5.000000000 GHz
Stop Freq	10.000000000 GHz
CF Step	500.0000000 MHz
	Auto Man
Freq Offset	0 Hz





Product	Intel 7260M2NA		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2014/09/19	Test Site	CTR
Test Condition	LTE-Band 2 (10M)	Test Range	30MHz~20GHz

**LTE-Band 2 (10M) QPSK(1,0) CH18650**

Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
3700	-53.305	1.1	-52.205	-13
5550	-62.740	1.23	-61.510	-13
7420	-66.168	1.59	-64.578	-13
9275	-65.699	1.89	-63.809	-13
11130	-66.973	2.07	-64.903	-13
12970	-62.480	2.26	-60.220	-13
14840	-61.686	2.64	-59.046	-13
16695	-58.635	3.5	-55.135	-13
18550	-60.266	3.7	-56.566	-13








Product	Intel 7260M2NA		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2014/09/19	Test Site	CTR
Test Condition	LTE-Band 2 (10M)	Test Range	30MHz~20GHz

**LTE-Band 2 (10M) 16QAM(1,0) CH19150**


Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
3810	-59.800	1.1	-58.700	-13
5700	-63.300	1.23	-62.070	-13
7620	-66.773	1.59	-65.183	-13
9525	-66.194	1.89	-64.304	-13
11430	-66.765	2.07	-64.695	-13
13335	-64.934	2.26	-62.674	-13
15240	-61.230	2.64	-58.590	-13
17145	-60.400	3.5	-56.900	-13
19050	-58.902	3.7	-55.202	-13









Frequency	
Auto Tune	
Center Freq	3.00000000 GHz
Start Freq	1.00000000 GHz
Stop Freq	5.00000000 GHz
CF Step	400.000000 MHz
Auto Man	Auto Man
Freq Offset	0 Hz



Frequency	
Auto Tune	
Center Freq	7.50000000 GHz
Start Freq	5.00000000 GHz
Stop Freq	10.00000000 GHz
CF Step	500.000000 MHz
Auto Man	Auto Man
Freq Offset	0 Hz



Frequency
Auto Tune
Center Freq 12.500000000 GHz
Start Freq 10.000000000 GHz
Stop Freq 15.000000000 GHz
CF Step 500.0000000 MHz
Auto Man
Freq Offset 0 Hz




Frequency
Auto Tune
Center Freq 17.500000000 GHz
Start Freq 15.000000000 GHz
Stop Freq 20.000000000 GHz
CF Step 500.0000000 MHz
Auto Man
Freq Offset 0 Hz



Product	Intel 7260M2NA		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2014/09/19	Test Site	CTR
Test Condition	LTE-Band 2 (15M)	Test Range	30MHz~20GHz

**LTE-Band 2 (15M) QPSK(1,0) CH18675**

Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
3700	-53.560	1.1	-52.460	-13
5550	-60.920	1.23	-59.690	-13
7430	-65.455	1.59	-63.865	-13
9287.5	-65.618	1.89	-63.728	-13
11145	-66.533	2.07	-64.463	-13
13002.5	-65.484	2.26	-63.224	-13
14860	-61.710	2.64	-59.070	-13
16717.5	-58.620	3.5	-55.120	-13
18575	-59.554	3.7	-55.854	-13









Product	Intel 7260M2NA		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2014/09/19	Test Site	CTR
Test Condition	LTE-Band 2 (15M)	Test Range	30MHz~20GHz


### LTE-Band 2 (15M) 16QAM(1,0) CH18900

Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
3748	-54.930	1.1	-53.830	-13
5640	-65.140	1.23	-63.910	-13
7520	-66.125	1.59	-64.535	-13
9400	-65.593	1.89	-63.703	-13
11280	-67.206	2.07	-65.136	-13
13160	-64.183	2.26	-61.923	-13
15040	-61.406	2.64	-58.766	-13
16920	-59.233	3.5	-55.733	-13
18800	-60.325	3.7	-56.625	-13






Frequency	
Auto Tune	
Center Freq	3.00000000 GHz
Start Freq	1.00000000 GHz
Stop Freq	5.00000000 GHz
CF Step	400.000000 MHz
Auto	Man
Freq Offset	0 Hz




Frequency	
Auto Tune	
Center Freq	7.50000000 GHz
Start Freq	5.00000000 GHz
Stop Freq	10.00000000 GHz
CF Step	500.000000 MHz
Auto	Man
Freq Offset	0 Hz





Frequency	
Auto Tune	
Center Freq	12.50000000 GHz
Start Freq	10.00000000 GHz
Stop Freq	15.00000000 GHz
CF Step	500.000000 MHz
Auto	Man
Freq Offset	0 Hz



Frequency	
Auto Tune	
Center Freq	17.50000000 GHz
Start Freq	15.00000000 GHz
Stop Freq	20.00000000 GHz
CF Step	500.000000 MHz
Auto	Man
Freq Offset	0 Hz



Product	Intel 7260M2NA		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2014/09/19	Test Site	CTR
Test Condition	LTE-Band 2 (20M)	Test Range	30MHz~20GHz

**LTE-Band 2 (20M) QPSK(1,0) CH18900**

Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
3744	-53.390	1.1	-52.290	-13
5615	-61.485	1.23	-60.255	-13
7520	-65.825	1.59	-64.235	-13
9400	-66.064	1.89	-64.174	-13
11280	-66.753	2.07	-64.683	-13
13160	-65.648	2.26	-63.388	-13
15040	-60.144	2.64	-57.504	-13
16920	-59.353	3.5	-55.853	-13
18800	-59.880	3.7	-56.180	-13

