


Frequency	
Auto Tune	
Center Freq	12.500000000 GHz
Start Freq	10.000000000 GHz
Stop Freq	15.000000000 GHz
CF Step	500.0000000 MHz
Auto	Man
Freq Offset	0 Hz





Frequency	
Auto Tune	
Center Freq	17.500000000 GHz
Start Freq	15.000000000 GHz
Stop Freq	20.000000000 GHz
CF Step	500.0000000 MHz
Auto	Man
Freq Offset	0 Hz

Product	Intel 7260M2NA		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2014/09/19	Test Site	CTR
Test Condition	LTE-Band 4 (10M)	Test Range	30MHz~20GHz


LTE-Band 4 10M 16QAM(1,0) CH20000

Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
3420	-58.110	1.1	-57.010	-13
5130	-58.402	1.23	-57.172	-13
6860	-65.388	1.59	-63.798	-13
8575	-66.480	1.89	-64.590	-13
10290	-66.960	2.07	-64.890	-13
12005	-65.920	2.26	-63.660	-13
13720	-62.864	2.64	-60.224	-13
15435	-60.356	3.5	-56.856	-13
17150	-60.016	3.7	-56.316	-13







Frequency	
Auto Tune	
Center Freq	3.000000000 GHz
Start Freq	1.000000000 GHz
Stop Freq	5.000000000 GHz
CF Step	400.0000000 MHz
Auto	Man
Freq Offset	0 Hz




Frequency	
Auto Tune	
Center Freq	7.500000000 GHz
Start Freq	5.000000000 GHz
Stop Freq	10.000000000 GHz
CF Step	500.0000000 MHz
Auto	Man
Freq Offset	0 Hz




Product	Intel 7260M2NA		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2014/09/19	Test Site	CTR
Test Condition	LTE-Band 4 15M	Test Range	30MHz~20GHz


LTE-Band 4 15M QPSK(1,0) CH20175

Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
3452	-55.470	1.1	-54.370	-13
5178	-60.997	1.23	-59.767	-13
6930	-65.376	1.59	-63.786	-13
8662.5	-66.578	1.89	-64.688	-13
10395	-66.919	2.07	-64.849	-13
12127.5	-65.615	2.26	-63.355	-13
13860	-63.939	2.64	-61.299	-13
15592.5	-60.152	3.5	-56.652	-13
17325	-59.619	3.7	-55.919	-13







Frequency
Auto Tune
Center Freq 3.000000000 GHz
Start Freq 1.000000000 GHz
Stop Freq 5.000000000 GHz
CF Step 400.0000000 MHz Auto Man
Freq Offset 0 Hz




Frequency
Auto Tune
Center Freq 7.500000000 GHz
Start Freq 5.000000000 GHz
Stop Freq 10.000000000 GHz
CF Step 500.0000000 MHz Auto Man
Freq Offset 0 Hz




Product	Intel 7260M2NA		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2014/09/19	Test Site	CTR
Test Condition	LTE-Band 4 (15M)	Test Range	30MHz~20GHz


LTE-Band 4 (15M) 16QAM(1,0) CH20175

Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
3452	-55.910	1.1	-54.810	-13
5175	-60.000	1.23	-58.770	-13
6930	-65.653	1.59	-64.063	-13
8662.5	-66.345	1.89	-64.455	-13
10375	-64.894	2.07	-62.824	-13
12127.5	-65.748	2.26	-63.488	-13
13860	-63.456	2.64	-60.816	-13
15592.5	-60.605	3.5	-57.105	-13
17325	-60.083	3.7	-56.383	-13





Frequency	
Auto Tune	
Center Freq	12.500000000 GHz
Start Freq	10.000000000 GHz
Stop Freq	15.000000000 GHz
CF Step	500.0000000 MHz
Auto	Man
Freq Offset	0 Hz





Frequency	
Auto Tune	
Center Freq	17.500000000 GHz
Start Freq	15.000000000 GHz
Stop Freq	20.000000000 GHz
CF Step	500.0000000 MHz
Auto	Man
Freq Offset	0 Hz

Product	Intel 7260M2NA		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2014/09/19	Test Site	CTR
Test Condition	LTE-Band 4 (20M)	Test Range	30MHz~20GHz


LTE-Band 4 (20M) QPSK(1,0) CH20300

Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
3472	-51.520	1.1	-50.420	-13
5210	-62.554	1.23	-61.324	-13
6980	-65.955	1.59	-64.365	-13
8725	-66.183	1.89	-64.293	-13
10470	-66.496	2.07	-64.426	-13
12215	-64.361	2.26	-62.101	-13
13960	-62.509	2.64	-59.869	-13
15705	-59.736	3.5	-56.236	-13
17450	-60.039	3.7	-56.339	-13





Frequency	
Auto Tune	
Center Freq	12.50000000 GHz
Start Freq	10.00000000 GHz
Stop Freq	15.00000000 GHz
CF Step	500.000000 MHz
Auto	Man
Freq Offset	0 Hz





Frequency	
Auto Tune	
Center Freq	17.50000000 GHz
Start Freq	15.00000000 GHz
Stop Freq	20.00000000 GHz
CF Step	500.000000 MHz
Auto	Man
Freq Offset	0 Hz

Product	Intel 7260M2NA		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2014/09/19	Test Site	CTR
Test Condition	LTE-Band 4 (20M)	Test Range	30MHz~20GHz


LTE-Band 4 (20M) 16QAM(1,0) CH20300

Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
3472	-51.380	1.1	-50.280	-13
5235	-65.375	1.23	-64.145	-13
6980	-65.415	1.59	-63.825	-13
8725	-66.568	1.89	-64.678	-13
10470	-66.731	2.07	-64.661	-13
12215	-65.240	2.26	-62.980	-13
13960	-63.380	2.64	-60.740	-13
15705	-59.845	3.5	-56.345	-13
17450	-60.146	3.7	-56.446	-13







Frequency	
Auto Tune	
Center Freq	12.500000000 GHz
Start Freq	10.000000000 GHz
Stop Freq	15.000000000 GHz
CF Step	500.0000000 MHz
Auto Man	Auto Man
Freq Offset	0 Hz




Frequency	
Auto Tune	
Center Freq	17.500000000 GHz
Start Freq	15.000000000 GHz
Stop Freq	20.000000000 GHz
CF Step	500.0000000 MHz
Auto Man	Auto Man
Freq Offset	0 Hz





Product	Intel 7260M2NA		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2014/09/19	Test Site	CTR
Test Condition	LTE-Band 5 (1.4M)	Test Range	30MHz~10GHz

LTE-Band 5 (1.4M) 16QAM(1,0) CH20407

Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
1649.4	-60.230	0.58	-59.650	-13
2474.1	-59.726	0.7	-59.026	-13
3298.8	-64.149	1.01	-63.139	-13
4123.5	-67.004	1.18	-65.824	-13
4948.2	-64.954	1.23	-63.724	-13
5772.9	-62.387	1.45	-60.937	-13
6597.6	-62.180	1.56	-60.620	-13
7422.3	-65.971	1.59	-64.381	-13
8247	-66.919	1.82	-65.099	-13








Product	Intel 7260M2NA		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2014/09/19	Test Site	CTR
Test Condition	LTE-Band 5 (3M)	Test Range	30MHz~10GHz

LTE-Band 5 (3M) QPSK(1,7) CH20525

Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
1673	-65.827	0.58	-65.247	-13
2509.5	-63.714	0.7	-63.014	-13
3346	-64.594	1.01	-63.584	-13
4182.5	-67.945	1.18	-66.765	-13
5019	-63.730	1.23	-62.500	-13
5855.5	-61.567	1.45	-60.117	-13
6692	-62.303	1.56	-60.743	-13
7528.5	-66.473	1.59	-64.883	-13
8365	-68.463	1.82	-66.643	-13







Product	Intel 7260M2NA		
Test Mode	Spurious Emission (Conducted)		
Date of Test	2014/09/19	Test Site	CTR
Test Condition	LTE-Band 5 (3M)	Test Range	30MHz~10GHz


LTE-Band 5 (3M) 16QAM(1,0) CH20525

Frequency (MHz)	Reading Level (dBm)	Path Loss (dB)	Emission Level (dBm)	Limit (dBm)
1673	-65.484	0.58	-64.904	-13
2507	-63.372	0.7	-62.672	-13
3346	-65.393	1.01	-64.383	-13
4182.5	-67.055	1.18	-65.875	-13
5019	-64.198	1.23	-62.968	-13
5855.5	-62.397	1.45	-60.947	-13
6692	-62.781	1.56	-61.221	-13
7528.5	-65.883	1.59	-64.293	-13
8365	-68.311	1.82	-66.491	-13





Frequency
Auto Tune
Center Freq 2.50000000 GHz
Start Freq 1.00000000 GHz
Stop Freq 4.00000000 GHz
CF Step 300.000000 MHz
Auto Man
Freq Offset 0 Hz



Frequency
Auto Tune
Center Freq 5.50000000 GHz
Start Freq 4.00000000 GHz
Stop Freq 7.00000000 GHz
CF Step 300.000000 MHz
Auto Man
Freq Offset 0 Hz