






Annex F. Photographs


F.1 Test Sample

Laptop Mode	Front View
 A photograph of a silver HP laptop in its open, laptop mode. The screen is dark, and the keyboard is visible. A ruler is placed to the left of the laptop for scale.	 A photograph of the front view of the closed laptop lid. The HP logo is centered on the silver surface. A ruler is placed below the lid for scale. There are some small labels on the lid, including "INPAQ D1S" in the top left corner.
Back View	
 A photograph of the back view of the closed laptop lid. A large speaker grille is visible in the center. A ruler is placed above and to the left of the lid for scale. There are several labels on the back, including a large one with technical specifications and a smaller one in the bottom right corner.	

F.2 Test positions

Laptop Mode	Laptop Mode – Side View
 A photograph showing the front view of a test setup. A laptop is mounted on a stand, with a camera positioned above it. The setup is enclosed in a clear plastic enclosure. A red light is visible on the left side of the enclosure.	 A photograph showing the side view of the test setup. The laptop is mounted on a stand, and the camera is positioned to the right. The setup is enclosed in a clear plastic enclosure. A red light is visible on the top of the enclosure.

F.3 Antenna host platform location and adjacent edge positions relative to the body



F.4 Phantom liquid level during measurements

ELI phantom Body liquid SAR Dasy SPEAG MBBL600-6000V6 Batch -160603-01

