

8260NGW

		Orginal		C2PC		Deviation	
SISO A	802.11a	Avg	Peak	Avg	Peak	Avg	Peak
	5745	21.65	24.21	19.28	23.92	--	-0.29
	5785	21.66	23.97	21.63	23.90	--	-0.07
	5825	21.68	23.99	20.66	23.93	--	-0.06
	802.11n20	Avg	Peak	Avg	Peak	Avg	Peak
	5745	20.96	24.13	17.32	22.77	--	-1.36
	5785	21.89	24.20	21.66	23.98	--	-0.22
	5825	21.63	23.87	19.44	23.77	--	-0.10
	802.11n40	Avg	Peak	Avg	Peak	Avg	Peak
	5755	21.16	23.78	16.38	21.69	--	-2.09
	5795	21.30	23.66	19.14	23.58	--	-0.08
	802.11ac80	Avg		Avg		Avg	
	5775	20.90		16.61		-4.29	

SISO B	802.11a	Avg	Peak	Avg	Peak	Avg	Peak
	5745	20.85	23.94	18.04	22.63	--	-1.31
	5785	21.09	23.82	21.08	23.77	--	-0.05
	5825	21.04	23.88	19.35	22.77	--	-1.11
	802.11n20	Avg	Peak	Avg	Peak	Avg	Peak
	5745	21.25	24.28	17.87	23.66	--	-0.62
	5785	21.47	24.49	21.18	24.38	--	-0.11
	5825	21.06	23.88	18.73	23.77	--	-0.11
	802.11n40	Avg	Peak	Avg	Peak	Avg	Peak
	5755	21.11	23.51	15.65	21.11	--	-2.40
	5795	21.47	23.96	17.08	22.08	--	-1.88
	802.11ac80	Avg		Avg		Avg	
	5775	21.26		15.07		-6.19	

MIMO	802.11n20	Avg	Peak	Avg	Peak	Avg	Peak
	5745	21.21	25.79	20.26	25.72	--	-0.07
	5785	21.22	25.51	21.18	25.47	--	-0.04
	5825	21.33	25.58	20.68	25.47	--	-0.11
	802.11n40	Avg	Peak	Avg	Peak	Avg	Peak
	5755	21.18	25.05	17.28	23.43	--	-1.62
	5795	21.33	25.24	19.97	25.13	--	-0.11
	802.11ac80	Avg		Avg		Avg	
5775	21.23		16.96		-4.27		

Beamforming	802.11n20	Avg	Peak	Avg	Peak	Avg	Peak
	5745	21.66	25.77	19.75	25.68	--	-0.09
	5785	21.23	25.75	21.21	25.64	--	-0.11
	5825	21.39	25.70	20.33	25.66	--	-0.04
	802.11n40	Avg	Peak	Avg	Peak	Avg	Peak
	5755	21.24	25.20	18.65	21.40	--	-3.80
	5795	21.36	25.59	20.06	21.65	--	-3.94
	802.11ac80	Avg		Avg		Avg	
	5775	21.14		16.93		-4.21	

Note 1: The purpose of this table is to show there is no power changes from original to C2PC while moving the 5.8 GHz data from 15.247 to UNII rules and using the newer techniques for the UNII data. This table is necessary given the different techniques that have been used/allowed under the 15.247 vs. UNII rules.

Note 2: The Peak in the C2PC column is using the 15.247 method originally applied, but is not a current method allowed under UNII. It is shown here only for purposes of proving there is no intentional change to power. The Peak values shown under C2PC should not be used in final data as the method is not specified by the KDB.

Note 3: The Average value under the C2PC is using a selected method now required by the UNII test procedures and is the value intended to be placed on the grant. Please highlight the values used in the test report. Show the difference from the test report +/- deviation.

Note 4: Highest power as shown on the original grant is highlighted.