













Annex F. Photographs




F.1 Test Sample

<p>Module Front : 181210-02.S03</p> 	<p>Module Back: 181210-02.S03</p> 
<p>Platform Extender: 160107-01.S11</p> 	<p>Laptop : 210903-02.S53</p> 
<p>Adapter: 180001-01.S17 (Front view)</p>	<p>Adapter: 180001-01.S17 (Back view)</p>
	

F.2 Test positions


Top Edge 8mm	Bottom Edge 8mm
	
Left Edge 8mm	Right Edge 8mm
	
Front Face 8mm	Back Face 8mm
	

F.3 Antenna host platform location and adjacent edge positions relative to the body

Antenna Front View	Antenna Positions
 <p>A photograph showing the front view of an antenna host platform. A black ruler with white markings in centimeters is placed above the antenna. The antenna is a rectangular white PCB with a yellow flex cable on the left side. A label on the antenna reads: "Company Name: SkyCross Electronics (Shenzhen) Co., Ltd. Shanghai Branch. Antenna Type: WIMAX / WLAN. Date: TEL: +86-21-6434 8850 EXT.101". The SkyCross logo is visible on the right side of the antenna.</p>	 <p>A diagram showing the antenna host platform with labels for its edges and faces. The edges are labeled: "TOP EDGE", "LEFT EDGE", "RIGHT EDGE", and "BOTTOM EDGE". The faces are labeled: "BACK FACE" (indicated by a red arrow pointing to the top edge) and "FRONT FACE" (indicated by a red arrow pointing to the bottom edge). The antenna is shown with a yellow flex cable on the left and a label on the right. The label text is: "Company Name: SkyCross Electronics (Shenzhen) Co., Ltd. Shanghai Branch. Antenna Type: WIMAX / WLAN. Date: TEL: +86-21-6434 8850 EXT.101". The SkyCross logo is visible on the right side of the antenna.</p>
General Setup	
 <p>A photograph showing the general setup for the antenna test. A yellow antenna host platform is mounted on a black metal frame. A green PCB is connected to the antenna. A red antenna cable is visible on the left. The setup is on a black table.</p>	

F.4 Phantom liquid level during measurements

ELI phantom Body liquid SAR Dasy SPEAG MBBL600-6000V6 Batch -160630-01



End of the report

This page is intentionally left blank and marks the last page of the test report.