








Annex F. Photographs




F.1 Test Sample



F.2 Test positions


<p>Top Edge – 8mm</p>	<p>Bottom Edge – 8mm</p>
	
<p>Left Edge – 8mm</p>	<p>Right Edge – 8mm</p>
	
<p>Front Face – 8mm</p>	<p>Back Face – 8mm</p>
	

F.3 Antenna host platform location and adjacent edge positions relative to the body

Antenna Front View	Antenna Positions
 <p>A photograph showing the front view of the antenna. A ruler is placed above it for scale. The antenna has a white label with the following text: "Company Name: SkyCross Electronics (Shenzhen) Co., Ltd. Shanghai Branch", "Antenna Type: WIMAX / WLAN", "Date:", and "TEL: +86-21-6434 8850 EXT.101". The SkyCross logo is visible on the antenna's surface.</p>	 <p>A diagram of the antenna with labels for its edges and faces. The labels are: "TOP EDGE" at the top, "BOTTOM EDGE" at the bottom, "LEFT EDGE" on the left, and "RIGHT EDGE" on the right. The "FRONT FACE" is indicated by a red arrow pointing to the bottom edge, and the "BACK FACE" is indicated by a red arrow pointing to the top edge.</p>
General Setup	
 <p>A photograph of the general test setup. It shows a laboratory environment with a microscope, a computer monitor, and a green printed circuit board (PCB) with various components mounted on it. The PCB is resting on a red surface.</p>	

F.4 Phantom liquid level during measurements

ELI phantom Body liquid SAR Dasy SPEAG MBL600-6000V6 Batch -180206-04



End of the report

This page is intentionally left blank and marks the last page of the test report.