

Annex F. Photographs

F.1 Test Sample


NGW Module Front : 200611-03.S15



NGW Module Back: 200611-03.S15









Platform Extender: 160107-01.S11






Laptop : 210903-02.S53



F.2 Test positions


Top Edge 8mm	Bottom Edge 8mm
	
Left Edge 8mm	Right Edge 8mm
	
Front Face 8mm	Back Face 8mm
	

F.3 Antenna host platform location and adjacent edge positions relative to the body

Antenna Front View	Antenna Positions
 <p>The image shows the front view of the antenna host platform. A ruler is placed above it for scale. The label on the antenna reads: Company Name: SkyCross Electronics (Shenzhen) Co., Ltd. Shanghai Branch Antenna Type: WIMAX / WLAN Date: TEL: +86-21-6434 8850 EXT.101</p>	 <p>The diagram shows the antenna host platform with its edges and faces labeled: TOP EDGE LEFT EDGE RIGHT EDGE BOTTOM EDGE FRONT FACE BACK FACE</p>
General Setup	
 <p>The photograph shows the general setup for the antenna testing. A yellow antenna host platform is mounted on a black metal frame. A green printed circuit board (PCB) is placed on a red surface to the right of the antenna. A red probe is visible on the left side of the setup.</p>	

F.4 Phantom liquid level during measurements

ELI phantom Body liquid SAR Dasy SPEAG MBBL600-6000V6 Batch -160630-01



End of the report

This page is intentionally left blank and marks the last page of the test report.