# **Regulatory WLAN Antenna Information**

Platforn	n informatio	n									
Brand ODM		M	RMN		Intel platform (ex: Yes, No or NA)		Platform type (ex: regular NB, convertible PC, AIOetc)		*SAR minimum separation (mm)		
HP Inc. Comp		pal	TPN-C176		Yes F		egular NB	Ę	5.75		
	e fill in exact p inspection.	roduct model	name and mal	ke sure the mo	del name is	visible on produ	ict cover or an	y parts for en	d users recogr	nize for	
				Ant	tenna info	rmation					
Vendor				Туре		Antenna Part number (Main/Tx2)		An	Antenna Part number (Aux/Tx1)		
INPAQ			PIFA			DC33002XB00 (WA-P-LE-02-227)			DC33002XB10 (WA-P-LE-02-228)		
			1	Peak ga	in w/ cab	e loss (dBi)*		1			
	<b>2.4GHz</b> 2400-2483.5 MHz	<b>5.2GHz</b> 5150-5250MHz	5.3GHz 5250-5350MHz	<b>5.6GHz</b> 5470-5725MHz	5725-5850MH	<b>5.9GHz</b> 5850-5895MHz	6.2GHz 5925-6425MHz	6.5GHz 6425-6525MHz	6.7GHz 6525-6875MHz	7.0 GHz 6875-7125MHz	
Main	1.47	1.45	2.33	2.90	2.85	0.81	0.69	0.66	0.78	0.43	
Aux	0.59	0.01	1.41	2.67	2.67	2.81	2.98	0.69	0.67	0.38	
<b>/</b> odule	Information										
Model Form f			Form fact	orm factor and suffixes							
AX211NGW			Intel Garfield Peak 2 AX211 Wi-Fi 6e +Bluetooth 5.2 M.2 2230 160MHz CNVi WW WLAN								
BE200NGW			Intel Gale	Intel Gale Peak 2 BE200 M.2 2230 Wi-Fi 7 +Bluetooth 5.4 non-vPro WW WLAN							

Address of the antenna manufacturer:


No. 11, Keyi St., 11th Neighborhood, Gongyi Vil., Zhunan Township, Miaoli County 350402, Taiwan (R.O.C.)

# **Table of contents**

- 1. Setup photo
- Section 1. Dimensioned Photos or Drawings of Antennas
- Section 2. Antenna Host Platform Location Information
- Section 3. Antenna dimensional information for SAR evaluation

Section 4. Diagram Example of Co-Location Antenna Separation


#### 1. Setup photo




# Section 1. Dimensioned Photos and Drawings of Antennas

#### Include the dimensioned photo and drawing of Main antenna here.

#### Main Antenna Drawing:




## Main Antenna Photo (Front/Back):




Note: antenna photo should include L type ruler

#### Include the dimensioned photo and drawing of Aux antenna here.

#### Aux Antenna Drawing:



#### Aux Antenna Photo (Front/Back):




#### Note: antenna photo should include L type ruler

### Section 2. Antenna Host Platform Location Information

Include a **dimensioned photo(s) or dimensioned drawing(s)** of Main and Aux antenna placements (measurements are not required for <u>receive-only</u> antenna).


Any antenna that transmits must show dimensions to bottom of laptop. Provide a description of the materials that are used for supporting or surrounding transmit antennas; for example, non-conductive plastics vs. conductive coated plastic or metallic materials.

Minimum Separation Distance					
<u>ltem</u>	<u>Antenna</u>	Position	<u>Distance</u> (mm)		
<u>A</u>	<u>WLAN-Main</u>	<u>to Top</u>	<u>247</u>		
<u>B</u>	<u>WLAN-Main</u>	<u>to Right</u>	<u>98</u>		
<u>C</u>	<u>WLAN-Main</u>	<u>to Left</u>	<u>252</u>		
D	<u>WLAN-Main</u>	<u>to Bottom</u>	<u>5.75</u>		
E	<u>WLAN-Main</u>	Main Antenna Length	<u>45</u>		
<u>F</u>	<u>Main-Aux</u>	<u>Main to Aux</u>	<u>14.5</u>		
<u>G</u>	<u>WLAN-Aux</u>	<u>to Top</u>	<u>247</u>		
H	<u>WLAN-Aux</u>	<u>to Right</u>	<u>158</u>		
l	<u>WLAN-Aux</u>	<u>to Left</u>	<u>191</u>		
ī	<u>WLAN-Aux</u>	<u>to Bottom</u>	<u>5.75</u>		
<u>к</u>	<u>WLAN-Aux</u>	Aux Antenna Length	<u>45</u>		
L	<u>NB</u>	Bumper thickness	<u>1.5</u>		



## Section 3. Antenna dimensional information for SAR evaluation

Include a **dimensioned photo(s) or dimensioned drawing(s)** showing the distance (mm) between the transmit antennas and the user. For notebook/laptop hosts show lapheld position (example below). For tablet hosts show all orientations including lapheld, primary & secondary portrait, primary & secondary landscape positions. Include a description of any proximity sensors or power throttling implementations that limit or exclude use of any host orientation.



# Section 4. Diagram Example of Co-Location Antenna Separation

Include a **dimensioned photo or dimensioned drawing** showing the distance (mm) between <u>all WLAN</u> <u>transmit antennas</u> and other co-located radiator transmit antenna such as Bluetooth, WWAN,..

#### (Note: Due to the evolving rules regarding co-location, each platform will need to be reviewed on a case by case basis)

Minimum Separation Distance						
<u>ltem</u>	<u>Antenna</u>	<u>Position</u>	<u>Distance</u> (mm)			
A	<u>WLAN-Main</u>	<u>to Top</u>	<u>247</u>			
<u>B</u>	WLAN-Main	<u>to Right</u>	<u>98</u>			
<u>c</u>	WLAN-Main	<u>to Left</u>	<u>252</u>			
D	WLAN-Main	<u>to Bottom</u>	<u>5.75</u>			
E	<u>WLAN-Main</u>	<u>Main Antenna Length</u>	<u>45</u>			
E	<u>Main-Aux</u>	<u>Main to Aux</u>	<u>14.5</u>			
<u>G</u>	<u>WLAN-Aux</u>	<u>to Top</u>	<u>247</u>			
H	<u>WLAN-Aux</u>	<u>to Right</u>	<u>158</u>			
1	WLAN-Aux	<u>to Left</u>	<u>191</u>			
ī	<u>WLAN-Aux</u>	<u>to Bottom</u>	<u>5.75</u>			
<u>ĸ</u>	<u>WLAN-Aux</u>	Aux Antenna Length	<u>45</u>			
L	<u>NB</u>	Bumper thickness	<u>1.5</u>			

