# **Regulatory WLAN Antenna Information**

Platform information						
Brand	ODM	RMN	Intel platform (ex: Yes, No or NA)	Platform type (ex: regular NB, convertible PC, AIOetc)	*SAR minimum separation (mm)	
HP Inc.	Compal	TPN-C176	Yes	Regular NB	5.75	
*****Please fill in exact product model name and make sure the model name is visible on product cover or any parts for end users recognize for						

\*\*\*\*\*Please fill in exact product model name and make sure the model name is visible on product cover or any parts for end users recognize for authority inspection.

Antenna information										
Vendor Type				Antenna Part number (Main/Tx2)		Ant	Antenna Part number (Aux/Tx1)			
Wistron NeWeb Corporation			PIFA		DC33002XA00 (81EAB615.G23)			DC33002XA10 (81EAB615.G24)		
Peak gain w/ cable loss (dBi)*										
	2.4GHz	5.2GHz	5.3GHz	5.6GHz	5.8GHz	5.9GHz	6.2GHz	6.5GHz	6.7GHz	7.0 GHz

	<b>2.4GHz</b> 2400-2483.5 MHz	<b>5.2GHz</b> 5150-5250MHz	<b>5.3GHz</b> 5250-5350MHz	<b>5.6GHz</b> 5470-5725MHz	<b>5.8GHz</b> 5725-5850MHz	<b>5.9GHz</b> 5850-5895MHz	<b>6.2GHz</b> 5925-6425MHz	<b>6.5GHz</b> 6425-6525MHz	<b>6.7GHz</b> 6525-6875MHz	<b>7.0 GHz</b> 6875-7125MHz
Main	2.74	2.8	2.78	2.87	2.88	2.58	2.89	2.89	2.79	2.38
Aux	2.82	2.92	2.97	2.95	2.95	2.8	2.99	2.89	2.89	2.88

odule Information				
Model	Form factor and suffixes			
AX211NGW	Intel Garfield Peak 2 AX211 Wi-Fi 6e +Bluetooth 5.2 M.2 2230 160MHz CNVi WW WLAN			
BE200NGW	Intel Gale Peak 2 BE200 M.2 2230 Wi-Fi 7 +Bluetooth 5.4 non-vPro WW WLAN			

Address of the antenna manufacturer:

NO. 20, PARK AVENUE II, HSINCHU SCIENCE PARK, HSINCHU 30844, TAIWAN

## **Table of contents**

1. Setup photo


Section 1. Dimensioned Photos or Drawings of Antennas

Section 2. Antenna Host Platform Location Information

Section 3. Antenna dimensional information for SAR evaluation

Section 4. Diagram Example of Co-Location Antenna Separation

#### 1. Setup photo






## Section 1. Dimensioned Photos and Drawings of Antennas

Include the dimensioned photo and drawing of Main antenna here.

## Main Antenna Drawing:




## Main Antenna Photo (Front/Back):




Note: antenna photo should include L type ruler

#### Include the dimensioned photo and drawing of Aux antenna here.

### Aux Antenna Drawing:



## Aux Antenna Photo (Front/Back):




Note: antenna photo should include L type ruler

#### Section 2. Antenna Host Platform Location Information

Include a **dimensioned photo(s) or dimensioned drawing(s)** of Main and Aux antenna placements (measurements are not required for <u>receive-only</u> antenna).


Any antenna that transmits must show dimensions to bottom of laptop. Provide a description of the materials that are used for supporting or surrounding transmit antennas; for example, non-conductive plastics vs. conductive coated plastic or metallic materials.

Minimum Separation Distance						
<u>ltem</u>	<u>Antenna</u>	<u>Position</u>	<u>Distance</u> (mm)			
<u>A</u>	<u>WLAN-Main</u>	to Top	<u>247</u>			
<u>B</u>	WLAN-Main	to Right	<u>98</u>			
<u>C</u>	WLAN-Main	to Left	<u>252</u>			
<u>D</u>	WLAN-Main	to Bottom	<u>5.75</u>			
<u>E</u>	WLAN-Main	Main Antenna Length	<u>45</u>			
<u>E</u>	Main-Aux	Main to Aux	<u>14.5</u>			
<u>G</u>	WLAN-Aux	to Top	<u>247</u>			
<u>H</u>	WLAN-Aux	to Right	<u>158</u>			
Ī	WLAN-Aux	to Left	<u>191</u>			
ī	WLAN-Aux	to Bottom	<u>5.75</u>			
<u>K</u>	WLAN-Aux	Aux Antenna Length	<u>45</u>			
L	<u>NB</u>	Bumper thickness	<u>1.5</u>			



### Section 3. Antenna dimensional information for SAR evaluation

Include a **dimensioned photo(s)** or **dimensioned drawing(s)** showing the distance (mm) between the transmit antennas and the user. For notebook/laptop hosts show lapheld position (example below). For tablet hosts show all orientations including lapheld, primary & secondary portrait, primary & secondary landscape positions. Include a description of any proximity sensors or power throttling implementations that limit or exclude use of any host orientation.



## Section 4. Diagram Example of Co-Location Antenna Separation

Include a **dimensioned photo or dimensioned drawing** showing the distance (mm) between **all WLAN transmit antennas** and other co-located radiator transmit antenna such as Bluetooth, WWAN,..

(Note: Due to the evolving rules regarding co-location, each platform will need to be reviewed on a case by case basis)

Minimum Separation Distance						
<u>ltem</u>	<u>Antenna</u>	<u>Position</u>	Distance (mm)			
<u>A</u>	<u>WLAN-Main</u>	to Top	<u>247</u>			
<u>B</u>	WLAN-Main	to Right	<u>98</u>			
<u>C</u>	WLAN-Main	to Left	<u>252</u>			
<u>D</u>	WLAN-Main	to Bottom	<u>5.75</u>			
<u>E</u>	WLAN-Main	Main Antenna Length	<u>45</u>			
<u>E</u>	<u>Main-Aux</u>	Main to Aux	<u>14.5</u>			
<u>G</u>	WLAN-Aux	to Top	<u>247</u>			
<u>H</u>	WLAN-Aux	to Right	<u>158</u>			
Ī	WLAN-Aux	to Left	<u>191</u>			
ī	WLAN-Aux	to Bottom	<u>5.75</u>			
<u>K</u>	WLAN-Aux	Aux Antenna Length	<u>45</u>			
L	<u>NB</u>	Bumper thickness	<u>1.5</u>			

