

## TRANSMITTER MODULAR APPROVAL ATTESTATION

September 02, 2004

Federal Communications Commission

Re: Application Modular Approval Certification for FCC ID: PD9FJ3B2915ABG

Gentlemen:

The following attestation addresses the eight requirements to support modular approval as required by the FCC Public Notice DA00-1407 "Part 15 Unlicensed Modular Transmitter Approval"

1	The modular transmitter has its own RF shielding and does not rely upon the shielding
	provided by the device into which it is installed in order to comply with Part 15 limits.
2	The modular transmitter has buffered modulation/data inputs. All inputs to the
	modules are buffered through the radio circuitry.
3	The modular transmitter has its own power supply regulator.
4	The modular transmitter has an antenna that complies with section 15.203 and
	15.204(c) of the FCC rules. It has a UFL type of connector at the transmitter end and is
	soldered to the antenna (depending on OEM configuration). Also the antenna will be
	internal in the OEM host equipment and inaccessible to the user.
5	The modular transmitter was tested outside of a host desktop computer using a PCI
	extender card. The PCI extender card allows the transmitter to be placed outside of the
	chassis of the host desktop computer.
6	The modular transmitter will be labeled with its own FCC ID. Also, the OEM host
	computer manufacturer will be informed to display a label referring to the enclosed
	module. The exterior label will read as follows: "Contains Transmitter Module FCC
	ID" or "Contains TXFCCID".
7	The modular transmitter is manufactured so that the user cannot influence the operation
	of the transmitter that will operate outside of the scope of the regulations.
8	The modular transmitter meets the MPE calculations of 47 CFR 1.1307(b)(1). Also,
	SAR data is available if necessary.

If there are any additional questions or if further information is needed, please contact us at your earliest convenience at (949) 459-7886.

Sincerely,

le

Rick Candelas Aegis Labs, Inc. Lab Manager