

CyberBank -- CB-0870(Single Mode Cellular CDMA PDA Phone Hesd SAR)

SAM(835M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 39.8$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.997 mW/g, SAR (10g): 0.661 mW/g

Cellular CDMA PDA Phone Model : CB-0870

Cellular CDMA Mode, Ch.1013[824.7MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Right Head Phantom, Cheek / Touch position; Antenna Fixed

Test Date -- 09 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]

1.07E+0

9.63E-1

8.56E-1

7.49E-1

6.42E-1

5.35E-1

4.28E-1

3.21E-1

2.14E-1

1.07E-1

CyberBank -- CB-0870(Single Mode Cellular CDMA PDA Phone Hesd SAR)

SAM(835M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 39.8$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.956 mW/g, SAR (10g): 0.664 mW/g

Cellular CDMA PDA Phone Model : CB-0870

Cellular CDMA Mode, Ch.384[836.52MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Right Head Phantom, Cheek / Touch position; Antenna Fixed

Test Date -- 09 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



CyberBank -- CB-0870(Single Mode Cellular CDMA PDA Phone Hesd SAR)

SAM(835M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 39.8$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.995 mW/g, SAR (10g): 0.687 mW/g

Cellular CDMA PDA Phone Model : CB-0870


Cellular CDMA Mode, Ch.777[848.31MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Right Head Phantom, Cheek / Touch position; Antenna Fixed

Test Date -- 09 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



CyberBank -- CB-0870(Single Mode Cellular CDMA PDA Phone Hesd SAR)

SAM(835M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 39.8$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 1.01 mW/g, SAR (10g): 0.646 mW/g

Cellular CDMA PDA Phone Model : CB-0870

Cellular CDMA Mode, Ch.1013[824.7MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Right Head Phantom, 15° Degree Tilt position; Antenna Fixed

Test Date -- 09 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



CyberBank -- CB-0870(Single Mode Cellular CDMA PDA Phone Hesd SAR)

SAM(835M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 39.8$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 1.13 mW/g, SAR (10g): 0.718 mW/g

Cellular CDMA PDA Phone Model : CB-0870

Cellular CDMA Mode, Ch.384[836.52MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Right Head Phantom, 15° Degree Tilt position; Antenna Fixed

Test Date -- 09 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



CyberBank -- CB-0870(Single Mode Cellular CDMA PDA Phone Hesd SAR)

SAM(835M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 39.8$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 1.15 mW/g, SAR (10g): 0.690 mW/g

Cellular CDMA PDA Phone Model : CB-0870


Cellular CDMA Mode, Ch.777[848.31MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Right Head Phantom, 15° Degree Tilt position; Antenna Fixed

Test Date -- 09 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



CyberBank -- CB-0870(Single Mode Cellular CDMA PDA Phone Hesd SAR)

SAM(835M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 39.8$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 1.32 mW/g, SAR (10g): 0.797 mW/g

Cellular CDMA PDA Phone Model : CB-0870


Cellular CDMA Mode, Ch.1013[824.7MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Left Head Phantom, Cheek / Touch position; Antenna Fixed

Test Date -- 09 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



CyberBank -- CB-0870(Single Mode Cellular CDMA PDA Phone Hesd SAR)

SAM(835M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 39.8$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 1.47 mW/g, SAR (10g): 0.882 mW/g

Cellular CDMA PDA Phone Model : CB-0870

Cellular CDMA Mode, Ch.384[836.52MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Left Head Phantom, Cheek / Touch position; Antenna Fixed

Test Date -- 09 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



CyberBank -- CB-0870(Single Mode Cellular CDMA PDA Phone Hesd SAR)

SAM(835M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 39.8$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 1.43 mW/g, SAR (10g): 0.868 mW/g

Cellular CDMA PDA Phone Model : CB-0870

Cellular CDMA Mode, Ch.777[848.31MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Left Head Phantom, Cheek / Touch position; Antenna Fixed

Test Date -- 09 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



CyberBank -- CB-0870(Single Mode Cellular CDMA PDA Phone Hesd SAR)

SAM(835M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 39.8$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 1.44 mW/g, SAR (10g): 0.875 mW/g

Cellular CDMA PDA Phone Model : CB-0870

Cellular CDMA Mode, Ch.1013[824.7MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Left Head Phantom, 15° Degree Tilt position; Antenna Fixed

Test Date -- 09 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



CyberBank -- CB-0870(Single Mode Cellular CDMA PDA Phone Hesd SAR)

SAM(835M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 39.8$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 1.47 mW/g, SAR (10g): 0.887 mW/g

Cellular CDMA PDA Phone Model : CB-0870

Cellular CDMA Mode, Ch.384[836.52MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Left Head Phantom, 15° Degree Tilt position; Antenna Fixed

Test Date -- 09 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



CyberBank -- CB-0870(Single Mode Cellular CDMA PDA Phone Hesd SAR)

SAM(835M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 39.8$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 1.26 mW/g, SAR (10g): 0.772 mW/g

Cellular CDMA PDA Phone Model : CB-0870


Cellular CDMA Mode, Ch.777[848.31MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Left Head Phantom, 15° Degree Tilt position; Antenna Fixed

Test Date -- 09 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



CyberBank -- CB-0870(Single Mode Cellular CDMA PDA Phone Body SAR)


SAM(835M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(6.60,6.60,6.60);
Med. parameter 835 MHz Muscle: $\sigma = 0.98$ mho/m $\epsilon_r = 52.7$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;
SAR (1g): 1.22 mW/g, SAR (10g): 0.733 mW/g

Cellular CDMA PDA Phone Model : CB-0870

Cellular CDMA Mode, Ch.1013[824.7MHz]; Standard Battery; Ambient Temp = 23°C/Meas. Tissue Temp. = 22°C

Conducted Power = 24dBm; Spacing = 0.0cm from Back (antenna side) to flat phantom : Antenna Fixed

Test Date -- 09 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



CyberBank -- CB-0870(Single Mode Cellular CDMA PDA Phone Body SAR)


SAM(835M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(6.60,6.60,6.60);
Med. parameter 835 MHz Muscle: $\sigma = 0.98$ mho/m $\epsilon_r = 52.7$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;
SAR (1g): 1.27 mW/g, SAR (10g): 0.785 mW/g

Cellular CDMA PDA Phone Model : CB-0870

Cellular CDMA Mode, Ch.384[836.52MHz]; Standard Battery; Ambient Temp = 23°C/Meas. Tissue Temp. = 22°C

Conducted Power = 24dBm; Spacing = 0.0cm from Back (antenna side) to flat phantom : Antenna Fixed

Test Date -- 09 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



CyberBank -- CB-0870(Single Mode Cellular CDMA PDA Phone Body SAR)


SAM(835M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(6.60,6.60,6.60);
Med. parameter 835 MHz Muscle: $\sigma = 0.98$ mho/m $\epsilon_r = 52.7$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;
SAR (1g): 0.820 mW/g, SAR (10g): 0.588 mW/g

Cellular CDMA PDA Phone Model : CB-0870

Cellular CDMA Mode, Ch.384[836.52MHz]; Standard Battery; Ambient Temp = 23°C/Meas. Tissue Temp. = 22°C

Conducted Power = 24dBm; Spacing = 0.0cm from Back (antenna side) to flat phantom : Antenna Fixed

Test Date -- 09 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



CyberBank -- CB-0870(Single Mode Cellular CDMA PDA Phone Body SAR)


SAM(835M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(6.60,6.60,6.60);
Med. parameter 835 MHz Muscle: $\sigma = 0.98$ mho/m $\epsilon_r = 52.7$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;
SAR (1g): 1.23 mW/g, SAR (10g): 0.733 mW/g

Cellular CDMA PDA Phone Model : CB-0870

Cellular CDMA Mode, Ch.777[848.31MHz]; Standard Battery; Ambient Temp = 23°C/Meas. Tissue Temp. = 22°C

Conducted Power = 24dBm; Spacing = 0.0cm from Back (antenna side) to flat phantom : Antenna Fixed

Test Date -- 09 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



CyberBank -- CB-0870(Single Mode Cellular CDMA PDA Phone Body SAR)


SAM(835M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(6.60,6.60,6.60);
Med. parameter 835 MHz Muscle: $\sigma = 0.98$ mho/m $\epsilon_r = 52.7$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;
SAR (1g): 0.732 mW/g, SAR (10g): 0.533 mW/g

Cellular CDMA PDA Phone Model : CB-0870

Cellular CDMA Mode, Ch.777[848.31MHz]; Standard Battery; Ambient Temp = 23°C/Meas. Tissue Temp. = 22°C

Conducted Power = 24dBm; Spacing = 0.0cm from Back (antenna side) to flat phantom : Antenna Fixed

Test Date -- 09 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



CyberBank -- CB-0870(Single Mode Cellular CDMA PDA Phone Hesd SAR)


SAM(835M) Phantom; Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);
Med. parameter 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 39.8$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;

Cellular CDMA PDA Phone Model : CB-0870

Cellular CDMA Mode, Ch.777[848.31MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Right Head Phantom, 15° Degree Tilt position; Antenna Fixed

Test Date -- 09 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



CyberBank -- CB-0870(Single Mode Cellular CDMA PDA Phone Hesd SAR)


SAM(835M) Phantom; Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);
Med. parameter 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 39.8$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;

Cellular CDMA PDA Phone Model : CB-0870

Cellular CDMA Mode, Ch.384[836.52MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Left Head Phantom, Cheek / Touch position; Antenna Fixed

Test Date -- 09 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



CyberBank -- CB-0870(Single Mode Cellular CDMA PDA Phone Hesd SAR)


SAM(835M) Phantom; Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);
Med. parameter 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 39.8$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;

Cellular CDMA PDA Phone Model : CB-0870

Cellular CDMA Mode, Ch.384[836.52MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Left Head Phantom, 15° Degree Tilt position; Antenna Fixed

Test Date -- 09 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



CyberBank -- CB-0870(Single Mode Cellular CDMA PDA Phone Body SAR)

SAM(835M) Phantom; Section; Probe: ET3DV6 - SN1703; ConvF(6.60,6.60,6.60);
Med. parameter 835 MHz Muscle: $\sigma = 0.98$ mho/m $\epsilon_r = 52.7$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;

Cellular CDMA PDA Phone Model : CB-0870

Cellular CDMA Mode, Ch.384[836.52MHz]; Standard Battery; Ambient Temp = 23°C/Meas. Tissue Temp. = 22°C

Conducted Power = 24dBm; Spacing = 0.0cm from Back (antenna side) to flat phantom : Antenna Fixed

Test Date -- 09 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]

