



Page 220 of 257

UHF: Analog:

Conducted Spurious Emission (worst) @ 400.025MHz With 12.5 KHz Channel Separation-5W 30MHz-1GHz



Conduct Spurious Emission (worst) @ 400.025MHz With 12.5 KHz Channel Separation-5W 1GHz-12.75GHz




The results showed this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc.goalt.com.




Page 221 of 257

Conducted Spurious Emission (worst) @ 453.225MHz With 12.5 KHz Channel Separation-5W 30MHz-1GHz



Conduct Spurious Emission (worst) @ 453.225MHz With 12.5 KHz Channel Separation-5W 1GHz-12.75GHz




The results spound this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by XCC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at a true www.ago.gent.com.



Page 222 of 257

Conducted Spurious Emission (worst) @ 479.975MHz With 12.5 KHz Channel Separation-5W 30MHz-1GHz



Conduct Spurious Emission (worst) @ 479.975MHz With 12.5 KHz Channel Separation-5W 1GHz-12.75GHz




The results specified this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at a true; //www.agc.gett.com.




Page 223 of 257

Conducted Spurious Emission (worst) @ 400.025MHz With 12.5 KHz Channel Separation-2.5W 30MHz-1GHz



Conduct Spurious Emission (worst) @ 400.025MHz With 12.5 KHz Channel Separation-2.5W 1GHz-12.75GHz




The results spound this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by XCC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at a true www.ago.gent.com.



Page 224 of 257

Conducted Spurious Emission (worst) @ 453.225MHz With 12.5 KHz Channel Separation-2.5W 30MHz-1GHz



Conduct Spurious Emission (worst) @ 453.225MHz With 12.5 KHz Channel Separation-2.5W 1GHz-12.75GHz




The results spound this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by XCC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at a true www.ago.gent.com.



Page 225 of 257

Conducted Spurious Emission (worst) @ 479.975MHz With 12.5 KHz Channel Separation-2.5W 30MHz-1GHz



Conduct Spurious Emission (worst) @ 479.975MHz With 12.5 KHz Channel Separation-2.5W 1GHz-12.75GHz



Note: All the test frequencies was tested, but only the worst data be recorded in this part.

The results spoured this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by XOC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.ago.go.tt.com.




Page 226 of 257

Conducted Spurious Emission (worst) @ 400.025MHz With 12.5 KHz Channel Separation-1W 30MHz-1GHz



Conduct Spurious Emission (worst) @ 400.025MHz With 12.5 KHz Channel Separation-1W 1GHz-12.75GHz



The results spound this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attr://www.agc.gett.com.



Page 227 of 257

Conducted Spurious Emission (worst) @ 453.225MHz With 12.5 KHz Channel Separation-1W 30MHz-1GHz



Conduct Spurious Emission (worst) @ 453.225MHz With 12.5 KHz Channel Separation-1W 1GHz-12.75GHz



The results specified this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at a true; //www.agc.gett.com.




Page 228 of 257

Conducted Spurious Emission (worst) @ 479.975MHz With 12.5 KHz Channel Separation-1W 30MHz-1GHz



Conduct Spurious Emission (worst) @ 479.975MHz With 12.5 KHz Channel Separation-1W 1GHz-12.75GHz




The results spound this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by XCC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at a true www.ago.gent.com.




Page 229 of 257

Conducted Spurious Emission (worst) @ 400.025MHz With 12.5 KHz Channel Separation-0.2W 30MHz-1GHz



Conduct Spurious Emission (worst) @ 400.025MHz With 12.5 KHz Channel Separation-0.2W 1GHz-12.75GHz




The results spound this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by XCC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at a true www.ago.gent.com.



Page 230 of 257

Conducted Spurious Emission (worst) @ 453.225MHz With 12.5 KHz Channel Separation-0.2W 30MHz-1GHz



Conduct Spurious Emission (worst) @ 453.225MHz With 12.5 KHz Channel Separation-0.2W 1GHz-12.75GHz




The results spound this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attr://www.agc.gett.com.




Page 231 of 257

Conducted Spurious Emission (worst) @ 479.975MHz With 12.5 KHz Channel Separation-0.2W 30MHz-1GHz



Conduct Spurious Emission (worst) @ 479.975MHz With 12.5 KHz Channel Separation-0.2W 1GHz-12.75GHz



Note: All the test frequencies was tested, but only the worst data be recorded in this part.


The results spoured this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by XOC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.ago.go.tt.com.




Page 232 of 257

Digital:

Conducted Spurious Emission (worst) @400.025MHz With 12.5 KHz Channel Separation-5W 30MHz-1GHz



Conduct Spurious Emission (worst) @ 400.025MHz With 12.5 KHz Channel Separation-5W 1GHz-12.75GHz



The results spound this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attr://www.agc.gett.com.




Page 233 of 257

Conducted Spurious Emission (worst) @ 453.225MHz With 12.5 KHz Channel Separation-5W 30MHz-1GHz



Conduct Spurious Emission (worst) @ 453.225MHz With 12.5 KHz Channel Separation-5W 1GHz-12.75GHz




The results specified this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at a true; //www.agc.gett.com.




Page 234 of 257

Conducted Spurious Emission (worst) @ 479.975MHz With 12.5 KHz Channel Separation-5W 30MHz-1GHz



Conduct Spurious Emission (worst) @ 479.975MHz With 12.5 KHz Channel Separation-5W 1GHz-12.75GHz




The results specified this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at a true; //www.agc.gett.com.




Page 235 of 257

Conducted Spurious Emission (worst) @ 400.025MHz MHz With 12.5 KHz Channel Separation-2.5W 30MHz-1GHz



Conduct Spurious Emission (worst) @ 400.025MHz MHz With 12.5 KHz Channel Separation-2.5W 1GHz-12.75GHz




The results spound this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by XCC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at a true www.ago.gent.com.




Page 236 of 257

Conducted Spurious Emission (worst) @ 453.225MHz With 12.5 KHz Channel Separation-2.5W



Conduct Spurious Emission (worst) @ 453.225MHz With 12.5 KHz Channel Separation-2.5W 1GHz-12.75GHz




The results spound this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by XCC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at a true www.ago.gent.com.




Page 237 of 257

Conducted Spurious Emission (worst) @ 479.975MHz With 12.5 KHz Channel Separation-2.5W 30MHz-1GHz



Conduct Spurious Emission (worst) @ 479.975MHz With 12.5 KHz Channel Separation-2.5W 1GHz-12.75GHz



The results specified this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at a true; //www.agc.gett.com.




Page 238 of 257

Conducted Spurious Emission (worst) @400.025MHz With 12.5 KHz Channel Separation-1W 30MHz-1GHz



Conduct Spurious Emission (worst) @ 400.025MHz With 12.5 KHz Channel Separation-1W 1GHz-12.75GHz




The results specified this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at a true; //www.agc.gett.com.



Page 239 of 257

Conducted Spurious Emission (worst) @ 453.225MHz With 12.5 KHz Channel Separation-1W 30MHz-1GHz



Conduct Spurious Emission (worst) @ 453.225MHz With 12.5 KHz Channel Separation-1W 1GHz-12.75GHz



The results spound this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by XCC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at a true www.ago.gent.com.



Page 240 of 257

Conducted Spurious Emission (worst) @ 479.975MHz With 12.5 KHz Channel Separation-1W 30MHz-1GHz



Conduct Spurious Emission (worst) @ 479.975MHz With 12.5 KHz Channel Separation-1W 1GHz-12.75GHz




The results spound this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by XCC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at a true www.ago.gent.com.




Page 241 of 257

Conducted Spurious Emission (worst) @ 400.025MHz MHz With 12.5 KHz Channel Separation-0.2W 30MHz-1GHz



Conduct Spurious Emission (worst) @ 400.025MHz MHz With 12.5 KHz Channel Separation-0.2W 1GHz-12.75GHz




The results spound this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by XCC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at a true www.ago.gent.com.



Page 242 of 257

Conducted Spurious Emission (worst) @ 453.225MHz With 12.5 KHz Channel Separation-0.2W 30MHz-1GHz



Conduct Spurious Emission (worst) @ 453.225MHz With 12.5 KHz Channel Separation-0.2W 1GHz-12.75GHz




The results spound this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by XCC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at a true www.ago.gent.com.




Page 243 of 257

Conducted Spurious Emission (worst) @ 479.975MHz With 12.5 KHz Channel Separation-0.2W 30MHz-1GHz



Conduct Spurious Emission (worst) @ 479.975MHz With 12.5 KHz Channel Separation-0.2W 1GHz-12.75GHz



Note: All the test frequencies was tested, but only the worst data be recorded in this part.

The results spoured this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by XOC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.ago.go.tt.com.



Page 244 of 257

10. RANSMITTER FREQUENCY BEHAVIOR 10.1PROVISIONS APPLICABLE

FCC §90.214

	Maximum frequency difference ³	All equipment			
Time intervals 1, 2		150 to 174 MHz	421 to 512 MHz		
Transient Frequency Behavior for Equipment Designed to Operate on 25 kHz Channels					
t ₁ ⁴	± 25.0 kHz ± 12.5 kHz ± 25.0 kHz	5.0 ms 20.0 ms 5.0 ms	10.0 ms 25.0 ms 10.0 ms		
Transient Frequency Behavior for Equipme	nt Designed to Operate	on 12.5 kHz Channels			
t ₁ ⁴	± 12.5 kHz ± 6.25 kHz ± 12.5 kHz	5.0 ms 20.0 ms 5.0 ms	10.0 ms 25.0 ms 10.0 ms		
Transient Frequency Behavior for Equipme	nt Designed to Operate	on 6.25 kHz Channels			
t ₁ ⁴	± 6.25 kHz ± 3.125 kHz ± 6.25 kHz	5.0 ms 20.0 ms 5.0 ms	10.0 ms 25.0 ms 10.0 ms		

 $^{^1}$ t $_{on}$ is the instant when a 1 kHz test signal is completely suppressed, including any capture time due to phasing. 1 t $_{on}$ is the time period immediately following 1 t $_{on}$.

10.2 TEST METHOD

Please refer to the standard of TIA/EIA-603 2.2.19.3

The results shown this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by 💢 €, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc-gent.com.

t2 is the time period immediately following t1

t₃ is the time period from the instant when the transmitter is turned off until toff.

 t_{eff} is the instant when the 1 kHz test signal starts to rise.

2 During the time from the end of t_2 to the beginning of t_3 , the frequency difference must not exceed the limits specified in § 90.213.

³ Difference between the actual transmitter frequency and the assigned transmitter frequency.
⁴ If the transmitter carrier output power rating is 6 watts or less, the frequency difference during this time period may exceed the maximum frequency difference for this time period.



Page 245 of 257

10.3 DESCRIBE LIMIT LINE OF RANSMITTER FREQUENCY BEHAVIOR


ton: The switch-on instant ton of a transmitter is defined by the condition when the output power, measured at the antenna terminal, exceeds 0,1 % of the full output power (-30 dBc).

t1: period of time starting at ton and finishing according to above 11.1

t2: period of time starting at the end of t1 and finishing according to above 11.1

toff: switch-off instant defined by the condition when the output power falls below 0,1 % of the full output power (-30 dBc).

t3: period of time that finishing at toff and starting according to above 11.1



The results spowford this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by XOC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.ago.go.tt.com.




Page 246 of 257


10.4 MEASURE RESULT

VHF:

Transmitter Frequency Behavior @ 12.5 KHz Channel Separation--Off to On



Transmitter Frequency Behavior @ 12.5 KHz Channel Separation--On to Off




The results specified this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at a true; //www.agc.gett.com.




Page 247 of 257

UHF:

Transmitter Frequency Behavior @ 12.5 KHz Channel Separation--Off to On



Transmitter Frequency Behavior @ 12.5 KHz Channel Separation--On to Off



The results spound this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by XCC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at a true www.ago.gent.com.





Page 248 of 257

11. AUDIO LOW PASS FILTER RESPONSE

11.1 LIMITS

2.1047(a): Voice modulated communication equipment. A curve or equivalent data showing the frequency response of the audio modulating circuit over a range of 100 to 5000 Hz shall be submitted. For equipment required to have an audio low-pass filter, a curve showing the frequency response of the filter or of all circuitry installed between the modulation limiter and the modulated stage shall be submitted.

90.242(b)(8): Recommended audio filter attenuation characteristics are given below:

Audio band	Minimum Attenuation Rel. to 1 KHz Attenuation
3 –20 KHz 20 – 30 KHz	60 log ₁₀ (f/3) dB where f is in KHz 50dB

11.2. METHOD OF MEASUREMENTS

The rated audio input signal was applied to the input of the audio low-pass filter (or of all modulation stages) using an audio oscillator, this input signal level and its corresponding output signal were then measured and recorded using the FFT Digital Spectrum Analyzer. Tests were repeated at different audio signal frequencies from 0 to 50 KHz.

The results spound this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by XCC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at a true www.ago.gent.com.



Page 249 of 257

11.3 TEST DATA

Analog:

12.5 KHZ CHANNEL SPACING, F3E, FREQUENCY OF ALL MODULATION STATES (TEST RESULT FOR UHF)-5W

Audio Frequency (kHz)	Response Attenuation (dB)	Limit (dB)
1	0	/
3	-1.92	0.00
4	-6.91	-5.00
5 📶	-10.09	-8.87
6	-13.85	-12.04
Market T	-16.86	-14.72
8	-19.91	-17.04
9	-21.41	-19.08
10 1	-23.45	-20.92
15	-30.00	-28.00
20	-30.00	-28.00
30	-30.00	-28.00
50	-30.00	-28.00
70	-30.00	-28.00




The results showing this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at a true; //www.agc.gott.com.



Page 250 of 257

12.5KHZ CHANNEL SPACING, F3E, FREQUENCY OF ALL MODULATION STATES (TEST RESULT FOR VHF)-5W

Audio Frequency (kHz)	Response Attenuation (dB)	Limit (dB)	
1	0	1	
3	-1.83	0.00	
4 多	-6.81	-5.00	
5 5	-10.45	-8.87	
6	-14.12	-12.04	
7	-17.23	-14.72	
8	-20.16	-17.04	
9 0	-21.12	-19.08	
10	-23.26	-20.92	
15	-30.00	-28.00	
20	-30.00	-28.00	
30	-30.00	-28.00	
50	-30.00	-28.00	
70	-30.00	-28.00	



The results spound this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by XCC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at a true www.ago.gent.com.







Page 251 of 257

APPENDIX I: PHOTOGRAPHS OF SETUP

RADIATED EMISSION TEST SETUP





The results shown in this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at a true; //www.agc.gett.com.

Attestation of Global Compliance

Tel: +86-755 2908 1955 Fax: +86-755 2600 8484 E-mail: agc@agc-cert.com @ 400 089 2118 Add: 2/F., Building 2, No.1-4, Chaxi Sanwei Technical Industrial Park, Gushu, Xixiang, Baoan District, Shenzhen, Guangdong China



Page 252 of 257

APPENDIX II: EXTERNAL VIEW OF EUT

TOTAL VIEW OF EUT



TOP VIEW OF EUT



The results shown this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc-gett.com.

Attestation of Global Compliance

Tel: +86-755 2908 1955 Fax: +86-755 2600 8484 E-mail: agc@agc-cert.com @ 400 089 2118 Add: 2/F., Building 2, No.1-4, Chaxi Sanwei Technical Industrial Park, Gushu, Xixiang, Baoan District, Shenzhen, Guangdong China



Page 253 of 257

BOTTOM VIEW OF EUT



FRONT VIEW OF EUT



The results shown the sample (s) the sample (s) tested unless otherwise stated and the sample (s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at a true; // www.agc. gett.com.



Report No.: AGC01284180603FE10 Page 254 of 257

BACK VIEW OF EUT



LEFT VIEW OF EUT



The results showed this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc.gett.com.



Report No.: AGC01284180603FE10 Page 255 of 257

RIGHT VIEW OF EUT



OPEN VIEW-1 OF EUT



The results shown this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc.gett.com.



Report No.: AGC01284180603FE10 Page 256 of 257

OPEN VIEW-2 OF EUT



INTERNAL VIEW-1 OF EUT




The results spoured this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by XOC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.ago.go.tt.com.




Page 257 of 257

INTERNAL VIEW-2 OF EUT



INTERNAL VIEW-3 OF EUT



----END OF REPORT----

The results showed this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at a true; //www.agc.gett.com.