




An extra power-source is required
for multiple-charger purposes.

連結にはEDC175が必要
です。6台まで連結可能







LOCK

ON

ALINCO
EME-41A

0

cm

1

2

3

4

5

6

7

8

9

10

11

12


13

14

15


16

15 20













ALINCO DJ-NX40T
UHF DIGITAL TRANSCEIVER

FCC ID: PH3DJ-NX40T

ALINCO, INC. MADE IN JAPAN


T000404



070200000404



THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES. OPERATION IS SUBJECT TO THE CONDITION THAT THIS DEVICE DOES NOT CAUSE HARMFUL INTERFERENCE.
WARNING : MODIFICATION OF THIS DEVICE TO RECEIVE CELLULAR, RADIOTELEPHON SERVICE SIGNALS IS PROHIBITED UNDER FCC RULES AND FEDERAL LAW.




ALINCO
Li-ion BATTERY
EBP-89
定格電圧 7.4V
定格容量 2650mAh
アルインコ株式会社
MADE IN CHINA

Li-ion00

 **RoHS**

 **注意**
本機を開けたり、火中に投げたり、端子をショートさせたりしないで下さい。
当社指定の充電器をご使用下さい。

CAUTION
DON'T DISPOSE OF IN FIRE OR SHORT-CIRCUIT.
DON'T ATTEMPT TO OPEN THE PACK.
USE ONLY THE EXCLUSIVE CHARGER.

||||| ||||| ||||| ||||| |||||
004361

