



**SGS-CSTC Standards Technical
Services (Shanghai) Co., Ltd.**

588 West Jindu Road, Songjiang District, Shanghai, China

Telephone: +86 (0) 21 6191 5666
Fax: +86 (0) 21 6191 5678
ee.shanghai@sgs.com

Report No.: SHEM130300048101
Page 1 of 49

FCC REPORT

Application No. :	SHEM1303000481RF
Applicant:	Axesstel, Inc.
FCC ID:	PH7AX54
Equipment Under Test (EUT): NOTE: The following sample(s) submitted was/were identified on behalf of the client as	
Product Name:	CDMA 1x Alert System (Main Unit)
Brand Name:	Axesstel
Model:	AX54
Added Model:	N/A
Standards:	47 CFR FCC Part 22 subpart H:2012 47 CFR FCC Part 24 subpart E:2012
Date of Receipt:	Mar.29, 2013
Date of Test:	Apr. 1, 2013 to Apr. 23, 2013
Date of Issue:	Apr.23, 2013
Test Result :	PASS *

*In the configuration tested, the EUT detailed in this report complied with the standards specified above.

Tony Wu
E&E Section Manager

SGS-CSTC (Shanghai) Co., Ltd.

The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government. All test results in this report can be traceable to National or International Standards.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



2 Version

Revision Record				
Version	Chapter	Date	Modifier	Remark
00	/	Apr.23, 2013	/	Original

Authorized for issue by:				
Engineer		Zenger Zhang _____ Print Name		<i>Zenger Zhang</i> _____
Clerk		Amy Wang _____ Print Name		<i>Amy Wang</i> _____
Reviewer		Keny Xu _____ Print Name		<i>Keny Xu</i> _____



3 Test Summary

Test Item	FCC Requirement	Test method	Result
CDMA Cell 800			
Conducted output power	Part 2.1046(a)/Part 22.913(a)	ITA-603-D-2010 Clause 2.2.1	PASS
Effective Radiated Power of Transmitter(ERP)	Part 2.1046(a)/Part 22.913(a)	ITA-603-D-2010 Clause 2.2.17	PASS
99% Occupied Bandwidth	Part 2.1049(h)	Part 22.917(b)	PASS
Band Edge at antenna terminals	Part 2.1051/Part 22.917(a)	Part 22.917(b)	PASS
Spurious emissions at antenna terminals	Part 2.1051/ Part 2.1057/ Part 22.917(a)(b)	ITA-603-D-2010 Clause 2.2.13	PASS
Field strength of spurious radiation	Part 2.1053/ Part 2.1057/ Part 22.917(a)(b)	ITA-603-D-2010 Clause 2.2.12	PASS
Frequency stability	Part 2.1055/ Part 22.355	ITA-603-D-2010 Clause 2.2.2	PASS
CDMA PCS1900			
Conducted output power	Part 2.1046(a) /Part 24.232(c)	ITA-603-D-2010 Clause 2.2.1	PASS
Peak-to-Average Ratio	Part24.232(d)	ITA-603-D-2010	PASS
Effective Radiated Power of Transmitter(EIRP)	Part 2.1046(a) / Part 24.232(c)	ITA-603-D-2010 Clause 2.2.17	PASS
99% Occupied Bandwidth	Part 2.1049(h)	Part 24.238(b)	PASS
Band Edge at antenna terminals	Part 2.1051/ Part 24.238(a)	Part 24.238(b)	PASS
Spurious emissions at antenna terminals	Part 2.1051/ Part 2.1057/ Part 24.238(a)(b)	ITA-603-D-2010 Clause 2.2.13	PASS
Field strength of spurious radiation	Part 2.1053 /Part 2.1057 / Part 24.238(a)(b)	ITA-603-D-2010 Clause 2.2.12	PASS
Frequency stability	Part 2.1055/Part 24.235	ITA-603-D-2010 Clause 2.2.2	PASS

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



4 Contents

	Page
1 COVER PAGE	1
2 VERSION.....	2
3 TEST SUMMARY	3
4 CONTENTS.....	4
5 GENERAL INFORMATION	5
5.1 CLIENT INFORMATION	5
5.2 GENERAL DESCRIPTION OF E.U.T.....	5
5.3 TECHNICAL SPECIFICATIONS:	5
5.4 ACCESSORIES OF PRODUCT:	5
5.5 SUPPORT EQUIPMENTS FOR TESTING.....	5
5.6 DETAILS OF TEST MODE	6
5.7 TEST LOCATION	7
5.8 TEST FACILITY	7
6 EQUIPMENTS USED DURING TEST	8
7 TEST RESULTS AND MEASUREMENT DATA.....	10
7.1 CONDUCTED OUTPUT POWER.....	10
7.2 PEAK-TO-AVERAGE RATIO	12
7.3 EFFECTIVE RADIATED POWER OF TRANSMITTER (ERP/EIRP)	13
7.4 99%OCCUPIED BANDWIDTH	16
7.5 BAND EDGE AT ANTENNA TERMINALS	21
7.6 SPURIOUS EMISSIONS AT ANTENNA TERMINALS.....	24
7.7 FIELD STRENGTH OF SPURIOUS RADIATION.....	31
7.8 FREQUENCY STABILITY.....	46
8 PHOTOGRAPHS - EUT TEST SETUP.....	49
9 PHOTOGRAPHS - EUT CONSTRUCTIONAL DETAILS	49



5 General Information

5.1 Client Information

Applicant:	Axesstel, Inc
Address of Applicant:	6815 Flanders Drive, Ste 210, San Diego, CA92121, USA
Manufacturer:	Axesstel (Shanghai) Ltd.
Address of Manufacturer:	Room 1101, Building 19, No.1515 Gumei Road, Xuhui District, Shanghai
Factory:	Eastcom incorporated Co.,LTD

5.2 General Description of E.U.T.

Product Name	CDMA 1x Alert System (Main Unit)
Brand Name:	Axesstel
Model No:	AX54
Added Model:	N/A
Product Description:	Fixed production

5.3 Technical Specifications:

Operation Frequency:	CDMA Cell 800 and PCS1900
Modulation:	Fwd 1, Rvs1/SO2 Fwd 2, Rvs2/SO9 Fwd 3,Rvs3/SO55 Fwd 4,Rvs3/SO55 Fwd 5,Rvs4/SO55
Power Supply:	9V DC Battery or 5V DC Charger.
Antenna Type	Integral

5.4 Accessories of Product:

Battery:	Battery Type:	9V DC
Adapter:	Model No.:	TA31-0502000
	Rated Input:	AC 100V-240V 50-60Hz 0.4A
	Rated Output:	DC 5.0V 2.0A
	Cable length:	DC port: 180cm (2 wires)

5.5 Support equipments for Testing

The EUT has been tested independently.



5.6 Details of Test Mode

Test Mode	Description of Test Mode
Battery mode	The EUT on communication mode and power supply by Battery.
Charging mode	The EUT on communication mode with battery and adapter.

Remark: Pretest the EUT at different test mode and found the worst case, the test worst case mode is recorded in the report.



5.7 Test Location

All tests were performed at:
SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. E&E Lab
No.588 West Jindu Road, Songjiang District, Shanghai, China. 201612.
Tel: +86 21 6191 5666
Fax: +86 21 6191 5678
No tests were sub-contracted.

5.8 Test Facility

- **CNAS (No. CNAS L0599)**

CNAS has accredited SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. to ISO/IEC 17025:2005 General Requirements for the Competence of Testing and Calibration Laboratories (CNAS-CL01 Accreditation Criteria for the Competence of Testing and Calibration Laboratories) for the competence in the field of testing. Date of expiry: 2014-07-26.

- **FCC – Registration No.: 402683**

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. has been registered and fully described in a report filed with the Federal Communications Commission (FCC). The acceptance letter from the FCC is maintained in our files. Registration No.: 402683, Expiry Date: 2015-02-22.

- **Industry Canada (IC) – IC Assigned Code: 8617A**

The 3m Semi-anechoic chamber of SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. has been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 8617A. Expiry Date: 2014-09-20.

- **VCCI (Member No.: 3061)**

The 3m Semi-anechoic chamber and Shielded Room of SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. has been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: R-3868 and C-4336 respectively. Date of Registration: 2012-05-29. Date of Expiry: 2015-05-28.



SGS-CSTC Standards Technical Services
(Shanghai) Co., Ltd.

Report No.: SHEM130300048101

Page: 8 of 49

6 Equipments Used during Test

Conducted Emission

Item	Test Equipment	Manufacturer	Model No.	Serial No.	Cal. Date	Cal. Due date
1	EMI test receiver	Rohde & Schwarz	ESCS30	100086	2012-06-13	2013-06-12
2	Line impedance stabilization network (LISN)	SCHWARZBECK	NSLK8127	8127-490	2012-06-13	2013-06-12
3	Line impedance stabilization network (LISN)	ETS	3816/2	00034161	2012-06-13	2013-06-12

Radiated Spurious Emission

Item	Test Equipment	Manufacturer	Model No.	Serial No.	Cal. Date	Cal. Due date
1	EMI test receiver	Rohde & Schwarz	ESU40	100109	2012-06-02	2013-06-01
2	Antenna	SCHWARZBECK	VULB9168	9168-313	2012-08-15	2013-08-14
3	CONTROLLER	INNCO	CO200	474	/	/
4	Antenna	SCHWARZBECK	BBHA9120D	9120D-679	2012-08-15	2013-08-14
5	Antenna	SCHWARZBECK	BBHA9170	9170-373	2012-08-15	2013-08-14
6	Low noise amplifier	LNA6900	TESEQ	71033	2012-08-15	2013-08-14

RF Conducted Test

Item	Test Equipment	Manufacturer	Model No.	Serial No.	Cal. Date	Cal. Due date
1	EMI test receiver	Rohde & Schwarz	ESU40	100109	2012-06-03	2013-06-01
2	Horn Antenna	SCHWARZBECK	BBHA9120D	9120D-679	2012-06-03	2013-06-01
3	Horn Antenna	Rohde & Schwarz	HF906	100284	2012-06-03	2013-06-01
4	ANTENNA	SCHWARZBECK	VULB9168	9168-313	2012-06-03	2013-06-01
5	Horn Antenna	SCHWARZBECK	BBHA 9170	BBHA9170373	2012-08-15	2013-08-14
6	Ultra broadband antenna	Rohde & Schwarz	HL562	100227	2012-10-09	2013-10-08
7	Atmosphere pressure meter	Shanghai ZhongXuan Electronic Co;Ltd	BY-2009P	--	2012-10-09	2013-10-08
8	CLAMP METER	FLUKE	316	86080010	2012-06-03	2013-06-01

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



**SGS-CSTC Standards Technical Services
(Shanghai) Co., Ltd.**

Report No.: SHEM130300048101


Page: 9 of 49

9	Thermo-Hygrometer	ZHICHEN	ZC1-2	01050033	2012-10-09	2013-10-08
11	High-low temperature cabinet	Shanghai YuanZhen	GW2050	--	2012-06-03	2013-06-01
12	Tunable Notch Filter	Wainwright instruments GmbH	WRCT1800.0/2000.0-0.2/40-5SSK	11	2012-06-03	2013-06-01
13	Tunable Notch Filter	Wainwright instruments GmbH	WRCT800.0/880.0-0.2/40-5SSK	9	2012-06-03	2013-06-01
14	High pass Filter	FSCW	HP 12/2800-5AA2	19A45-02	2012-06-03	2013-06-01
15	Low noise amplifier	TESEQ	LNA6900	70133	2012-06-03	2013-06-01
16	EMI test receiver	Rohde & Schwarz	ESCS30	100086	2012-06-03	2013-06-01
17	Line impedance stabilization network	SCHWARZBECK	NSLK8127	8127-490	2012-06-03	2013-06-01
18	Universal radio communication	Agilent	E5515C	45361045	2012-06-03	2013-06-01
19	Power meter	Rohde & Schwarz	NRP	101641	2013-02-23	2013-02-22

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."

7 Test results and Measurement Data

7.1 Conducted Output Power

Test Requirement:	Part 2.1046(a)		
Test Method:	ITA-603-D-2010 Clause 2.2.1		
Test Setup:			
Limit:	Mode	CDMA CELL 800	CDMA PCS1900
	Frequency	824 – 849MHz	1850 – 1910MHz
	Limit	38.45dBm (ERP)	33.01dBm (EIRP)
Measurement Procedure:	<p>The transmitter output was connected to a calibrated coaxial cable, attenuator and power meter, the other end of which was connected to a Base Station Simulator. The Base Station Simulator was set to force the EUT to its maximum power setting. The power output at the transmitter antenna port was determined by adding the value of the cable insertion loss to the power reading. The tests were performed at three frequencies (low channel, middle channel and high channel) and on the highest power levels, which can be setup on the transmitters.</p>		
Instruments Used:	Refer to section 6 for details		
Test Results:	Pass		



**SGS-CSTC Standards Technical Services
(Shanghai) Co., Ltd.**

Report No.: SHEM130300048101
Page: 11 of 49


Measurement results:

Cell 800			
Center Frequency (MHz)	Channel No.	Test Mode	RF Power output dBm(Average)
824.70	1013	Fwd 1, Rvs1/SO2	24.43
835.89	363	Fwd 1,Rvs1/SO2	24.51
848.31	777	Fwd 1,Rvs1/SO2	24.52
824.70	1013	Fwd 2,Rvs2/SO9	24.46
835.89	363	Fwd 2,Rvs2/SO9	24.50
848.31	777	Fwd 2,Rvs2/SO9	24.55
824.70	1013	Fwd 3,Rvs3/SO55	24.47
835.89	363	Fwd 3,Rvs3/SO55	24.50
848.31	777	Fwd 3,Rvs3/SO55	24.56
824.70	1013	Fwd 4,Rvs3/SO55	24.51
835.89	363	Fwd 4,Rvs3/SO55	24.52
848.31	777	Fwd 4,Rvs3/SO55	24.58
824.70	1013	Fwd 5,Rvs4/SO55	24.51
835.89	363	Fwd 5,Rvs4/SO55	24.51
848.31	777	Fwd 5,Rvs4/SO55	24.57

US PCS1900			
Center Frequency (MHz)	Channel No.	Test Mode	RF Power output dBm(Average)
1851.25	25	Fwd 1, Rvs1/SO2	24.48
1880.00	600	Fwd 1,Rvs1/SO2	24.40
1908.75	1175	Fwd 1,Rvs1/SO2	24.41
1851.25	25	Fwd 2,Rvs2/SO9	24.49
1880.000	600	Fwd 2,Rvs2/SO9	24.38
1908.75	1175	Fwd 2,Rvs2/SO9	24.45
1851.25	25	Fwd 3,Rvs3/SO55	24.52
1880.00	600	Fwd 3,Rvs3/SO55	24.37
1908.75	1175	Fwd 3,Rvs3/SO55	24.42
1851.25	25	Fwd 4,Rvs3/SO55	24.51
1880.00	600	Fwd 4,Rvs3/SO55	24.39
1908.75	1175	Fwd 4,Rvs3/SO55	24.44
1851.25	25	Fwd 5,Rvs4/SO55	24.50
1880.00	600	Fwd 5,Rvs4/SO55	24.37
1908.75	1175	Fwd 5,Rvs4/SO55	24.43

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."

7.2 Peak-to-Average Ratio

Test Requirement:	Part 24.232(d)
Test Method:	KDB 971168 D01
Test Setup:	
Limit:	<13dB
Instruments Used:	Refer to section 6 for details
Test Results:	Pass

Measurement results:

US PCS1900			
Center Frequency (MHz)	Channel No.	Test Mode	Peak-to-Average Ratio dB
1851.25	25	Fwd 1, Rvs1/SO2	2.67
		Fwd 2, Rvs2/SO9	2.28
		Fwd 3, Rvs3/SO55	2.76
		Fwd 4, Rvs3/SO55	3.43
		Fwd 5, Rvs4/SO55	3.53
1880.00	600	Fwd 1, Rvs1/SO2	2.36
		Fwd 2, Rvs2/SO9	3.04
		Fwd 3, Rvs3/SO55	2.97
		Fwd 4, Rvs3/SO55	3.91
		Fwd 5, Rvs4/SO55	4.04
1908.75	1175	Fwd 1, Rvs1/SO2	3.56
		Fwd 2, Rvs2/SO9	3.81
		Fwd 3, Rvs3/SO55	3.69
		Fwd 4, Rvs3/SO55	4.07
		Fwd 5, Rvs4/SO55	4.13

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."

7.3 Effective Radiated Power of Transmitter (ERP/EIRP)

Test Requirement:	Part 2.1046(a)				
Test Method:	ITA-603-D-2010 Clause 2.2.17				
Receiver Setup:	Frequency	Detector	RBW	VBW	Remark
	30MHz-1GHz	peak	100 kHz	300kHz	Peak
	Above 1GHz	Peak	1MHz	3MHz	Peak

Test Setup:




Figure 1. 30MHz to 1GHz




Figure 2. above 1GHz




Figure 1. 30MHz to 1GHz




Figure 2. above 1GHz

Limit:	Mode	CDMA CELL 800	CDMA PCS1900
	Frequency	824 – 849MHz	1850 – 1910MHz
	Limit	38.45dBm (7W)	33.01dBm (2W)

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



**SGS-CSTC Standards Technical Services
(Shanghai) Co., Ltd.**

Report No.: SHEM130300048101
Page: 14 of 49

Measurement Procedure:	<p>Below 1GHz test procedure as below:</p> <ol style="list-style-type: none"> 1). The EUT was powered ON and placed on a 0.8m high table in the chamber. The antenna of the transmitter was extended to its maximum length. 2). The disturbance of the transmitter was maximized on the test receiver display by raising and lowering from 1m to 4m the receive antenna and by rotating through 360° the turntable. After the fundamental emission was maximized, a field strength measurement was made. 3). Steps 1) and 2) were performed with the EUT and the receive antenna in both vertical and horizontal polarization. 4). The transmitter was then removed and replaced with another antenna. The center of the antenna was approximately at the same location as the center of the transmitter. 5). A signal at the disturbance was fed to the substitution antenna by means of a non-radiating cable. With both the substitution and the receive antennas horizontally polarized, the receive antenna was raised and lowered to obtain a maximum reading at the test receiver. The level of the signal generator was adjusted until the measured field strength level in step 2) is obtained for this set of conditions. 6). The output power into the substitution antenna was then measured. 7). Steps 5) and 6) were repeated with both antennas polarized. 8). Calculate power in dBm by the following formula: $\text{ERP(dBm)} = \text{Pg(dBm)} - \text{cable loss (dB)} + \text{antenna gain (dBd)}$ where: Pg is the generator output power into the substitution antenna. <p>Above 1GHz test procedure as below:</p> <ol style="list-style-type: none"> 1). Different between above is the test site, change from Semi- Anechoic Chamber to fully Anechoic Chamber 2). Calculate power in dBm by the following formula: $\text{EIRP(dBm)} = \text{Pg(dBm)} - \text{cable loss (dB)} + \text{antenna gain (dBi)}$ $\text{EIRP} = \text{ERP} + 2.15\text{dB}$ where: Pg is the generator output power into the substitution antenna. 3). Test the EUT in the lowest channel, the middle channel the Highest channel 4). The radiation measurements are performed in X, Y, Z axis positioning. And found the X axis positioning which it is worse case, Only the test worst case mode is recorded in the report. 5). Repeat above procedures until all frequencies measured was complete.
Instruments Used:	Refer to section 6 for details
Test Results:	Pass

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



**SGS-CSTC Standards Technical Services
(Shanghai) Co., Ltd.**


Report No.: SHEM130300048101
Page: 15 of 49

Measurement Data

EUT mode	Frequency (MHz)	CH	EUT Pol.	Antenna Pol.	SPA Reading (dBuV)	S.G. output (dBm)	Antenna Gain (dBd)	Cable loss (dB)	ERP (dBm)	Limit (dBm)
Cell 800	824.70	1013	H	V	100.47	18.75	8.40	3.32	23.83	38.45
				H	100.59	19.31	8.40	3.32	24.39	38.45
	835.89	363	H	V	101.44	19.55	8.42	3.40	24.57	38.45
				H	99.72	18.13	8.42	3.40	23.15	38.45
	848.31	777	H	V	102.16	16.76	8.47	3.43	21.80	38.45
				H	98.43	18.73	8.47	3.43	23.77	38.45
EUT mode	Frequency (MHz)	CH	EUT Pol.	Antenna Pol.	SPA Reading (dBuV)	S.G. output (dBm)	Antenna Gain (dBi)	Cable loss (dB)	EIRP (dBm)	Limit (dBm)
PCS 1900	1851.25	25	H	V	98.54	15.62	9.15	4.15	20.62	33
				H	101.62	16.06	9.15	4.15	21.06	33
	1880.00	600	H	V	97.64	15.33	9.22	4.28	20.27	33
				H	102.78	15.46	9.22	4.28	20.40	33
	1908.75	1175	H	V	99.33	15.51	9.25	4.41	20.35	33
				H	100.69	15.29	9.25	4.41	20.13	33

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."

7.4 99%Occupied Bandwidth

Test Requirement:	Part 2.1049(h)
Test Method:	Part 22.917(b) and Part 24.238(b)
Test Setup:	
Limit:	N/A
Measurement Procedure:	<p>The transmitter output was connected to a calibrated coaxial cable, attenuator and Spectrum analyser, the other end of which was connected to a Base Station Simulator. The Base Station Simulator was set to force the EUT to its maximum power setting. The tests were performed at three frequencies (low channel, middle channel and high channel).the resolution bandwidth of the analyser is set to 100kHz or 1% of the emission bandwidth, the EUT emission bandwidth is measured as the width of the signal between two points, outside of which all emission are attenuated at least 26dB below the transmitter power. The video bandwidth of the spectrum analyzer was set at thrice the resolution bandwidth. Detector Mode was set to peak or peak hold power.</p>
Instruments Used:	Refer to section 6 for details
Test Results:	Pass



**SGS-CSTC Standards Technical Services
(Shanghai) Co., Ltd.**

Report No.: SHEM130300048101
Page: 17 of 49

Measurement Data

Cell 800			
Test channel	Frequency (MHz)	99% Emission Bandwidth	Result
Lowest/1013	824.70	1.272MHz	Pass
Middle/363	835.89	1.276MHz	Pass
Highest/777	848.31	1.274MHz	Pass
PCS 1900			
Test channel	Frequency (MHz)	99% Emission Bandwidth	Result
Lowest/25	1851.25	1.278MHz	Pass
Middle/600	1880.00	1.278MHz	Pass
Highest/1175	1908.75	1.278MHz	Pass

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Report No.: SHEM130300048101
Page: 18 of 49


Test plot as follows:

Test mode:	Cell 800	Test channel:	Lowest/1013	Operation Frequency	824.70MHz
------------	----------	---------------	-------------	---------------------	-----------



Date: 22.APR.2013 18:14:43

Test mode:	Cell 800	Test channel:	Middle/363	Operation Frequency	835.89MHz
------------	----------	---------------	------------	---------------------	-----------



Date: 22.APR.2013 18:17:48


"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Report No.: SHEM130300048101
Page: 19 of 49

Test mode:	Cell 800	Test channel:	High/777	Operation Frequency	848.31MHz
------------	----------	---------------	----------	---------------------	-----------



Test mode:	PCS1900	Test channel:	Lowest/25	Operation Frequency	1851.25MHz
------------	---------	---------------	-----------	---------------------	------------




"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.


Report No.: SHEM130300048101
Page: 20 of 49

Test mode:	PCS1900	Test channel:	Middle/600	Operation Frequency	1880.00MHz
------------	---------	---------------	------------	---------------------	------------



Date: 22.APR.2013 18:45:59


Test mode:	PCS1900	Test channel:	High/1175	Operation Frequency	1908.75MHz
------------	---------	---------------	-----------	---------------------	------------



Date: 22.APR.2013 18:47:17

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."

7.5 Band Edge at antenna terminals

Test Requirement:	Part 2.1051											
Test Method:	Part 22.917(b) and Part 24.238(b)											
Test Setup:												
Measurement Procedure:	<p>The transmitter output was connected to a calibrated coaxial cable, attenuator and Spectrum analyser, the other end of which was connected to a Base Station Simulator. The Base Station Simulator was set to force the EUT to its maximum power setting. The tests were performed at three frequencies (low channel and high channel).in the 1MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of 100kHz or 1% of the emission bandwidth of the fundamental emission of the transmitter may be employed. The EUT emission bandwidth is measured as the width of the signal between two points, outside of which all emission are attenuated at least 26dB below the transmitter power. The video bandwidth of the spectrum analyzer was set at thrice the resolution bandwidth. Detector Mode was set to peak or peak hold power.</p>											
Limit:	<table border="1"> <thead> <tr> <th>Operation Band</th> <th>Frequency Range (MHz)</th> <th>Limit</th> </tr> </thead> <tbody> <tr> <td>CDMA Cell800</td> <td>Below 824 and above 849</td> <td>Attenuated at least 43+10log(P)</td> </tr> <tr> <td>CDMA PCS1900</td> <td>Below 1850 and above 1910</td> <td>Attenuated at least 43+10log(P)</td> </tr> </tbody> </table>	Operation Band	Frequency Range (MHz)	Limit	CDMA Cell800	Below 824 and above 849	Attenuated at least 43+10log(P)	CDMA PCS1900	Below 1850 and above 1910	Attenuated at least 43+10log(P)		
Operation Band	Frequency Range (MHz)	Limit										
CDMA Cell800	Below 824 and above 849	Attenuated at least 43+10log(P)										
CDMA PCS1900	Below 1850 and above 1910	Attenuated at least 43+10log(P)										
Instruments Used:	Refer to section 6 for details											
Test Results:	Pass											




SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Report No.: SHEM130300048101
Page: 22 of 49


Measurement Data

Cell800		
Test channel	Frequency (MHz)	Result
Lowest/1013	824.70	Pass



Date: 22.APR.2013 21:58:04

Test channel	Frequency (MHz)	Result
Highest/777	848.31	Pass



Date: 22.APR.2013 22:02:39


"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.


Report No.: SHEM130300048101
Page: 23 of 49

PCS1900		
Test channel	Frequency (MHz)	Result
Lowest/25	1851.25	Pass



Date: 22.APR.2013 22:45:59


Test channel	Frequency (MHz)	Result
Highest/1175	1908.75	Pass



Date: 22.APR.2013 22:44:46

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."

7.6 Spurious emissions at antenna terminals

Test Requirement:	Part 2.1051 and Part 2.1057
Test Method:	ITA-603-D-2010 Clause 2.2.13
Test Setup:	
Measurement Procedure:	<p>The transmitter output was connected to a calibrated coaxial cable, attenuator and Spectrum analyzer, the other end of which was connected to a Base Station Simulator. The Base Station Simulator was set to force the EUT to its maximum power setting. The tests were performed at three frequencies (low channel and high channel).the equipment operates below 10GHz: to the tenth harmonic of the highest fundamental frequency or to 40GHz.whichever is lower, the resolution bandwidth of the spectrum analyzer was set at 100kHz for spurious emissions below 1 GHz, and 1 MHz for spurious emissions above 1GHz.the video bandwidth of the spectrum analyzer was set at thrice the resolution bandwidth. Detector Mode was set to mean or average power.</p>
Instruments Used:	Refer to section 6 for details
Limit:	Attenuated at least $43+10\log(P)$
Test Results:	Pass




SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.


Report No.: SHEM130300048101
Page: 25 of 49

Test plot as follows:

Test mode:	Cell 800	Test channel:	Lowest/1013	Operation Frequency	824.7MHz
------------	----------	---------------	-------------	---------------------	----------



Date: 22.APR.2013 22:14:48



Date: 22.APR.2013 22:20:59


"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Report No.: SHEM130300048101
Page: 26 of 49

Test mode:	Cell 800	Test channel:	Middle/363	Operation Frequency	835.89MHz
------------	----------	---------------	------------	---------------------	-----------



Date: 22.APR.2013 22:16:24



Date: 22.APR.2013 22:19:10



"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Report No.: SHEM130300048101
Page: 27 of 49

Test mode:	Cell 800	Test channel:	High/777	Operation Frequency	848.31MHz
------------	----------	---------------	----------	---------------------	-----------



Date: 22.APR.2013 22:17:57


"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Report No.: SHEM130300048101
Page: 28 of 49

Test mode:	PCS 1900	Test channel:	Lowest/25	Operation Frequency	1851.25MHz
------------	----------	---------------	-----------	---------------------	------------



Date: 22.APR.2013 22:23:23



Date: 22.APR.2013 22:23:59



"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Report No.: SHEM130300048101
Page: 29 of 49

Test mode:	PCS 1900	Test channel:	Middle/600	Operation Frequency	1880.00MHz
------------	----------	---------------	------------	---------------------	------------



Date: 22.APR.2013 22:35:40


"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Report No.: SHEM130300048101
Page: 30 of 49

Test mode:	PCS 1900	Test channel:	High/1175	Operation Frequency	1908.75MHz
------------	----------	---------------	-----------	---------------------	------------



Date: 22.APR.2013 22:36:43



Date: 22.APR.2013 22:37:13

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."

7.7 Field strength of spurious radiation

Test Requirement:	Part 2.1053 and Part 2.1057				
Test Method:	ITA-603-D-2010 Clause 2.2.12				
Receiver Setup:	Frequency	Detector	RBW	VBW	Remark
	30MHz-1GHz	Peak	100 kHz	300kHz	Peak
	Above 1GHz	Peak	1MHz	3MHz	Peak
Test Setup:					




Figure 2. 30MHz to 1GHz




Figure 3. above 1GHz

Measurement Procedure:	<p>Below 1GHz test procedure as below:</p> <ol style="list-style-type: none"> 1). The EUT was powered ON and placed on a 1.70m high table in the chamber. The antenna of the transmitter was extended to its maximum length. 2). The disturbance of the transmitter was maximized on the test receiver display by raising and lowering from 1m to 4m (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) the receive antenna and by rotating through 360° the turntable. After the fundamental emission was maximized, a field strength measurement was made. 3). Steps 1) and 2) were performed with the EUT and the receive antenna in both vertical and horizontal polarization. 4). The transmitter was then removed and replaced with another antenna. The center of the antenna was approximately at the same location as the center of the transmitter. 5). A signal at the disturbance was fed to the substitution antenna by means of a non-radiating cable. With both the substitution and the receive antennas horizontally polarized, the receive antenna was raised and lowered to obtain a maximum reading at the test receiver. The level of the signal generator was adjusted until the measured field strength level in step 2) is obtained for this set of conditions.
------------------------	--



**SGS-CSTC Standards Technical Services
(Shanghai) Co., Ltd.**

Report No.: SHEM130300048101
Page: 32 of 49

	<p>6). The output power into the substitution antenna was then measured.</p> <p>7). Steps 5) and 6) were repeated with both antennas polarized.</p> <p>8) Calculate power in dBm by the following formula: $ERP(dBm) = P_g(dBm) - \text{cable loss (dB)} + \text{antenna gain (dBd)}$ where: P_g is the generator output power into the substitution antenna.</p> <p>Above 1GHz test procedure as below:</p> <p>1) Different between above is the test site, change from Semi- Anechoic Chamber to fully Anechoic Chamber</p> <p>2) Calculate power in dBm by the following formula: $EIRP(dBm) = P_g(dBm) - \text{cable loss (dB)} + \text{antenna gain (dBi)}$ $EIRP = ERP + 2.15dB$ where: P_g is the generator output power into the substitution antenna.</p> <p>3. Test the EUT in the lowest channel, the middle channel the Highest channel</p> <p>4. The radiation measurements are performed in X, Y, Z axis positioning. And found the X axis positioning which it is worse case, Only the test worst case mode is recorded in the report.</p> <p>5. Repeat above procedures until all frequencies measured was complete.</p>
Instruments Used:	Refer to section 6 for details
Limit:	Attenuated at least $43 + 10 \log(P)$
Test Results:	Pass



"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



**SGS-CSTC Standards Technical Services
(Shanghai) Co., Ltd.**

Report No.: SHEM130300048101
Page: 33 of 49

Test mode:	Cell 800	Test channel:	Low/1013	Test Antenna:	Vertical
------------	----------	---------------	----------	---------------	----------



Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corrected factor(dB)	Result (dBm)	Limit (dBm)	Margin (dB)
1	1648.000	-51.33	peak	1.05	-50.28	-13.00	-37.28
2	7480.000	-62.91	peak	17.80	-45.11	-13.00	-32.11



"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



**SGS-CSTC Standards Technical Services
(Shanghai) Co., Ltd.**

Report No.: SHEM130300048101
Page: 34 of 49

Test mode:	Cell 800	Test channel:	Low/1013	Test Antenna:	Horizontal
------------	----------	---------------	----------	---------------	------------



Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corrected factor(dB)	Result (dBm)	Limit (dBm)	Margin (dB)
1	1648.000	-46.89	peak	2.32	-44.57	-13.00	-31.57
2	9514.000	-66.95	peak	24.11	-42.84	-13.00	-29.84



"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



**SGS-CSTC Standards Technical Services
(Shanghai) Co., Ltd.**

Report No.: SHEM130300048101
Page: 35 of 49

Test mode:	Cell 800	Test channel:	Middle/363	Test Antenna:	Vertical
------------	----------	---------------	------------	---------------	----------



Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corrected factor(dB)	Result (dBm)	Limit (dBm)	Margin (dB)
1	1666.000	-42.65	peak	2.46	-40.19	-13.00	-27.19
2	9487.000	-66.91	peak	24.04	-42.87	-13.00	-29.87



"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



**SGS-CSTC Standards Technical Services
(Shanghai) Co., Ltd.**

Report No.: SHEM130300048101
Page: 36 of 49

Test mode:	Cell 800	Test channel:	Middle/363	Test Antenna:	Horizontal
------------	----------	---------------	------------	---------------	------------



Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corrected factor(dB)	Result (dBm)	Limit (dBm)	Margin (dB)
1	1666.000	-48.69	peak	2.46	-46.23	-13.00	-33.23
2	9460.000	-68.03	peak	23.85	-44.18	-13.00	-31.18



"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



**SGS-CSTC Standards Technical Services
(Shanghai) Co., Ltd.**

Report No.: SHEM130300048101
Page: 37 of 49

Test mode:	Cell 800	Test channel:	High/777	Test Antenna:	Vertical
------------	----------	---------------	----------	---------------	----------



Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corrected factor(dB)	Result (dBm)	Limit (dBm)	Margin (dB)
1	1693.000	-48.17	peak	2.68	-45.49	-13.00	-32.49



"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



**SGS-CSTC Standards Technical Services
(Shanghai) Co., Ltd.**

Report No.: SHEM130300048101
Page: 38 of 49

Test mode:	Cell 800	Test channel:	High/777	Test Antenna:	Horizontal
------------	----------	---------------	----------	---------------	------------



Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corrected factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)
1	1693.000	-47.28	peak	2.68	-44.60	-13.00	-31.60



"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



**SGS-CSTC Standards Technical Services
(Shanghai) Co., Ltd.**

Report No.: SHEM130300048101
Page: 39 of 49

Test mode:	PCS 1900	Test channel:	Low/25	Test Antenna:	Vertical
------------	----------	---------------	--------	---------------	----------



Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corrected factor(dB)	Result (dBm)	Limit (dBm)	Margin (dB)
1	3703.000	-56.46	peak	7.93	-48.53	-13.00	-35.53
2	5556.000	-61.34	peak	13.49	-47.85	-13.00	-34.85
3	13835.000	-59.98	peak	20.19	-39.79	-13.00	-26.79

Remark: the test performed up to 20GHz, and above 18GHz no another emission was found.



"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



**SGS-CSTC Standards Technical Services
(Shanghai) Co., Ltd.**

Report No.: SHEM130300048101
Page: 40 of 49

Test mode:	PCS 1900	Test channel:	Low/25	Test Antenna:	Horizontal
------------	----------	---------------	--------	---------------	------------



Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corrected factor(dB)	Result (dBm)	Limit (dBm)	Margin (dB)
1	3703.000	-49.15	peak	7.93	-41.22	-13.00	-28.22

Remark: the test performed up to 20GHz, and above 18GHz no another emission was found.



"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



**SGS-CSTC Standards Technical Services
(Shanghai) Co., Ltd.**

Report No.: SHEM130300048101
Page: 41 of 49

Test mode:	PCS 1900	Test channel:	Middle/600	Test Antenna:	Vertical
------------	----------	---------------	------------	---------------	----------



Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corrected factor(dB)	Result (dBm)	Limit (dBm)	Margin (dB)
1	3754.000	-51.00	peak	7.99	-43.01	-13.00	-30.01
2	5641.000	-61.99	peak	13.69	-48.30	-13.00	-35.30

Remark: the test performed up to 20GHz, and above 18GHz no another emission was found.



"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



**SGS-CSTC Standards Technical Services
(Shanghai) Co., Ltd.**

Report No.: SHEM130300048101
Page: 42 of 49

Test mode:	PCS 1900	Test channel:	Middle/600	Test Antenna:	Horizontal
------------	----------	---------------	------------	---------------	------------



Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corrected factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)
1	3754.000	-47.11	peak	7.99	-39.12	-13.00	-26.12

Remark: the test performed up to 20GHz, and above 18GHz no another emission was found.



"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



**SGS-CSTC Standards Technical Services
(Shanghai) Co., Ltd.**

Report No.: SHEM130300048101
Page: 43 of 49

Test mode:	PCS 1900	Test channel:	High/1175	Test Antenna:	Vertical
------------	----------	---------------	-----------	---------------	----------



Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corrected factor(dB)	Result (dBm)	Limit (dBm)	Margin (dB)
1	3805.000	-52.18	peak	8.04	-44.14	-13.00	-31.14
2	5726.000	-62.77	peak	13.88	-48.89	-13.00	-35.89

Remark: the test performed up to 20GHz, and above 18GHz no another emission was found.



"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



**SGS-CSTC Standards Technical Services
(Shanghai) Co., Ltd.**

Report No.: SHEM130300048101
Page: 44 of 49

Test mode:	PCS 1900	Test channel:	High/1175	Test Antenna:	Horizontal
------------	----------	---------------	-----------	---------------	------------



Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corrected factor(dB)	Result (dBm)	Limit (dBm)	Margin (dB)
1	3805.000	-43.09	peak	8.04	-35.05	-13.00	-22.05
2	7630.000	-60.56	peak	18.34	-42.22	-13.00	-29.22

Remark: the test performed up to 20GHz, and above 18GHz no another emission was found.

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



**SGS-CSTC Standards Technical Services
(Shanghai) Co., Ltd.**


Report No.: SHEM130300048101
Page: 45 of 49

NOTE:

- 1) The disturbance below 30MHz was very low, and the above harmonics were the highest point could be found when testing, so only the above harmonics had been displayed.

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."

7.8 Frequency stability

Test Requirement:	Part 2.1055							
Test Method:	ITA-603-D-2010 Clause 2.2.2							
Test Setup:								
Measurement Procedure:	<p>The transmitter output was connected to a calibrated coaxial cable and a Base Station Simulator. The Base Station Simulator was set to force the EUT to its maximum power setting. The tests were performed at three frequencies (low channel and high channel). The EUT was placed in the temperature chamber, the DC leads and RF output cable exited the chamber through an opening made for that purpose. After operating the equipment in standby conditions for 15 minutes before proceeding. The temperature was varied from -30°C to +50°C at intervals of not more than 10°C. The frequency stability was read from the base station at 25°C. The input voltage was varied +/-15%, the frequency stability and input voltage were recorded.</p>							
Instruments Used:	Refer to section 4.10 for details							
Limit:	<table border="1"> <thead> <tr> <th>Operation Band</th> <th>Frequency stability Limit(ppm)</th> </tr> </thead> <tbody> <tr> <td>CDMA Cell 800</td> <td>±2.5ppm</td> </tr> <tr> <td>CDMA PCS 1900</td> <td>---</td> </tr> </tbody> </table>	Operation Band	Frequency stability Limit(ppm)	CDMA Cell 800	±2.5ppm	CDMA PCS 1900	---	
Operation Band	Frequency stability Limit(ppm)							
CDMA Cell 800	±2.5ppm							
CDMA PCS 1900	---							
Test Results:	Pass							



**SGS-CSTC Standards Technical Services
(Shanghai) Co., Ltd.**

Report No.: SHEM130300048101
Page: 47 of 49

Cell 800						
Power Supply	Environment	Test Channel		Freq Delta	Freq Dev	Limit
Vdc	Temperature (°C)	Channel No.	Frequency (MHz)	(Hz)	(ppm)	(ppm)
120	-20	1013	824.70	9	0.01	±2.5
120	-20	777	848.31	22	0.03	±2.5
120	-10	1013	824.70	31	0.04	±2.5
120	-10	777	848.31	-29	-0.03	±2.5
120	0	1013	824.70	31	0.04	±2.5
120	0	777	848.31	40	0.05	±2.5
120	10	1013	824.70	-16	-0.02	±2.5
120	10	777	848.31	48	0.06	±2.5
120	20	1013	824.70	43	0.05	±2.5
120	20	777	848.31	55	0.06	±2.5
120	30	1013	824.70	68	0.08	±2.5
120	30	777	848.31	-44	-0.05	±2.5
120	40	1013	824.70	-14	-0.02	±2.5
120	40	777	848.31	67	0.08	±2.5
120	50	1013	824.70	-16	-0.02	±2.5
120	50	777	848.31	56	0.07	±2.5
138	20	1013	824.70	-22	-0.03	±2.5
138	20	777	848.31	49	0.06	±2.5
102	20	1013	824.70	-36	-0.04	±2.5
102	20	777	848.31	-44	-0.05	±2.5

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



**SGS-CSTC Standards Technical Services
(Shanghai) Co., Ltd.**

Report No.: SHEM130300048101
Page: 48 of 49

PCS 1900						
Power Supply	Environment	Test Channel		Freq Delta	Freq Dev	Limit
Vdc	Temperature (°C)	Channel No.	Frequency (MHz)	(Hz)	(ppm)	(ppm)
120	-20	25	1851.25	27	0.01	±2.5
120	-20	1175	1908.75	12	0.01	±2.5
120	-10	25	1851.25	-18	-0.01	±2.5
120	-10	1175	1908.75	-27	-0.01	±2.5
120	0	25	1851.25	14	0.01	±2.5
120	0	1175	1908.75	-28	-0.01	±2.5
120	10	25	1851.25	-31	-0.02	±2.5
120	10	1175	1908.75	43	0.02	±2.5
120	20	25	1851.25	-39	-0.02	±2.5
120	20	1175	1908.75	55	0.03	±2.5
120	30	25	1851.25	38	0.02	±2.5
120	30	1175	1908.75	-17	-0.01	±2.5
120	40	25	1851.25	20	0.01	±2.5
120	40	1175	1908.75	31	0.02	±2.5
120	50	25	1851.25	-21	-0.01	±2.5
120	50	1175	1908.75	12	0.01	±2.5
138	20	25	1851.25	-27	-0.01	±2.5
138	20	1175	1908.75	36	0.01	±2.5
102	20	25	1851.25	-41	-0.02	±2.5
102	20	1175	1908.75	38	0.02	±2.5

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



8 Photographs - EUT Test Setup

Refer to the < AX54--Test Setup photos>.

9 Photographs - EUT Constructional Details

Refer to the < AX54--External Photos > & < AX54--Internal Photos >.