



AXW-D800

SAM II Phantom: Flat Section; Position: (90°,90°); Frequency: 835 MHz
Probe: ET3DV6 - SN1607; ConvF(6.26,6.26,6.26); Crest factor: 1.0; Body 835 MHz: $s = 0.95$
 $\rho_{\text{ho/m}}$ $\epsilon_r = 53.5$ $r = 1.00$ g/cm^3
Cube 5x5x7: SAR (1g): 0.109 mW/g, SAR (10g): 0.0737 mW/g
Coarse: $D_x = 20.0$, $D_y = 20.0$, $D_z = 10.0$
Powerdrift: 0.03 dB
Comment:
FCC ID : PH7AXWD800 / MODEL : AXW-D800 (With Charger)
Company : AXESSTEL INC.
Test Position: Body / Antenna: Fixed
Mode: CDMA / Channel: 1013 (824.70MHz)
Conducted Power: 24.0 dBm
Liquid Temperature : 21.6 °C
Date Tested : November 11, 2004




AXW-D800

SAM II Phantom: Flat Section; Position: (90°,90°); Frequency: 835 MHz
Probe: ET3DV6 - SN1607; ConvF(6.26,6.26,6.26); Crest factor: 1.0; Body 835 MHz: $s = 0.95$
 ρ/m $\epsilon_r = 53.5$ $r = 1.00$ g/cm³
Cube 5x5x7: SAR (1g): 0.144 mW/g, SAR (10g): 0.0941 mW/g
Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0
Powerdrift: 0.02 dB
Comment:
FCC ID : PH7AXWD800 / MODEL : AXW-D800 (With Charger)
Company : AXESSTEL INC.
Test Position: Body / Antenna: Fixed
Mode: CDMA / Channel: 363 (835.89MHz)
Conducted Power: 24.0 dBm
Liquid Temperature : 21.6 °C
Date Tested : November 11, 2004



AXW-D800

SAM II Phantom: Flat Section; Position: (90°,90°); Frequency: 835 MHz
Probe: ET3DV6 - SN1607; ConvF(6.26,6.26,6.26); Crest factor: 1.0; Body 835 MHz: $s = 0.95$
 ρ/m $\epsilon_r = 53.5$ $r = 1.00$ g/cm³
Cube 5x5x7: SAR (1g): 0.123 mW/g, SAR (10g): 0.0814 mW/g
Coarse: Dx = 20.0, Dy = 20.0, Dz = 10.0
Powerdrift: 0.03 dB
Comment:
FCC ID : PH7AXWD800 / MODEL : AXW-D800 (With Charger)
Company : AXESSTEL INC.
Test Position: Body / Antenna: Fixed
Mode: CDMA / Channel: 777 (848.31MHz)
Conducted Power: 24.0 dBm
Liquid Temperature : 21.6 °C
Date Tested : November 11, 2004



AXW-D800

SAM II Phantom; Section; Position: ; Frequency: 835 MHz
Probe: ET3DV6 - SN1607; ConvF(6.26,6.26,6.26); Crest factor: 1.0; Body 835 MHz: $s = 0.95$
 $\rho_{ho/m}$ $\epsilon_r = 53.5$ $r = 1.00$ g/cm^3

Z-Axis: $D_x = 0.0$, $D_y = 0.0$, $D_z = 5.0$

Comment:

FCC ID : PH7AXWD800 / MODEL : AXW-D800 (With Charger)

Company : AXESSTEL INC.

Test Position: Body / Antenna: Fixed

Mode: CDMA / Channel: 363 (835.89MHz)

Conducted Power: 24.0 dBm

Liquid Temperature : 21.6 °C

Date Tested : November 11, 2004

