

NTRODUCTION

The Fixed Wireless phone operates through a wireless connection instead of a landline phone cable, enabling the subscriber to set up the phone at any where wireless service is available.

Axesstel CDMA 2000 Fixed Wireless Phone provides high quality and superior performance with many features such as superior voice quality, optional data service, caller ID, three-way calling, call waiting, short message service, etc.

A large 3-line dot matrix liquid crystal display provides user-friendly interface for quick and easy information display.

NOTE: Data services are not supported on AXW-L800 model

Features

- 1. Hands Free Dialing*
- 2. Signal Strength Indicator
- 3. Redial
- 4. Volume Control
- 5. Dust-proof Laminate Keypad
- 6. Battery Power Backup
- 7. LCD Screen
- 8. One-touch and Two-touch Dialing
- 9. Automatic Sending
- 10. Phonebook
- 11. Short Message Service
- * Hands-Free Dialing: Lets you attempt to dial without lifting the handset.

Once the call is connected, simply pick up the handset to talk.

(Note: Speaker phone feature is not supported.)

TABLES OF CONTENTS

Safety Precautions	3
Checking Parts	4
Setting up Your Phone	5
Getting to Know Your Phone	7
Display Icons	8
Function Keys	9
Basic Operation	
Making Calls	11
Redial	
Receiving Calls	
Choosing the Ring Tone	
Message Service	
-	
Internal Phone Book	
Internal Phone Book	18
Storing in Phonebook	18
Searching for Entries in Phonebook	19
Erasing An Entry in Phonebook	21
Erasing All Entries in Phonebook	21
One-Touch Dialing	22
Useful Features	
Call History	24
Mute	25

Selecting Time Mode	26
Setting the Alarm	. 27
Checking and Clearing Call Times	
Setting Warning Alerts	
Advanced Features	
Changing Greeting Message	31
System Reset	. 31
Restricting Use of the Phone	32
Locking / Unlocking the Phone	.32
Changing the Lock Code	32
Optional Features	
Call Forwarding	35
Call Waiting	35
Three-Way Calling	35
Missallansaus	
Miscellaneous Menu Table	^-
Specification	. 37

S AFETY PRECAUTIONS

- 1. Avoid placing the phone in a dusty location, or near a source of gas or fire.
- 2. Don't shake, hit or drop the phone.
- 3. To clean the exterior surface of the phone, use only a soft, dry cloth. The chemicals in alcohol, benzine or acetone can damage the surface of the phone.
- 4. Do not twist or pull the cord out of the phone.
- 5. Do not disassemble the phone.
- 6. DO NOT use the power adaptor if:
 - The power cord is damaged.
 - The phone has been dropped or damaged in any way.
- 7. Use only the AXESSTEL provided adaptor. Do not use the AXESSTEL adaptor for any other purpose.
- 8. Use only the AXESSTEL provided antenna. Do not use the antenna for any other purpose.
- 9. Frequency and length of use can affect the life of the self-charging battery. Contact your customer service if the battery is not operating properly.
- 10. Use only the designated self-charging battery. Dispose of exhausted batteries properly. Never discard a battery in or near fire or flame.
- 11. Do not use the telephone near water, for example, near a bathtub, sink, wet basement, or swimming pool.

NOTE: The input and output voltages are indicated on the adapter. (Input: AC 240V, 50~60 Hz, Output: DC 5V, 2A)

HECKING THE PARTS

After unpacking your phone, make sure that you have all the parts shown below. If any piece is missing or broken, please call your customer service center.

- 1. Main Unit
- 2. Handset
- 3. Power Adaptor

- 4. User Manual
- 5. Antenna
- 6. Handset Cord




4

S ETTING UP YOUR PHONE

Installing the phone

This phone operates by receiving DC power from the AXESSTEL power adaptor, which connects to an electrical outlet. The phone is equipped with a rechargeable battery as a back up in case of an AC power failure.

Desktop installation



S ETTING UP YOUR PHONE

Service Status Check

Display in the Service Area

When the power cord is connected properly, all segments in the LCD window will turn on briefly and Power LED will light. The number of bars of signal strength indicator (antenna icon) indicates the strength of service signal of the area. The display will show the greeting With date and time.

You can change the greeting. (See page 31)

Display in area with no service


When there is no service signal detected in your area, no antenna bar appears. Contact your service provider for the coverage area information.

First, check if the antenna is connected firmly.

Test Network
Jan 01 17:10

No Network

G ETTING TO KNOW YOUR PHONE



- **1. Antenna:** Adjusting the position of antenna improves the sound quality of the call.
- **2. Menu:** Press to access the phone's menus.
- 3. Clear: Lets you clear your last entry.
- **4. Store**: Stores phone numbers, and any settings you select in the menu within the phone's memory

- **5. Message:** Press to retrieve messages.
- **6. Recall:** Allows you to redial the last number called.
- **7. Vol/Scroll:** Lets you adjust sound levels and scroll through the menu options and displays.



Icons display on the screen to indicate what features you are using, signal strength and battery status etc...





Indicate the strength of the signal. More bars indicate stronger signal.



Indicates the level of battery power. The more bars, the more power. When the battery is low, the icon blinks, and an alert tone sounds.



Indicates that you are using the phone's menu.



Indicates that the alarm has been set.



Indicates that you are in the Phonebook menu.



Indicates that you have a text message or a voice mail message.



Indicates that a voice or data call is in progress.

Ω

F UNCTION KEYS



Press this key to display the phone's main menu.



Clears information from the display screen.

- To erase one character from the display screen, press it once.
- To erase all characters on the screen, press and hold.
- To go back one step in the menu mode, press it once.



Press this key to retrieve messages.



Press this key to store a phone number in the phone book and to save menu settings.




Press this key to redial the last number called or to connect a call right after dialing the number without waiting until the call is connected automatically.



Press this key to control the volume of earpiece and speaker. In the menu mode, use this key to scroll through the menu items.




The Hands-Free Dialing button is used to place a call without using the handset. Built-in speaker allows dialing without picking up the handset



M AKING CALLS

- 1. Make sure your phone is turned on.
- 2. Pick up the handset to hear a dial tone.

 When the phone fails to acquire service signal, you will hear "No Service" tone (intermittent tone).
- 3. Dial the number to call. The LCD window displays the number.
- 4. Wait for a moment for auto calling or press $\bigcap^{\text{\tiny REDIAL}}$.
- 5. When the other person answers, begin conversation.
- 6. To end the call, replace the handset on the main unit.





NOTE1: Modifying a phone number while dialing
- To erase the last digit entered: Press .
- To erase the entire number: Press and hold.
NOTE2: Automatic calling
The phone is set to places a call automatically 4~10 seconds after last digit
entry from the factory. To disable automatic calling or change the delay time
1. Press (6), (6), (8).
2. Press *, # to select 'OFF', then press to save.
Once automatic calling is disabled, you have to dial the number and press
to place a call.



Redial the last number you dialed.

- 1. Pick up the handset or press (1) .
- 2. Press \bigcap^{REDIAL} .

NOTE: You may not redial when there is no last number dialed stored in the memory. " Empty List! " message is displayed on the LCD.

Receiving calls

When there is an incoming call, the phone rings and blinks "Incoming Call" message on the display.

- 1. Simply pick up the handset or press (1) to answer the
- 2. To disconnect, replace the handset or press (4).

NOTE: When the ringer volume is set to 'Silent', the phone does not ring. Only the "Incoming Call" message blinks.

Yiiil **(** INCOMING CALL 123-456-7890

When the Caller ID service is activated.



Caller ID Display


The Caller ID feature displays the caller's number when the phone receives a call. If the caller's name and number are stored together in the phone book, the caller's name is displayed. Contact your service provider to activate this feature.

NOTE: If the call is not answered, the phone displays the "Missed Call" message with the call arrival date and time.



MISSED 1 CALL Jan 01 00:05

12



- 1. Press , 4 , 3 .
- 2. Press (*), # to adjust ringer volume.
- 3. Press of to save.

NOTE: If 'Silent' is selected, the phone does not ring when an incoming call comes in. Only the "INCOMING CALL" message blinks on the display.

Yıll MENU ►: Level 1 2: Level 2

C HOOSING THE RING TONES

You can choose from twelve different ring tones.

- 1. Press , 4 , 2 .
- 2. Press (or *, #) to select ring type.
- 3. Press \bigcap^{STORE} to save.





ESSAGE SERVICE

Message Service is network dependent feature and is available only when your service provider supports it. Check your service provider is providing message service before using this function

T	7.11
O 11 N T 4 M	Message Mes
2. Write message using the keypad. Toggle between uppercase,	7.11
lowercase, and numeric by pressing button.	ıllii
3. Press O.	
NOTE: See page 18 for more information on text edit.	123_

- 4. Enter destination number and press (OK)
 5. Once the destination number has been entered, the message will be sent.

NOTE: To change default message options, access Message Options menu.

HELLO_	
Yul	
SENDING	

T_{ill}

- Sending Saved Text Messages

 1. Press , 3 (out box).

 2. Select message to resend with (or *, #) and press .