

## Exhibit 13

# Correspondence



#### **Request for Confidentiality**

6/14/2005

NextNet<sup>®</sup> Wireless, Inc. 9555 James Avenue South Suite 270 Bloomington, MN 55431

RE: Certification Application

FCC ID: PHX-BTS2500C

Please be advised that the following information is to be held confidential on behalf of NextNet Wireless, Inc.:

- Exhibit 4 Block Diagrams
- Exhibit 5 Schematics
- Exhibit 10 Parts list
- Exhibit 12 Technical Description

This application contains technical information that NextNet Wireless, Inc. deems to be trade secrets and proprietary. If made public, the information might be used to the disadvantage of NextNet Wireless, Inc. in the market place.

Thank you for your attention to this matter.

Tim Blom NextNet Wireless, Inc.



#### **Modification Letter**

14/06/2005

NextNet<sup>®</sup> Wireless, Inc. 9555 James Avenue South Suite 270 Bloomington, MN 55431

RE: Certification Application

FCC ID: PHX-BTS2500C

Please be advised that the following information is a list of modifications that will be included in the production process for the above-referenced equipment.

The printed circuit board(s) have been updated to include all design changes in effect at the time of FCC compliance testing. The schematics and bill of materials associated with this filing reflect the updated design changes.

Thank you for your attention to this matter.

Tim Blom NextNet Wireless, Inc.



### **Warning Statements and Locations**

The following warning statement is located in the "Configuring, Installing, and Using Carrier Infrastructure" manual:

**WARNING:** This equipment has been tested with a 19 dBi gain antenna and found to comply with the FCC guidelines for Radio Frequency Radiation Exposure Limits as detailed below. For a single base 5 watt transmitter connected to the antenna, a minimum of 2 meters or 6.5 feet of separation between the antenna and all persons must be maintained. The minimum separation increases when additional base transmitting signals are combined and applied to the same antenna. Four base 5 watt transmitters combined to use a single antenna need a minimum separation of 4 meters or 13 feet from all persons.



#### **Manufacturer's Letter**

6/14/2005

NextNet<sup>®</sup> Wireless, Inc. 9555 James Avenue South Suite 270 Bloomington, MN 55431

RE: Certification Application

FCC ID: PHX-BTS2500C

To Whom It May Concern:

Please be advised that the manufacturer will ensure that the above-referenced model will be manufactured in accordance with the FCC Rules and Regulations.

Thank you for your attention to this matter.

Tim Blom NextNet Wireless, Inc.