

## ADDITIONAL ANALYZER PLOTS TABLE OF CONTENTS




<b>RF POWER OUTPUT .....</b>	<b>2</b>
RF Power: 2 Watts.....	3
Bandwidth: 6.0 MHz .....	3
Bandwidth: 5.5 MHz .....	5
RF Power: 1 Milliwatt .....	7
Bandwidth: 6.0 MHz .....	7
Bandwidth: 5.5 MHz .....	9
RF Power: 5.5 Watts .....	11
Bandwidth: 6.0 MHz .....	11
Bandwidth: 5.5 MHz .....	13
<b>OCCUPIED/EMISSION BANDWIDTH.....</b>	<b>15</b>
Occupied BW .....	16
RF Power: 2 Watts.....	16
Bandwidth: 6.0 MHz .....	16
Bandwidth: 5.5 MHz .....	18
RF Power: 5.5 Watts.....	20
Bandwidth: 6.0 MHz .....	20
Bandwidth: 5.5 MHz .....	22
Emission BW .....	24
RF Power: 2 Watts.....	24
Bandwidth: 6.0 MHz .....	24
Bandwidth: 5.5 MHz .....	26
RF Power: 5.5 Watts.....	28
Bandwidth: 6.0 MHz .....	28
Bandwidth: 5.5 MHz .....	30
<b>TRANSMIT SPURIOUS EMISSIONS .....</b>	<b>32</b>
RF Power: 2W.....	33
Freq Range: 9 kHz - 150 kHz.....	33
Freq Range: 150 kHz – 30 MHz.....	35
Freq Range: 30 MHz – 1 GHz.....	37
Freq Range: 1 GHz – 2.48 GHz .....	39
Freq Range: 2.7 GHz – 26.5 GHz .....	41
3 <sup>rd</sup> Harmonic .....	43
RF Power: 5.5W.....	51
Freq Range: 9 kHz - 150 kHz.....	51
Freq Range: 150 kHz – 30 MHz.....	53
Freq Range: 30 MHz – 1 GHz.....	55
Freq Range: 1 GHz – 2.48 GHz .....	57
Freq Range: 2.7 GHz – 26.5 GHz .....	59
3 <sup>rd</sup> Harmonic .....	61
<b>FREQUENCY STABILITY .....</b>	<b>69</b>
FCC Freq Stability .....	70
Bandwidth: 5.5 MHz .....	70
RF Power: 2 Watts .....	70
RF Power: 5.5 Watts .....	74
Canada Freq Stability.....	78




*NOTE: To display the plots for a particular item, simply click it.*




# RF POWER OUTPUT




# ADDITIONAL ANALYZER PLOTS

RF Power: 2 Watts	Bandwidth: 6.0 MHz	Modulation: 16 QAM
<p>Agilent 19:33:26 Jun 12, 2006</p> <p>Ch Freq 2.503 GHz Trig Free</p> <p>Channel Power</p> <p>Center 2.503000000 GHz</p> <p>Ref 40.61 dBm Atten 20 dB</p> <p>*Avg Log 10 dB/Offst 30.7 dB</p> <p>Center 2.503 000 GHz Span 6 MHz *Res BW 300 kHz *VBW 3 MHz Sweep 1 ms (601 pts)</p> <p>Channel Power Power Spectral Density 32.97 dBm /5.6900 MHz -34.58 dBm/Hz</p> <p>Copyright 2000-2005 Agilent Technologies</p>		
<b>2503 MHz</b>		
<p>Agilent 20:37:36 Jun 12, 2006</p> <p>Ch Freq 2.593 GHz Trig Free</p> <p>Channel Power</p> <p>Center 2.593000000 GHz</p> <p>Ref 40.61 dBm Atten 20 dB</p> <p>*Avg Log 10 dB/Offst 30.7 dB</p> <p>Center 2.593 000 GHz Span 6 MHz *Res BW 300 kHz *VBW 3 MHz Sweep 1 ms (601 pts)</p> <p>Channel Power Power Spectral Density 32.95 dBm /5.6900 MHz -34.60 dBm/Hz</p> <p>Copyright 2000-2005 Agilent Technologies</p>		
<b>2593 MHz</b>		
<p>Agilent 20:48:50 Jun 12, 2006</p> <p>Ch Freq 2.683 GHz Trig Free</p> <p>Channel Power</p> <p>Center 2.683000000 GHz</p> <p>Ref 40.61 dBm Atten 20 dB</p> <p>*Avg Log 10 dB/Offst 30.7 dB</p> <p>Center 2.683 000 GHz Span 6 MHz *Res BW 300 kHz *VBW 3 MHz Sweep 1 ms (601 pts)</p> <p>Channel Power Power Spectral Density 32.28 dBm /5.6900 MHz -35.28 dBm/Hz</p> <p>Copyright 2000-2005 Agilent Technologies</p>		
<b>2689 MHz</b>		

RF Power: 2 Watts	Bandwidth: 6.0 MHz	Modulation: 64 QAM
<p>Agilent 19:34:07 Jun 12, 2006</p> <p>Ch Freq 2.503 GHz Trig Free</p> <p>Channel Power</p> <p>Center 2.503000000 GHz</p> <p>Ref 40.61 dBm Atten 20 dB</p> <p>#Avg Log 10 dB/ Offst 30.7 dB</p>  <p>Center 2.503 000 GHz Span 6 MHz #Res BW 300 kHz #VBW 3 MHz Sweep 1 ms (601 pts)</p> <p>Channel Power Power Spectral Density 32.89 dBm /5.6900 MHz -34.66 dBm/Hz</p> <p>Copyright 2000-2005 Agilent Technologies</p>		<p>Freq/Channel</p> <p>Center Freq 2.503000000 GHz</p> <p>Start Freq 2.500000000 GHz</p> <p>Stop Freq 2.506000000 GHz</p> <p>CF Step 600.000000 kHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p>
<b>2503 MHz</b>		
<p>Agilent 20:38:05 Jun 12, 2006</p> <p>Ch Freq 2.593 GHz Trig Free</p> <p>Channel Power</p> <p>Center 2.593000000 GHz</p> <p>Ref 40.61 dBm Atten 20 dB</p> <p>#Avg Log 10 dB/ Offst 30.7 dB</p>  <p>Center 2.593 000 GHz Span 6 MHz #Res BW 300 kHz #VBW 3 MHz Sweep 1 ms (601 pts)</p> <p>Channel Power Power Spectral Density 32.94 dBm /5.6900 MHz -34.62 dBm/Hz</p> <p>Copyright 2000-2005 Agilent Technologies</p>		<p>Freq/Channel</p> <p>Center Freq 2.593000000 GHz</p> <p>Start Freq 2.590000000 GHz</p> <p>Stop Freq 2.596000000 GHz</p> <p>CF Step 600.000000 kHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p>
<b>2593 MHz</b>		
<p>Agilent 20:48:10 Jun 12, 2006</p> <p>Ch Freq 2.683 GHz Trig Free</p> <p>Channel Power</p> <p>Center 2.683000000 GHz</p> <p>Ref 40.61 dBm Atten 20 dB</p> <p>#Avg Log 10 dB/ Offst 30.7 dB</p>  <p>Center 2.683 000 GHz Span 6 MHz #Res BW 300 kHz #VBW 3 MHz Sweep 1 ms (601 pts)</p> <p>Channel Power Power Spectral Density 32.23 dBm /5.6900 MHz -35.33 dBm/Hz</p> <p>Copyright 2000-2005 Agilent Technologies</p>		<p>Freq/Channel</p> <p>Center Freq 2.683000000 GHz</p> <p>Start Freq 2.680000000 GHz</p> <p>Stop Freq 2.686000000 GHz</p> <p>CF Step 600.000000 kHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p>
<b>2689 MHz</b>		




RF Power: 2 Watts	Bandwidth: 5.5 MHz	Modulation: 16 QAM
<p>Agilent 19:18:26 Jun 12, 2006</p> <p>Ch Freq 2.503 GHz Trig Free</p> <p>Channel Power</p> <p>Sweep Time 1.000 ms</p> <p>Ref 40.61 dBm Atten 20 dB</p> <p>#Avg Log 10 dB/Offst 30.7 dB</p>  <p>Center 2.503 000 GHz Span 5.5 MHz</p> <p>#Res BW 300 kHz #VBW 3 MHz Sweep 1 ms (601 pts)</p> <p>Channel Power 32.61 dBm /5.1400 MHz</p> <p>Power Spectral Density -34.50 dBm/Hz</p> <p>Copyright 2000-2005 Agilent Technologies</p>		<p>Sweep</p> <p>Sweep Time 1.000 ms</p> <p>Auto Man</p> <p>Single Cont</p> <p>Auto Sweep Time Norm Accy</p> <p>Gate On Off</p> <p>Gate Setup</p> <p>Points 601</p>
<b>2503 MHz</b>		
<p>Agilent 19:22:24 Jun 12, 2006</p> <p>Ch Freq 2.593 GHz Trig Free</p> <p>Channel Power</p> <p>Center 2.593000000 GHz</p> <p>Ref 40.61 dBm Atten 20 dB</p> <p>#Avg Log 10 dB/Offst 30.7 dB</p>  <p>Center 2.593 000 GHz Span 5.5 MHz</p> <p>#Res BW 300 kHz #VBW 3 MHz Sweep 1 ms (601 pts)</p> <p>Channel Power 33.00 dBm /5.1400 MHz</p> <p>Power Spectral Density -34.11 dBm/Hz</p> <p>Copyright 2000-2005 Agilent Technologies</p>		<p>Freq/Channel</p> <p>Center Freq 2.59300000 GHz</p> <p>Start Freq 2.59025000 GHz</p> <p>Stop Freq 2.59575000 GHz</p> <p>CF Step 550.000000 kHz</p> <p>Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p>
<b>2593 MHz</b>		
<p>Agilent 19:27:49 Jun 12, 2006</p> <p>Ch Freq 2.683 GHz Trig Free</p> <p>Channel Power</p> <p>Center 2.683000000 GHz</p> <p>Ref 40.61 dBm Atten 20 dB</p> <p>#Avg Log 10 dB/Offst 30.7 dB</p>  <p>Center 2.683 000 GHz Span 5.5 MHz</p> <p>#Res BW 300 kHz #VBW 3 MHz Sweep 1 ms (601 pts)</p> <p>Channel Power 32.75 dBm /5.1400 MHz</p> <p>Power Spectral Density -34.36 dBm/Hz</p> <p>Copyright 2000-2005 Agilent Technologies</p>		<p>Freq/Channel</p> <p>Center Freq 2.68300000 GHz</p> <p>Start Freq 2.68025000 GHz</p> <p>Stop Freq 2.68575000 GHz</p> <p>CF Step 550.000000 kHz</p> <p>Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p>
<b>2689 MHz</b>		




RF Power: 2 Watts	Bandwidth: 5.5 MHz	Modulation: 64 QAM
<p>Agilent 19:18:45 Jun 12, 2006</p> <p>Ch Freq 2.503 GHz Trig Free</p> <p>Channel Power</p> <p>Sweep Time 1.000 ms</p> <p>Ref 40.61 dBm Atten 20 dB</p>  <p>Center 2.503 000 GHz Span 5.5 MHz</p> <p>Res BW 300 kHz VBW 3 MHz Sweep 1 ms (601 pts)</p> <p>Channel Power 32.70 dBm /5.1400 MHz</p> <p>Power Spectral Density -34.41 dBm/Hz</p> <p>Copyright 2000-2005 Agilent Technologies</p>		<p>Sweep</p> <p>Sweep Time 1.000 ms</p> <p>Auto Man</p> <p>Sweep Single Cont</p> <p>Auto Sweep Time Norm Accy</p> <p>Gate On Off</p> <p>Gate Setup</p> <p>Points 601</p>
<b>2503 MHz</b>		
<p>Agilent 19:22:54 Jun 12, 2006</p> <p>Ch Freq 2.593 GHz Trig Free</p> <p>Channel Power</p> <p>Center 2.593000000 GHz</p> <p>Ref 40.61 dBm Atten 20 dB</p>  <p>Center 2.593 000 GHz Span 5.5 MHz</p> <p>Res BW 300 kHz VBW 3 MHz Sweep 1 ms (601 pts)</p> <p>Channel Power 32.70 dBm /5.1400 MHz</p> <p>Power Spectral Density -34.41 dBm/Hz</p> <p>Copyright 2000-2005 Agilent Technologies</p>		<p>Freq/Channel</p> <p>Center Freq 2.59300000 GHz</p> <p>Start Freq 2.59025000 GHz</p> <p>Stop Freq 2.59575000 GHz</p> <p>CF Step 550.000000 kHz</p> <p>Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p>
<b>2593 MHz</b>		
<p>Agilent 19:28:20 Jun 12, 2006</p> <p>Ch Freq 2.683 GHz Trig Free</p> <p>Channel Power</p> <p>Center 2.683000000 GHz</p> <p>Ref 40.61 dBm Atten 20 dB</p>  <p>Center 2.683 000 GHz Span 5.5 MHz</p> <p>Res BW 300 kHz VBW 3 MHz Sweep 1 ms (601 pts)</p> <p>Channel Power 32.73 dBm /5.1400 MHz</p> <p>Power Spectral Density -34.38 dBm/Hz</p> <p>Copyright 2000-2005 Agilent Technologies</p>		<p>Freq/Channel</p> <p>Center Freq 2.68300000 GHz</p> <p>Start Freq 2.68025000 GHz</p> <p>Stop Freq 2.68575000 GHz</p> <p>CF Step 550.000000 kHz</p> <p>Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p>
<b>2689 MHz</b>		




RF Power: 1 Milliwatt	Bandwidth: 6.0 MHz	Modulation: 16 QAM
<p>Agilent 09:27:20 Feb 16, 2006</p> <p>Ch Freq 2.503 GHz Trig Free</p> <p>Channel Power</p>  <p>Channel Power: 0.00 dBm / 5.6900 MHz Power Spectral Density: -67.55 dBm/Hz</p> <p>Copyright 2000-2004 Agilent Technologies</p>		<p>Freq/Channel</p> <p>Center Freq 2.50300000 GHz</p> <p>Start Freq 2.50000000 GHz</p> <p>Stop Freq 2.50600000 GHz</p> <p>CF Step 90.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p>
<b>2503 MHz</b>		
<p>Agilent 09:29:22 Feb 16, 2006</p> <p>Ch Freq 2.593 GHz Trig Free</p> <p>Channel Power</p>  <p>Channel Power: -0.23 dBm / 5.6900 MHz Power Spectral Density: -67.78 dBm/Hz</p> <p>Copyright 2000-2004 Agilent Technologies</p>		<p>Freq/Channel</p> <p>Center Freq 2.59300000 GHz</p> <p>Start Freq 2.59000000 GHz</p> <p>Stop Freq 2.59600000 GHz</p> <p>CF Step 90.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p>
<b>2593 MHz</b>		
<p>Agilent 09:30:42 Feb 16, 2006</p> <p>Ch Freq 2.689 GHz Trig Free</p> <p>Channel Power</p>  <p>Channel Power: 0.86 dBm / 5.6900 MHz Power Spectral Density: -66.69 dBm/Hz</p> <p>Copyright 2000-2004 Agilent Technologies</p>		<p>Freq/Channel</p> <p>Center Freq 2.68900000 GHz</p> <p>Start Freq 2.68600000 GHz</p> <p>Stop Freq 2.69200000 GHz</p> <p>CF Step 90.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p>
<b>2689 MHz</b>		




RF Power: 1 Milliwatt	Bandwidth: 6.0 MHz	Modulation: 64 QAM
<p>Agilent 09:27:36 Feb 16, 2006</p> <p>Ch Freq 2.503 GHz Trig Free</p> <p>Channel Power</p> <p>Ref 33 dBm Atten 20 dB</p> <p>#Avg Log 10 dB/Offst 30.4 dB</p> <p>Center 2.503 000 GHz Span 6 MHz</p> <p>#Res BW 62 kHz #VBW 620 kHz #Sweep 5 s (601 pts)</p> <p>Channel Power -0.01 dBm /5.6900 MHz Power Spectral Density -67.56 dBm/Hz</p> <p>Copyright 2000-2004 Agilent Technologies</p>		
<b>2503 MHz</b>		
<p>Agilent 09:29:37 Feb 16, 2006</p> <p>Ch Freq 2.593 GHz Trig Free</p> <p>Channel Power</p> <p>Ref 33 dBm Atten 20 dB</p> <p>#Avg Log 10 dB/Offst 30.4 dB</p> <p>Center 2.593 000 GHz Span 6 MHz</p> <p>#Res BW 62 kHz #VBW 620 kHz #Sweep 5 s (601 pts)</p> <p>Channel Power -0.24 dBm /5.6900 MHz Power Spectral Density -67.79 dBm/Hz</p> <p>Copyright 2000-2004 Agilent Technologies</p>		
<b>2593 MHz</b>		
<p>Agilent 09:31:02 Feb 16, 2006</p> <p>Ch Freq 2.689 GHz Trig Free</p> <p>Channel Power</p> <p>Ref 33 dBm Atten 20 dB</p> <p>#Avg Log 10 dB/Offst 30.4 dB</p> <p>Center 2.689 000 GHz Span 6 MHz</p> <p>#Res BW 62 kHz #VBW 620 kHz #Sweep 5 s (601 pts)</p> <p>Channel Power 0.86 dBm /5.6900 MHz Power Spectral Density -66.69 dBm/Hz</p> <p>Copyright 2000-2004 Agilent Technologies</p>		
<b>2689 MHz</b>		









RF Power: 1 Milliwatt	Bandwidth: 5.5 MHz	Modulation: 16 QAM
<p>Agilent 09:22:45 Feb 16, 2006</p> <p>Ch Freq 2.503 GHz Trig Free</p> <p>Channel Power</p> <p><b>Center 2.503000000 GHz</b></p> <p>Ref 33 dBm Atten 20 dB</p> <p>#Avg Log 10 dB/ Offst 30.4 dB</p>  <p>Center 2.503 000 GHz Span 5.5 MHz #Res BW 56 kHz #VBW 560 kHz #Sweep 5 s (601 pts)</p> <p><b>Channel Power</b>      <b>Power Spectral Density</b></p> <p><b>-0.01 dBm /5.1400 MHz</b>      <b>-67.12 dBm/Hz</b></p> <p>Copyright 2000-2004 Agilent Technologies</p>		<p>Freq/Channel</p> <p>Center Freq 2.50300000 GHz</p> <p>Start Freq 2.50025000 GHz</p> <p>Stop Freq 2.50575000 GHz</p> <p>CF Step 90.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p>
<b>2503 MHz</b>		
<p>Agilent 09:23:57 Feb 16, 2006</p> <p>Ch Freq 2.593 GHz Trig Free</p> <p>Channel Power</p> <p><b>Center 2.593000000 GHz</b></p> <p>Ref 33 dBm Atten 20 dB</p> <p>#Avg Log 10 dB/ Offst 30.4 dB</p>  <p>Center 2.593 000 GHz Span 5.5 MHz #Res BW 56 kHz #VBW 560 kHz #Sweep 5 s (601 pts)</p> <p><b>Channel Power</b>      <b>Power Spectral Density</b></p> <p><b>-0.22 dBm /5.1400 MHz</b>      <b>-67.33 dBm/Hz</b></p> <p>Copyright 2000-2004 Agilent Technologies</p>		<p>Freq/Channel</p> <p>Center Freq 2.59300000 GHz</p> <p>Start Freq 2.59025000 GHz</p> <p>Stop Freq 2.59575000 GHz</p> <p>CF Step 90.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p>
<b>2593 MHz</b>		
<p>Agilent 09:25:30 Feb 16, 2006</p> <p>Ch Freq 2.689 GHz Trig Free</p> <p>Channel Power</p> <p><b>Center 2.689000000 GHz</b></p> <p>Ref 33 dBm Atten 20 dB</p> <p>#Avg Log 10 dB/ Offst 30.4 dB</p>  <p>Center 2.689 000 GHz Span 5.5 MHz #Res BW 56 kHz #VBW 560 kHz #Sweep 5 s (601 pts)</p> <p><b>Channel Power</b>      <b>Power Spectral Density</b></p> <p><b>0.86 dBm /5.1400 MHz</b>      <b>-66.24 dBm/Hz</b></p> <p>Copyright 2000-2004 Agilent Technologies</p>		<p>Freq/Channel</p> <p>Center Freq 2.68900000 GHz</p> <p>Start Freq 2.68625000 GHz</p> <p>Stop Freq 2.69175000 GHz</p> <p>CF Step 90.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p>
<b>2689 MHz</b>		

RF Power: 1 Milliwatt	Bandwidth: 5.5 MHz	Modulation: 64 QAM
<p>Agilent 09:23:03 Feb 16, 2006</p> <p>Ch Freq 2.503 GHz Trig Free</p> <p>Channel Power</p> <p><b>Center 2.503000000 GHz</b></p> <p>Ref 33 dBm Atten 20 dB</p> <p>#Avg Log 10 dB/ Offst 30.4 dB</p>  <p>Center 2.503 000 GHz Span 5.5 MHz #Res BW 56 kHz #VBW 560 kHz #Sweep 5 s (601 pts)</p> <p><b>Channel Power</b>      <b>Power Spectral Density</b> 0.01 dBm /5.1400 MHz      -67.10 dBm/Hz</p> <p>Copyright 2000-2004 Agilent Technologies</p>		<p>Freq/Channel</p> <p>Center Freq 2.50300000 GHz</p> <p>Start Freq 2.50025000 GHz</p> <p>Stop Freq 2.50575000 GHz</p> <p>CF Step 90.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p>
<b>2503 MHz</b>		
<p>Agilent 09:24:14 Feb 16, 2006</p> <p>Ch Freq 2.593 GHz Trig Free</p> <p>Channel Power</p> <p><b>Center 2.593000000 GHz</b></p> <p>Ref 33 dBm Atten 20 dB</p> <p>#Avg Log 10 dB/ Offst 30.4 dB</p>  <p>Center 2.593 000 GHz Span 5.5 MHz #Res BW 56 kHz #VBW 560 kHz #Sweep 5 s (601 pts)</p> <p><b>Channel Power</b>      <b>Power Spectral Density</b> -0.22 dBm /5.1400 MHz      -67.33 dBm/Hz</p> <p>Copyright 2000-2004 Agilent Technologies</p>		<p>Freq/Channel</p> <p>Center Freq 2.59300000 GHz</p> <p>Start Freq 2.59025000 GHz</p> <p>Stop Freq 2.59575000 GHz</p> <p>CF Step 90.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p>
<b>2593 MHz</b>		
<p>Agilent 09:25:45 Feb 16, 2006</p> <p>Ch Freq 2.689 GHz Trig Free</p> <p>Channel Power</p> <p><b>Center 2.689000000 GHz</b></p> <p>Ref 33 dBm Atten 20 dB</p> <p>#Avg Log 10 dB/ Offst 30.4 dB</p>  <p>Center 2.689 000 GHz Span 5.5 MHz #Res BW 56 kHz #VBW 560 kHz #Sweep 5 s (601 pts)</p> <p><b>Channel Power</b>      <b>Power Spectral Density</b> 0.87 dBm /5.1400 MHz      -66.24 dBm/Hz</p> <p>Copyright 2000-2004 Agilent Technologies</p>		<p>Freq/Channel</p> <p>Center Freq 2.68900000 GHz</p> <p>Start Freq 2.68625000 GHz</p> <p>Stop Freq 2.69175000 GHz</p> <p>CF Step 90.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p>
<b>2689 MHz</b>		

RF Power: 5.5 Watts	Bandwidth: 6.0 MHz	Modulation: 16 QAM
<p>Agilent 20:35:40 Jun 12, 2006</p> <p>Ch Freq 2.503 GHz Trig Free</p> <p>Channel Power</p> <p>Center 2.503000000 GHz</p> <p>Ref 40.61 dBm Atten 20 dB</p>  <p>Center 2.503 000 GHz Span 6 MHz #Res BW 300 kHz #VBW 3 MHz Sweep 1 ms (601 pts)</p> <p>Channel Power 37.05 dBm /5.6900 MHz Power Spectral Density -30.50 dBm/Hz</p> <p>Copyright 2000-2005 Agilent Technologies</p>		<p>Freq/Channel</p> <p>Center Freq 2.503000000 GHz</p> <p>Start Freq 2.500000000 GHz</p> <p>Stop Freq 2.506000000 GHz</p> <p>CF Step 600.000000 kHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p>
<b>2503 MHz</b>		
<p>Agilent 20:43:41 Jun 12, 2006</p> <p>Ch Freq 2.593 GHz Trig Free</p> <p>Channel Power</p> <p>Center 2.593000000 GHz</p> <p>Ref 40.61 dBm Atten 20 dB</p>  <p>Center 2.593 000 GHz Span 6 MHz #Res BW 300 kHz #VBW 3 MHz Sweep 1 ms (601 pts)</p> <p>Channel Power 37.37 dBm /5.6900 MHz Power Spectral Density -30.18 dBm/Hz</p> <p>Copyright 2000-2005 Agilent Technologies</p>		<p>Freq/Channel</p> <p>Center Freq 2.593000000 GHz</p> <p>Start Freq 2.590000000 GHz</p> <p>Stop Freq 2.596000000 GHz</p> <p>CF Step 600.000000 kHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p>
<b>2593 MHz</b>		
<p>Agilent 20:51:34 Jun 12, 2006</p> <p>Ch Freq 2.683 GHz Trig Free</p> <p>Channel Power</p> <p>Center -</p> <p>Ref 40.61 dBm Atten 20 dB</p>  <p>Center 2.683 000 GHz Span 6 MHz #Res BW 300 kHz #VBW 3 MHz Sweep 1 ms (601 pts)</p> <p>Channel Power 36.28 dBm /5.6900 MHz Power Spectral Density -31.27 dBm/Hz</p> <p>Copyright 2000-2005 Agilent Technologies</p>		<p>GHz</p> <p>MHz</p> <p>kHz</p> <p>Hz</p>
<b>2689 MHz</b>		




RF Power: 5.5 Watts	Bandwidth: 6.0 MHz	Modulation: 64 QAM
<p>Agilent 19:34:47 Jun 12, 2006</p> <p>Ch Freq 2.503 GHz Trig Free</p> <p>Channel Power</p> <p>Center 2.503000000 GHz</p> <p>Ref 40.61 dBm Atten 20 dB</p>  <p>Center 2.503 000 GHz Span 6 MHz #Res BW 300 kHz #VBW 3 MHz Sweep 1 ms (601 pts)</p> <p>Channel Power Power Spectral Density 37.14 dBm /5.6900 MHz -30.41 dBm/Hz</p> <p>Copyright 2000-2005 Agilent Technologies</p>		<p>Freq/Channel</p> <p>Center Freq 2.503000000 GHz</p> <p>Start Freq 2.500000000 GHz</p> <p>Stop Freq 2.506000000 GHz</p> <p>CF Step 600.000000 kHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p>
<b>2503 MHz</b>		
<p>Agilent 20:42:18 Jun 12, 2006</p> <p>Ch Freq 2.593 GHz Trig Free</p> <p>Channel Power</p> <p>Center 2.593000000 GHz</p> <p>Ref 40.61 dBm Atten 20 dB</p>  <p>Center 2.593 000 GHz Span 6 MHz #Res BW 300 kHz #VBW 3 MHz Sweep 1 ms (601 pts)</p> <p>Channel Power Power Spectral Density 37.29 dBm /5.6900 MHz -30.26 dBm/Hz</p> <p>Copyright 2000-2005 Agilent Technologies</p>		<p>Freq/Channel</p> <p>Center Freq 2.593000000 GHz</p> <p>Start Freq 2.590000000 GHz</p> <p>Stop Freq 2.596000000 GHz</p> <p>CF Step 600.000000 kHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p>
<b>2593 MHz</b>		
<p>Agilent 20:52:04 Jun 12, 2006</p> <p>Ch Freq 2.683 GHz Trig Free</p> <p>Channel Power</p> <p>Center -</p> <p>Ref 40.61 dBm Atten 20 dB</p>  <p>Center 2.683 000 GHz Span 6 MHz #Res BW 300 kHz #VBW 3 MHz Sweep 1 ms (601 pts)</p> <p>Channel Power Power Spectral Density 36.27 dBm /5.6900 MHz -31.29 dBm/Hz</p> <p>Copyright 2000-2005 Agilent Technologies</p>		<p>GHz</p> <p>MHz</p> <p>kHz</p> <p>Hz</p>
<b>2689 MHz</b>		

RF Power: 5.5 Watts	Bandwidth: 5.5 MHz	Modulation: 16 QAM
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 19:20:40 Jun 12, 2006</p> <p>Ch Freq 2.503 GHz Trig Free</p> <p>Channel Power</p> <p>Sweep Time 1.000 ms</p> <p>Ref 40.61 dBm Atten 20 dB</p>  <p>Center 2.503 000 GHz Span 5.5 MHz</p> <p>Res BW 300 kHz VBW 3 MHz Sweep 1 ms (601 pts)</p> <p>Channel Power 37.36 dBm /5.1400 MHz</p> <p>Power Spectral Density -29.75 dBm/Hz</p> <p>Copyright 2000-2005 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Sweep</p> <p>Sweep Time 1.000 ms</p> <p>Auto Man</p> <p>Sweep Single Cont</p> <p>Auto Sweep Norm Accy</p> <p>Gate On Off</p> <p>Gate Setup</p> <p>Points 601</p> </div> </div>		
<b>2503 MHz</b>		
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 19:25:16 Jun 12, 2006</p> <p>Ch Freq 2.593 GHz Trig Free</p> <p>Channel Power</p> <p>Center 2.593000000 GHz</p> <p>Ref 40.61 dBm Atten 20 dB</p>  <p>Center 2.593 000 GHz Span 5.5 MHz</p> <p>Res BW 300 kHz VBW 3 MHz Sweep 1 ms (601 pts)</p> <p>Channel Power 37.04 dBm /5.1400 MHz</p> <p>Power Spectral Density -30.07 dBm/Hz</p> <p>Copyright 2000-2005 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.59300000 GHz</p> <p>Start Freq 2.59025000 GHz</p> <p>Stop Freq 2.59575000 GHz</p> <p>CF Step 550.000000 kHz</p> <p>Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div>		
<b>2593 MHz</b>		
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 19:30:15 Jun 12, 2006</p> <p>Ch Freq 2.683 GHz Trig Free</p> <p>Channel Power</p> <p>Center 2.683000000 GHz</p> <p>Ref 40.61 dBm Atten 20 dB</p>  <p>Center 2.683 000 GHz Span 5.5 MHz</p> <p>Res BW 300 kHz VBW 3 MHz Sweep 1 ms (601 pts)</p> <p>Channel Power 36.97 dBm /5.1400 MHz</p> <p>Power Spectral Density -30.14 dBm/Hz</p> <p>Copyright 2000-2005 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.68300000 GHz</p> <p>Start Freq 2.68025000 GHz</p> <p>Stop Freq 2.68575000 GHz</p> <p>CF Step 550.000000 kHz</p> <p>Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div>		
<b>2689 MHz</b>		

RF Power: 5.5 Watts	Bandwidth: 5.5 MHz	Modulation: 64 QAM
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 19:19:50 Jun 12, 2006</p> <p>Ch Freq 2.503 GHz Trig Free</p> <p>Channel Power</p> <p>Sweep Time 1.000 ms</p> <p>Ref 40.61 dBm Atten 20 dB</p>  <p>Center 2.503 000 GHz Span 5.5 MHz</p> <p>Res BW 300 kHz VBW 3 MHz Sweep 1 ms (001 pts)</p> <p>Channel Power 37.02 dBm /5.1400 MHz</p> <p>Power Spectral Density -30.09 dBm/Hz</p> <p>Copyright 2000-2005 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Sweep</p> <p>Sweep Time 1.000 ms</p> <p>Auto Man</p> <p>Sweep Single Cont</p> <p>Auto Sweep Norm Accy</p> <p>Gate On Off</p> <p>Gate Setup</p> <p>Points 601</p> </div> </div>		
<b>2503 MHz</b>		
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 19:24:44 Jun 12, 2006</p> <p>Ch Freq 2.593 GHz Trig Free</p> <p>Channel Power</p> <p>Center 2.593000000 GHz</p> <p>Ref 40.61 dBm Atten 20 dB</p>  <p>Center 2.593 000 GHz Span 5.5 MHz</p> <p>Res BW 300 kHz VBW 3 MHz Sweep 1 ms (001 pts)</p> <p>Channel Power 37.07 dBm /5.1400 MHz</p> <p>Power Spectral Density -30.04 dBm/Hz</p> <p>Copyright 2000-2005 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.593000000 GHz</p> <p>Start Freq 2.590250000 GHz</p> <p>Stop Freq 2.595750000 GHz</p> <p>CF Step 550.000000 kHz</p> <p>Auto Man</p> <p>Freq Offset 0.000000000 Hz</p> <p>Signal Track On Off</p> </div> </div>		
<b>2593 MHz</b>		
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 19:28:46 Jun 12, 2006</p> <p>Ch Freq 2.683 GHz Trig Free</p> <p>Channel Power</p> <p>Center 2.683000000 GHz</p> <p>Ref 40.61 dBm Atten 20 dB</p>  <p>Center 2.683 000 GHz Span 5.5 MHz</p> <p>Res BW 300 kHz VBW 3 MHz Sweep 1 ms (001 pts)</p> <p>Channel Power 37.34 dBm /5.1400 MHz</p> <p>Power Spectral Density -29.76 dBm/Hz</p> <p>Copyright 2000-2005 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.683000000 GHz</p> <p>Start Freq 2.680250000 GHz</p> <p>Stop Freq 2.685750000 GHz</p> <p>CF Step 550.000000 kHz</p> <p>Auto Man</p> <p>Freq Offset 0.000000000 Hz</p> <p>Signal Track On Off</p> </div> </div>		
<b>2689 MHz</b>		

# OCCUPIED/EMISSION BANDWIDTH

# ADDITIONAL ANALYZER PLOTS




Occupied BW	RF Power: 2 Watts	Bandwidth: 6.0 MHz	Modulation: 16 QAM
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 16:21:24 Feb 16, 2006</p> <p>Ch Freq 2.503 GHz Trig Free</p> <p>Occupied Bandwidth</p> <p>Ref Level 33.00 dBm</p>  <p>Center 2.503 000 GHz Span 6.5 MHz #Res BW 62 kHz #VBW 620 kHz #Sweep 10 s (601 pts)</p> <p><b>Occupied Bandwidth</b> 5.4801 MHz Occ BW % Pwr 99.00 % x dB -20.00 dB</p> <p>Transmit Freq Error 8.025 kHz x dB Bandwidth 5.670 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Amplitude</p> <p>Ref Level 33.00 dBm</p> <p>Attenuation 20.00 dB Auto Man</p> <p>Scale/Div 10.00 dB</p> <p>Scale Type Log Lin</p> <p>Presel Center</p> <p>Presel Adj just [3-26 GHz]* 0.000 Hz</p> <p>More 1 of 3</p> </div> </div>			
<b>2503 MHz</b>			
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 16:22:28 Feb 16, 2006</p> <p>Ch Freq 2.593 GHz Trig Free</p> <p>Occupied Bandwidth</p> <p>Ref Level 33 dBm</p>  <p>Center 2.593 000 GHz Span 6.5 MHz #Res BW 62 kHz #VBW 620 kHz #Sweep 10 s (601 pts)</p> <p><b>Occupied Bandwidth</b> 5.4800 MHz Occ BW % Pwr 99.00 % x dB -20.00 dB</p> <p>Transmit Freq Error 7.373 kHz x dB Bandwidth 5.669 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.59300000 GHz</p> <p>Start Freq 2.58975000 GHz</p> <p>Stop Freq 2.59625000 GHz</p> <p>CF Step 90.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div>			
<b>2593 MHz</b>			
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 16:23:27 Feb 16, 2006</p> <p>Ch Freq 2.689 GHz Trig Free</p> <p>Occupied Bandwidth</p> <p>Ref Level 33 dBm</p>  <p>Center 2.689 000 GHz Span 6.5 MHz #Res BW 62 kHz #VBW 620 kHz #Sweep 10 s (601 pts)</p> <p><b>Occupied Bandwidth</b> 5.4802 MHz Occ BW % Pwr 99.00 % x dB -20.00 dB</p> <p>Transmit Freq Error 6.473 kHz x dB Bandwidth 5.669 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.68900000 GHz</p> <p>Start Freq 2.68575000 GHz</p> <p>Stop Freq 2.69225000 GHz</p> <p>CF Step 90.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div>			
<b>2689 MHz</b>			



Occupied BW	RF Power: 2 Watts	Bandwidth: 6.0 MHz	Modulation: 64 QAM
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 16:21:41 Feb 16, 2006</p> <p>Ch Freq 2.503 GHz Trig Free</p> <p>Occupied Bandwidth</p> <p>Ref Level 33.00 dBm</p> <p>Ref 33 dBm Atten 20 dB</p> <p>Center 2.503 000 GHz Span 6.5 MHz *Res BW 62 kHz *VBW 620 kHz *Sweep 10 s (601 pts)</p> <p><b>Occupied Bandwidth</b> 5.4802 MHz <b>Occ BW % Pwr</b> 99.00 % <b>x dB Bandwidth</b> 5.670 MHz* <b>Transmit Freq Error</b> 7.959 kHz <b>x dB Bandwidth</b> 5.670 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Amplitude</p> <p>Ref Level 33.00 dBm</p> <p>Attenuation 20.00 dB Auto Man</p> <p>Scale/Div 10.00 dB</p> <p>Scale Type Log Lin</p> <p>Presel Center</p> <p>Presel Adj just [3-26 GHz] 0.000 Hz</p> <p>More 1 of 3</p> </div> </div>			
<b>2503 MHz</b>			
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 16:22:47 Feb 16, 2006</p> <p>Ch Freq 2.593 GHz Trig Free</p> <p>Occupied Bandwidth</p> <p>Ref 33 dBm Atten 20 dB</p> <p>Center 2.593 000 GHz Span 6.5 MHz *Res BW 62 kHz *VBW 620 kHz *Sweep 10 s (601 pts)</p> <p><b>Occupied Bandwidth</b> 5.4801 MHz <b>Occ BW % Pwr</b> 99.00 % <b>x dB Bandwidth</b> 5.670 MHz* <b>Transmit Freq Error</b> 7.311 kHz <b>x dB Bandwidth</b> 5.670 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.59300000 GHz</p> <p>Start Freq 2.58975000 GHz</p> <p>Stop Freq 2.59625000 GHz</p> <p>CF Step 90.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div>			
<b>2593 MHz</b>			
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 16:23:48 Feb 16, 2006</p> <p>Ch Freq 2.689 GHz Trig Free</p> <p>Occupied Bandwidth</p> <p>Ref 33 dBm Atten 20 dB</p> <p>Center 2.689 000 GHz Span 6.5 MHz *Res BW 62 kHz *VBW 620 kHz *Sweep 10 s (601 pts)</p> <p><b>Occupied Bandwidth</b> 5.4800 MHz <b>Occ BW % Pwr</b> 99.00 % <b>x dB Bandwidth</b> 5.669 MHz* <b>Transmit Freq Error</b> 6.513 kHz <b>x dB Bandwidth</b> 5.669 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.68900000 GHz</p> <p>Start Freq 2.68575000 GHz</p> <p>Stop Freq 2.69225000 GHz</p> <p>CF Step 90.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div>			
<b>2689 MHz</b>			

Occupied BW	RF Power: 2 Watts	Bandwidth: 5.5 MHz	Modulation: 16 QAM
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 16:09:09 Feb 16, 2006</p> <p>Ch Freq 2.503 GHz Trig Free</p> <p>Occupied Bandwidth</p> <p>Ref 33 dBm Atten 20 dB</p> <p>#Avg 10 Log dB/ Offst 30.4 dB</p> <p>Center 2.503 000 GHz Span 6 MHz #Res BW 56 kHz #VBW 560 kHz #Sweep 10 s (601 pts)</p> <p><b>Occupied Bandwidth 4.9586 MHz</b></p> <p>Occ BW % Pwr 99.00 % x dB -20.00 dB</p> <p>Transmit Freq Error 7.379 kHz x dB Bandwidth 5.131 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.50300000 GHz</p> <p>Start Freq 2.50000000 GHz</p> <p>Stop Freq 2.50600000 GHz</p> <p>CF Step 10.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div> <p style="text-align: center;"><b>2503 MHz</b></p>			
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 16:12:04 Feb 16, 2006</p> <p>Ch Freq 2.593 GHz Trig Free</p> <p>Occupied Bandwidth</p> <p>Center 2.593000000 GHz</p> <p>Ref 33 dBm Atten 20 dB</p> <p>#Avg 10 Log dB/ Offst 30.4 dB</p> <p>Center 2.593 000 GHz Span 6 MHz #Res BW 56 kHz #VBW 560 kHz #Sweep 10 s (601 pts)</p> <p><b>Occupied Bandwidth 4.9585 MHz</b></p> <p>Occ BW % Pwr 99.00 % x dB -20.00 dB</p> <p>Transmit Freq Error 6.756 kHz x dB Bandwidth 5.131 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.59300000 GHz</p> <p>Start Freq 2.59000000 GHz</p> <p>Stop Freq 2.59600000 GHz</p> <p>CF Step 90.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div> <p style="text-align: center;"><b>2593 MHz</b></p>			
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 16:13:07 Feb 16, 2006</p> <p>Ch Freq 2.689 GHz Trig Free</p> <p>Occupied Bandwidth</p> <p>Ref 33 dBm Atten 20 dB</p> <p>#Avg 10 Log dB/ Offst 30.4 dB</p> <p>Center 2.689 000 GHz Span 6 MHz #Res BW 56 kHz #VBW 560 kHz #Sweep 10 s (601 pts)</p> <p><b>Occupied Bandwidth 4.9585 MHz</b></p> <p>Occ BW % Pwr 99.00 % x dB -20.00 dB</p> <p>Transmit Freq Error 6.025 kHz x dB Bandwidth 5.131 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.68900000 GHz</p> <p>Start Freq 2.68600000 GHz</p> <p>Stop Freq 2.69200000 GHz</p> <p>CF Step 90.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div> <p style="text-align: center;"><b>2689 MHz</b></p>			

Occupied BW	RF Power: 2 Watts	Bandwidth: 5.5 MHz	Modulation: 64 QAM
<p>Agilent 16:09:26 Feb 16, 2006</p> <p>Ch Freq 2.503 GHz Trig Free</p> <p>Center Freq 2.50300000 GHz</p> <p>Start Freq 2.50000000 GHz</p> <p>Stop Freq 2.50600000 GHz</p> <p>CF Step 10.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> <p>Ref 33 dBm Atten 20 dB</p> <p>#Avg 10 Log dB/Offst 30.4 dB</p> <p>Center 2.503000 GHz Span 6 MHz</p> <p>#Res BW 56 kHz #VBW 560 kHz #Sweep 10 s (601 pts)</p> <p>Occupied Bandwidth 4.9584 MHz Occ BW % Pwr 99.00 % x dB -20.00 dB</p> <p>Transmit Freq Error 7.441 kHz</p> <p>x dB Bandwidth 5.132 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> <p style="text-align: center;"><b>2503 MHz</b></p>			
<p>Agilent 16:12:22 Feb 16, 2006</p> <p>Ch Freq 2.593 GHz Trig Free</p> <p>Center Freq 2.59300000 GHz</p> <p>Start Freq 2.59000000 GHz</p> <p>Stop Freq 2.59600000 GHz</p> <p>CF Step 90.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> <p>Ref 33 dBm Atten 20 dB</p> <p>#Avg 10 Log dB/Offst 30.4 dB</p> <p>Center 2.593000 GHz Span 6 MHz</p> <p>#Res BW 56 kHz #VBW 560 kHz #Sweep 10 s (601 pts)</p> <p>Occupied Bandwidth 4.9588 MHz Occ BW % Pwr 99.00 % x dB -20.00 dB</p> <p>Transmit Freq Error 6.644 kHz</p> <p>x dB Bandwidth 5.131 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> <p style="text-align: center;"><b>2593 MHz</b></p>			
<p>Agilent 16:15:35 Feb 16, 2006</p> <p>Ch Freq 2.689 GHz Trig Free</p> <p>Center Freq 2.68900000 GHz</p> <p>Start Freq 2.68600000 GHz</p> <p>Stop Freq 2.69200000 GHz</p> <p>CF Step 90.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> <p>Ref 33 dBm Atten 20 dB</p> <p>#Avg 10 Log dB/Offst 30.4 dB</p> <p>Center 2.689000 GHz Span 6 MHz</p> <p>#Res BW 56 kHz #VBW 560 kHz #Sweep 10 s (601 pts)</p> <p>Occupied Bandwidth 4.9586 MHz Occ BW % Pwr 99.00 % x dB -20.00 dB</p> <p>Transmit Freq Error 5.992 kHz</p> <p>x dB Bandwidth 5.131 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> <p style="text-align: center;"><b>2689 MHz</b></p>			

Occupied BW	RF Power: 5.5 Watts	Bandwidth: 6.0 MHz	Modulation: 16 QAM
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 09:08:49 Feb 17, 2006</p> <p>Ch Freq 2.503 GHz Trig Free</p> <p>Occupied Bandwidth</p>  <p>Center 2.503 000 GHz Span 6.5 MHz #Res BW 62 kHz #VBW 620 kHz #Sweep 10 s (601 pts)</p> <p><b>Occupied Bandwidth</b> 5.4746 MHz Occ BW % Pwr 99.00 % x dB -20.00 dB</p> <p>Transmit Freq Error 8.478 kHz x dB Bandwidth 5.667 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%; border-left: 1px solid black; padding-left: 5px;"> <p>Freq/Channel</p> <p>Center Freq 2.50300000 GHz</p> <p>Start Freq 2.49975000 GHz</p> <p>Stop Freq 2.50625000 GHz</p> <p>CF Step 90.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div>			
<b>2503 MHz</b>			
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 10:09:01 Feb 17, 2006</p> <p>Ch Freq 2.593 GHz Trig Free</p> <p>Occupied Bandwidth</p>  <p>Center 2.593 000 GHz Span 6.5 MHz #Res BW 62 kHz #VBW 620 kHz #Sweep 10 s (601 pts)</p> <p><b>Occupied Bandwidth</b> 5.4740 MHz Occ BW % Pwr 99.00 % x dB -20.00 dB</p> <p>Transmit Freq Error 7.930 kHz x dB Bandwidth 5.667 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%; border-left: 1px solid black; padding-left: 5px;"> <p>Freq/Channel</p> <p>Center Freq 2.59300000 GHz</p> <p>Start Freq 2.58975000 GHz</p> <p>Stop Freq 2.59625000 GHz</p> <p>CF Step 90.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div>			
<b>2593 MHz</b>			
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 09:56:18 Feb 17, 2006</p> <p>Ch Freq 2.689 GHz Trig Free</p> <p>Occupied Bandwidth</p>  <p>Center 2.689 000 GHz Span 6.5 MHz #Res BW 62 kHz #VBW 620 kHz #Sweep 10 s (601 pts)</p> <p><b>Occupied Bandwidth</b> 5.4749 MHz Occ BW % Pwr 99.00 % x dB -20.00 dB</p> <p>Transmit Freq Error 7.024 kHz x dB Bandwidth 5.666 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%; border-left: 1px solid black; padding-left: 5px;"> <p>Freq/Channel</p> <p>Center Freq 2.68900000 GHz</p> <p>Start Freq 2.68575000 GHz</p> <p>Stop Freq 2.69225000 GHz</p> <p>CF Step 90.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div>			
<b>2689 MHz</b>			

Occupied BW	RF Power: 5.5 Watts	Bandwidth: 6.0 MHz	Modulation: 64 QAM
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 09:09:10 Feb 17, 2006</p> <p>Ch Freq 2.503 GHz Trig Free</p> <p>Occupied Bandwidth</p> <p>Center 2.503 000 GHz Span 6.5 MHz *Res BW 62 kHz *VBW 620 kHz *Sweep 10 s (601 pts)</p> <p><b>Occupied Bandwidth</b> 5.4747 MHz Occ BW % Pwr 99.00 % x dB -20.00 dB</p> <p>Transmit Freq Error 8.503 kHz x dB Bandwidth 5.667 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.50300000 GHz</p> <p>Start Freq 2.49975000 GHz</p> <p>Stop Freq 2.50625000 GHz</p> <p>CF Step 90.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div> <p style="text-align: center;"><b>2503 MHz</b></p>			
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 10:09:23 Feb 17, 2006</p> <p>Ch Freq 2.593 GHz Trig Free</p> <p>Occupied Bandwidth</p> <p>Center 2.593 000 GHz Span 6.5 MHz *Res BW 62 kHz *VBW 620 kHz *Sweep 10 s (601 pts)</p> <p><b>Occupied Bandwidth</b> 5.4740 MHz Occ BW % Pwr 99.00 % x dB -20.00 dB</p> <p>Transmit Freq Error 7.901 kHz x dB Bandwidth 5.666 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.59300000 GHz</p> <p>Start Freq 2.58975000 GHz</p> <p>Stop Freq 2.59625000 GHz</p> <p>CF Step 90.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div> <p style="text-align: center;"><b>2593 MHz</b></p>			
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 09:56:41 Feb 17, 2006</p> <p>Ch Freq 2.689 GHz Trig Free</p> <p>Occupied Bandwidth</p> <p>Center 2.689 000 GHz Span 6.5 MHz *Res BW 62 kHz *VBW 620 kHz *Sweep 10 s (601 pts)</p> <p><b>Occupied Bandwidth</b> 5.4747 MHz Occ BW % Pwr 99.00 % x dB -20.00 dB</p> <p>Transmit Freq Error 7.100 kHz x dB Bandwidth 5.666 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.68900000 GHz</p> <p>Start Freq 2.68575000 GHz</p> <p>Stop Freq 2.69225000 GHz</p> <p>CF Step 90.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div> <p style="text-align: center;"><b>2689 MHz</b></p>			

Occupied BW	RF Power: 5.5 Watts	Bandwidth: 5.5 MHz	Modulation: 16 QAM
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 09:02:29 Feb 17, 2006</p> <p>Ch Freq 2.503 GHz Trig Free</p> <p>Occupied Bandwidth</p> <p>Occupied Bandwidth 4.9558 MHz Occ BW % Pwr 99.00 % x dB -20.00 dB</p> <p>Transmit Freq Error 7.985 kHz x dB Bandwidth 5.130 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.50300000 GHz</p> <p>Start Freq 2.50000000 GHz</p> <p>Stop Freq 2.50600000 GHz</p> <p>CF Step 90.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div> <p style="text-align: center;"><b>2503 MHz</b></p>			
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 09:37:00 Feb 17, 2006</p> <p>Ch Freq 2.593 GHz Trig Free</p> <p>Occupied Bandwidth</p> <p>Center 2.593000000 GHz</p> <p>Occupied Bandwidth 4.9563 MHz Occ BW % Pwr 99.00 % x dB -20.00 dB</p> <p>Transmit Freq Error 7.365 kHz x dB Bandwidth 5.130 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.59300000 GHz</p> <p>Start Freq 2.59000000 GHz</p> <p>Stop Freq 2.59600000 GHz</p> <p>CF Step 90.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div> <p style="text-align: center;"><b>2593 MHz</b></p>			
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 09:58:26 Feb 17, 2006</p> <p>Ch Freq 2.689 GHz Trig Free</p> <p>Occupied Bandwidth</p> <p>Occupied Bandwidth 4.9562 MHz Occ BW % Pwr 99.00 % x dB -20.00 dB</p> <p>Transmit Freq Error 6.485 kHz x dB Bandwidth 5.129 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.68900000 GHz</p> <p>Start Freq 2.68600000 GHz</p> <p>Stop Freq 2.69200000 GHz</p> <p>CF Step 90.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div> <p style="text-align: center;"><b>2689 MHz</b></p>			

Occupied BW	RF Power: 5.5 Watts	Bandwidth: 5.5 MHz	Modulation: 64 QAM
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 09:02:46 Feb 17, 2006</p> <p>Ch Freq 2.503 GHz Trig Free</p> <p>Occupied Bandwidth</p> <p>Ref 33 dBm Atten 20 dB</p> <p>#Avg 10 dB/Offst 30.4 dB</p> <p>Center 2.503 000 GHz Span 6 MHz</p> <p>#Res BW 56 kHz #VBW 560 kHz #Sweep 10 s (601 pts)</p> <p><b>Occupied Bandwidth 4.9559 MHz</b></p> <p>Occ BW % Pwr 99.00 %</p> <p>x dB -20.00 dB</p> <p>Transmit Freq Error 7.905 kHz</p> <p>x dB Bandwidth 5.129 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.50300000 GHz</p> <p>Start Freq 2.50000000 GHz</p> <p>Stop Freq 2.50600000 GHz</p> <p>CF Step 90.0000000 MHz</p> <p>Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div> <p style="text-align: center;"><b>2503 MHz</b></p>			
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 09:37:17 Feb 17, 2006</p> <p>Ch Freq 2.593 GHz Trig Free</p> <p>Occupied Bandwidth</p> <p>Center 2.593000000 GHz</p> <p>Ref 33 dBm Atten 20 dB</p> <p>#Avg 10 dB/Offst 30.4 dB</p> <p>Center 2.593 000 GHz Span 6 MHz</p> <p>#Res BW 56 kHz #VBW 560 kHz #Sweep 10 s (601 pts)</p> <p><b>Occupied Bandwidth 4.9563 MHz</b></p> <p>Occ BW % Pwr 99.00 %</p> <p>x dB -20.00 dB</p> <p>Transmit Freq Error 7.234 kHz</p> <p>x dB Bandwidth 5.130 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.59300000 GHz</p> <p>Start Freq 2.59000000 GHz</p> <p>Stop Freq 2.59600000 GHz</p> <p>CF Step 90.0000000 MHz</p> <p>Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div> <p style="text-align: center;"><b>2593 MHz</b></p>			
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 09:58:46 Feb 17, 2006</p> <p>Ch Freq 2.689 GHz Trig Free</p> <p>Occupied Bandwidth</p> <p>Ref 33 dBm Atten 20 dB</p> <p>#Avg 10 dB/Offst 30.4 dB</p> <p>Center 2.689 000 GHz Span 6 MHz</p> <p>#Res BW 56 kHz #VBW 560 kHz #Sweep 10 s (601 pts)</p> <p><b>Occupied Bandwidth 4.9563 MHz</b></p> <p>Occ BW % Pwr 99.00 %</p> <p>x dB -20.00 dB</p> <p>Transmit Freq Error 6.496 kHz</p> <p>x dB Bandwidth 5.129 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.68900000 GHz</p> <p>Start Freq 2.68600000 GHz</p> <p>Stop Freq 2.69200000 GHz</p> <p>CF Step 90.0000000 MHz</p> <p>Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div> <p style="text-align: center;"><b>2689 MHz</b></p>			

Emission BW	RF Power: 2 Watts	Bandwidth: 6.0 MHz	Modulation: 16 QAM
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 16:27:16 Feb 16, 2006</p> <p>Ch Freq 2.503 GHz Trig Free</p> <p>Occupied Bandwidth</p> <p>Ref 33 dBm Atten 20 dB</p> <p>#Avg Log 10 dB/Offst 30.4 dB</p> <p>Center 2.503 000 GHz Span 6.5 MHz</p> <p>#Res BW 62 kHz #VBW 620 kHz #Sweep 10 s (601 pts)</p> <p><b>Occupied Bandwidth 5.5502 MHz</b></p> <p>Occ BW % Pwr 99.75 % x dB -26.00 dB</p> <p>Transmit Freq Error 8.113 kHz x dB Bandwidth 5.727 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%; border-left: 1px solid black; padding-left: 5px;"> <p>Freq/Channel</p> <p>Center Freq 2.50300000 GHz</p> <p>Start Freq 2.49975000 GHz</p> <p>Stop Freq 2.50625000 GHz</p> <p>CF Step 90.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div>			
<b>2503 MHz</b>			
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 16:36:35 Feb 16, 2006</p> <p>Ch Freq 2.593 GHz Trig Free</p> <p>Occupied Bandwidth</p> <p><b>Center 2.593000000 GHz</b></p> <p>Ref 33 dBm Atten 20 dB</p> <p>#Avg Log 10 dB/Offst 30.4 dB</p> <p>Center 2.593 000 GHz Span 6.5 MHz</p> <p>#Res BW 62 kHz #VBW 620 kHz #Sweep 10 s (601 pts)</p> <p><b>Occupied Bandwidth 5.5505 MHz</b></p> <p>Occ BW % Pwr 99.75 % x dB -26.00 dB</p> <p>Transmit Freq Error 7.639 kHz x dB Bandwidth 5.722 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%; border-left: 1px solid black; padding-left: 5px;"> <p>Freq/Channel</p> <p>Center Freq 2.59300000 GHz</p> <p>Start Freq 2.58975000 GHz</p> <p>Stop Freq 2.59625000 GHz</p> <p>CF Step 90.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div>			
<b>2593 MHz</b>			
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 16:35:34 Feb 16, 2006</p> <p>Ch Freq 2.689 GHz Trig Free</p> <p>Occupied Bandwidth</p> <p><b>Center 2.689000000 GHz</b></p> <p>Ref 33 dBm Atten 20 dB</p> <p>#Avg Log 10 dB/Offst 30.4 dB</p> <p>Center 2.689 000 GHz Span 6.5 MHz</p> <p>#Res BW 62 kHz #VBW 620 kHz #Sweep 10 s (601 pts)</p> <p><b>Occupied Bandwidth 5.5505 MHz</b></p> <p>Occ BW % Pwr 99.75 % x dB -26.00 dB</p> <p>Transmit Freq Error 7.202 kHz x dB Bandwidth 5.724 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%; border-left: 1px solid black; padding-left: 5px;"> <p>Freq/Channel</p> <p>Center Freq 2.68900000 GHz</p> <p>Start Freq 2.68575000 GHz</p> <p>Stop Freq 2.69225000 GHz</p> <p>CF Step 90.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div>			
<b>2689 MHz</b>			



Emission BW	RF Power: 2 Watts	Bandwidth: 6.0 MHz	Modulation: 64 QAM
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 16:27:34 Feb 16, 2006</p> <p>Ch Freq 2.503 GHz Trig Free</p> <p>Occupied Bandwidth</p> <p>Ref 33 dBm Atten 20 dB</p> <p>#Avg 10 Log dB/Offst 30.4 dB</p> <p>Center 2.503 000 GHz Span 6.5 MHz</p> <p>#Res BW 62 kHz #VBW 620 kHz #Sweep 10 s (601 pts)</p> <p><b>Occupied Bandwidth 5.5504 MHz</b></p> <p>Occ BW % Pwr 99.75 %</p> <p>x dB -26.00 dB</p> <p>Transmit Freq Error 8.074 kHz</p> <p>x dB Bandwidth 5.725 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.50300000 GHz</p> <p>Start Freq 2.49975000 GHz</p> <p>Stop Freq 2.50625000 GHz</p> <p>CF Step 90.0000000 MHz</p> <p>Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div> <p style="text-align: center;"><b>2503 MHz</b></p>			
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 16:36:54 Feb 16, 2006</p> <p>Ch Freq 2.593 GHz Trig Free</p> <p>Occupied Bandwidth</p> <p><b>Center 2.593000000 GHz</b></p> <p>Ref 33 dBm Atten 20 dB</p> <p>#Avg 10 Log dB/Offst 30.4 dB</p> <p>Center 2.593 000 GHz Span 6.5 MHz</p> <p>#Res BW 62 kHz #VBW 620 kHz #Sweep 10 s (601 pts)</p> <p><b>Occupied Bandwidth 5.5504 MHz</b></p> <p>Occ BW % Pwr 99.75 %</p> <p>x dB -26.00 dB</p> <p>Transmit Freq Error 7.615 kHz</p> <p>x dB Bandwidth 5.724 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.59300000 GHz</p> <p>Start Freq 2.58975000 GHz</p> <p>Stop Freq 2.59625000 GHz</p> <p>CF Step 90.0000000 MHz</p> <p>Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div> <p style="text-align: center;"><b>2593 MHz</b></p>			
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 16:35:53 Feb 16, 2006</p> <p>Ch Freq 2.689 GHz Trig Free</p> <p>Occupied Bandwidth</p> <p><b>Center 2.689000000 GHz</b></p> <p>Ref 33 dBm Atten 20 dB</p> <p>#Avg 10 Log dB/Offst 30.4 dB</p> <p>Center 2.689 000 GHz Span 6.5 MHz</p> <p>#Res BW 62 kHz #VBW 620 kHz #Sweep 10 s (601 pts)</p> <p><b>Occupied Bandwidth 5.5504 MHz</b></p> <p>Occ BW % Pwr 99.75 %</p> <p>x dB -26.00 dB</p> <p>Transmit Freq Error 7.170 kHz</p> <p>x dB Bandwidth 5.724 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.68900000 GHz</p> <p>Start Freq 2.68575000 GHz</p> <p>Stop Freq 2.69225000 GHz</p> <p>CF Step 90.0000000 MHz</p> <p>Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div> <p style="text-align: center;"><b>2689 MHz</b></p>			

Emission BW	RF Power: 2 Watts	Bandwidth: 5.5 MHz	Modulation: 16 QAM
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 16:41:21 Feb 16, 2006</p> <p>Ch Freq 2.503 GHz Trig Free</p> <p>Occupied Bandwidth</p> <p>Ref 33 dBm Atten 20 dB</p> <p>#Avg 10 Log dB/Offst 30.4 dB</p> <p>Center 2.503 000 GHz Span 6 MHz Res BW 56 kHz VBW 560 kHz #Sweep 10 s (601 pts)</p> <p><b>Occupied Bandwidth 5.0227 MHz</b></p> <p>Occ BW % Pwr 99.75 % x dB -26.00 dB</p> <p>Transmit Freq Error 7.244 kHz x dB Bandwidth 5.178 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.50300000 GHz</p> <p>Start Freq 2.50000000 GHz</p> <p>Stop Freq 2.50600000 GHz</p> <p>CF Step 90.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div> <p style="text-align: center;"><b>2503 MHz</b></p>			
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 16:42:19 Feb 16, 2006</p> <p>Ch Freq 2.593 GHz Trig Free</p> <p>Occupied Bandwidth</p> <p>Ref 33 dBm Atten 20 dB</p> <p>#Avg 10 Log dB/Offst 30.4 dB</p> <p>Center 2.593 000 GHz Span 6 MHz Res BW 56 kHz VBW 560 kHz #Sweep 10 s (601 pts)</p> <p><b>Occupied Bandwidth 5.0226 MHz</b></p> <p>Occ BW % Pwr 99.75 % x dB -26.00 dB</p> <p>Transmit Freq Error 7.103 kHz x dB Bandwidth 5.181 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.59300000 GHz</p> <p>Start Freq 2.59000000 GHz</p> <p>Stop Freq 2.59600000 GHz</p> <p>CF Step 90.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div> <p style="text-align: center;"><b>2593 MHz</b></p>			
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 16:43:36 Feb 16, 2006</p> <p>Ch Freq 2.689 GHz Trig Free</p> <p>Occupied Bandwidth</p> <p><b>Center 2.689000000 GHz</b></p> <p>Ref 33 dBm Atten 20 dB</p> <p>#Avg 10 Log dB/Offst 30.4 dB</p> <p>Center 2.689 000 GHz Span 6 MHz Res BW 56 kHz VBW 560 kHz #Sweep 10 s (601 pts)</p> <p><b>Occupied Bandwidth 5.0228 MHz</b></p> <p>Occ BW % Pwr 99.75 % x dB -26.00 dB</p> <p>Transmit Freq Error 6.665 kHz x dB Bandwidth 5.181 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.68900000 GHz</p> <p>Start Freq 2.68600000 GHz</p> <p>Stop Freq 2.69200000 GHz</p> <p>CF Step 90.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div> <p style="text-align: center;"><b>2689 MHz</b></p>			

Emission BW	RF Power: 2 Watts	Bandwidth: 5.5 MHz	Modulation: 64 QAM
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 16:41:40 Feb 16, 2006</p> <p>Ch Freq 2.503 GHz Trig Free</p> <p>Occupied Bandwidth</p> <p>Ref 33 dBm Atten 20 dB</p> <p>#Avg 10 Log dB/Offst 30.4 dB</p> <p>Center 2.503 000 GHz Span 6 MHz Res BW 56 kHz VBW 560 kHz #Sweep 10 s (601 pts)</p> <p><b>Occupied Bandwidth 5.0227 MHz</b></p> <p>Occ BW % Pwr 99.75 % x dB -26.00 dB</p> <p>Transmit Freq Error 7.315 kHz</p> <p>x dB Bandwidth 5.179 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.50300000 GHz</p> <p>Start Freq 2.50000000 GHz</p> <p>Stop Freq 2.50600000 GHz</p> <p>CF Step 90.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div> <p style="text-align: center;"><b>2503 MHz</b></p>			
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 16:42:36 Feb 16, 2006</p> <p>Ch Freq 2.593 GHz Trig Free</p> <p>Occupied Bandwidth</p> <p>Ref 33 dBm Atten 20 dB</p> <p>#Avg 10 Log dB/Offst 30.4 dB</p> <p>Center 2.593 000 GHz Span 6 MHz Res BW 56 kHz VBW 560 kHz #Sweep 10 s (601 pts)</p> <p><b>Occupied Bandwidth 5.0227 MHz</b></p> <p>Occ BW % Pwr 99.75 % x dB -26.00 dB</p> <p>Transmit Freq Error 7.022 kHz</p> <p>x dB Bandwidth 5.176 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.59300000 GHz</p> <p>Start Freq 2.59000000 GHz</p> <p>Stop Freq 2.59600000 GHz</p> <p>CF Step 90.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div> <p style="text-align: center;"><b>2593 MHz</b></p>			
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 16:43:53 Feb 16, 2006</p> <p>Ch Freq 2.689 GHz Trig Free</p> <p>Center 2.689000000 GHz</p> <p>Occupied Bandwidth</p> <p>Ref 33 dBm Atten 20 dB</p> <p>#Avg 10 Log dB/Offst 30.4 dB</p> <p>Center 2.689 000 GHz Span 6 MHz Res BW 56 kHz VBW 560 kHz #Sweep 10 s (601 pts)</p> <p><b>Occupied Bandwidth 5.0227 MHz</b></p> <p>Occ BW % Pwr 99.75 % x dB -26.00 dB</p> <p>Transmit Freq Error 6.709 kHz</p> <p>x dB Bandwidth 5.182 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.68900000 GHz</p> <p>Start Freq 2.68600000 GHz</p> <p>Stop Freq 2.69200000 GHz</p> <p>CF Step 90.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div> <p style="text-align: center;"><b>2689 MHz</b></p>			

Emission BW	RF Power: 5.5 Watts	Bandwidth: 6.0 MHz	Modulation: 16 QAM
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 09:10:34 Feb 17, 2006</p> <p>Ch Freq 2.503 GHz Trig Free</p> <p>Occupied Bandwidth</p> <p>Center 2.503 000 GHz Span 6.5 MHz Res BW 62 kHz VBW 620 kHz Sweep 10 s (601 pts)</p> <p><b>Occupied Bandwidth</b> 5.5470 MHz Occ BW % Pwr 99.75 % x dB -26.00 dB</p> <p>Transmit Freq Error 8.552 kHz x dB Bandwidth 5.716 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.50300000 GHz</p> <p>Start Freq 2.49975000 GHz</p> <p>Stop Freq 2.50625000 GHz</p> <p>CF Step 90.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div>			
<b>2503 MHz</b>			
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 10:10:47 Feb 17, 2006</p> <p>Ch Freq 2.593 GHz Trig Free</p> <p>Occupied Bandwidth</p> <p>Center 2.593 000 GHz Span 6.5 MHz Res BW 62 kHz VBW 620 kHz Sweep 10 s (601 pts)</p> <p><b>Occupied Bandwidth</b> 5.5463 MHz Occ BW % Pwr 99.75 % x dB -26.00 dB</p> <p>Transmit Freq Error 8.384 kHz x dB Bandwidth 5.713 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.59300000 GHz</p> <p>Start Freq 2.58975000 GHz</p> <p>Stop Freq 2.59625000 GHz</p> <p>CF Step 90.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div>			
<b>2593 MHz</b>			
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 09:52:09 Feb 17, 2006</p> <p>Ch Freq 2.689 GHz Trig Free</p> <p>Occupied Bandwidth</p> <p>Center 2.689 000 GHz Span 6.5 MHz Res BW 62 kHz VBW 620 kHz Sweep 10 s (601 pts)</p> <p><b>Occupied Bandwidth</b> 5.5471 MHz Occ BW % Pwr 99.75 % x dB -26.00 dB</p> <p>Transmit Freq Error 7.882 kHz x dB Bandwidth 5.714 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.68900000 GHz</p> <p>Start Freq 2.68575000 GHz</p> <p>Stop Freq 2.69225000 GHz</p> <p>CF Step 90.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div>			
<b>2689 MHz</b>			

Emission BW	RF Power: 5.5 Watts	Bandwidth: 6.0 MHz	Modulation: 64 QAM
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 09:10:59 Feb 17, 2006</p> <p>Ch Freq 2.503 GHz Trig Free</p> <p>Occupied Bandwidth</p> <p>Ref 33 dBm Atten 20 dB</p> <p>#Avg Log 10 dB/Offst 30.4 dB</p> <p>Center 2.503 000 GHz Span 6.5 MHz</p> <p>#Res BW 62 kHz #VBW 620 kHz #Sweep 10 s (601 pts)</p> <p><b>Occupied Bandwidth 5.5469 MHz</b></p> <p>Occ BW % Pwr 99.75 %</p> <p>x dB -26.00 dB</p> <p>Transmit Freq Error 8.542 kHz</p> <p>x dB Bandwidth 5.714 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.50300000 GHz</p> <p>Start Freq 2.49975000 GHz</p> <p>Stop Freq 2.50625000 GHz</p> <p>CF Step 90.0000000 MHz</p> <p>Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div> <p style="text-align: center;"><b>2503 MHz</b></p>			
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 10:11:13 Feb 17, 2006</p> <p>Ch Freq 2.593 GHz Trig Free</p> <p>Occupied Bandwidth</p> <p>Ref 33 dBm Atten 20 dB</p> <p>#Avg Log 10 dB/Offst 30.4 dB</p> <p>Center 2.593 000 GHz Span 6.5 MHz</p> <p>#Res BW 62 kHz #VBW 620 kHz #Sweep 10 s (601 pts)</p> <p><b>Occupied Bandwidth 5.5465 MHz</b></p> <p>Occ BW % Pwr 99.75 %</p> <p>x dB -26.00 dB</p> <p>Transmit Freq Error 8.321 kHz</p> <p>x dB Bandwidth 5.713 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.59300000 GHz</p> <p>Start Freq 2.58975000 GHz</p> <p>Stop Freq 2.59625000 GHz</p> <p>CF Step 90.0000000 MHz</p> <p>Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div> <p style="text-align: center;"><b>2593 MHz</b></p>			
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 09:53:21 Feb 17, 2006</p> <p>Ch Freq 2.689 GHz Trig Free</p> <p>Occupied Bandwidth</p> <p>Ref 33 dBm Atten 20 dB</p> <p>#Avg Log 10 dB/Offst 30.4 dB</p> <p>Center 2.689 000 GHz Span 6.5 MHz</p> <p>#Res BW 62 kHz #VBW 620 kHz #Sweep 10 s (601 pts)</p> <p><b>Occupied Bandwidth 5.5475 MHz</b></p> <p>Occ BW % Pwr 99.75 %</p> <p>x dB -26.00 dB</p> <p>Transmit Freq Error 7.742 kHz</p> <p>x dB Bandwidth 5.714 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.68900000 GHz</p> <p>Start Freq 2.68575000 GHz</p> <p>Stop Freq 2.69225000 GHz</p> <p>CF Step 90.0000000 MHz</p> <p>Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div> <p style="text-align: center;"><b>2689 MHz</b></p>			


Emission BW	RF Power: 5.5 Watts	Bandwidth: 5.5 MHz	Modulation: 16 QAM
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 09:12:35 Feb 17, 2006</p> <p>Ch Freq 2.503 GHz Trig Free</p> <p>Occupied Bandwidth</p> <p>Center 2.503 000 GHz Span 6 MHz Res BW 56 kHz VBW 560 kHz #Sweep 10 s (601 pts)</p> <p><b>Occupied Bandwidth 5.0209 MHz</b> Occ BW % Pwr 99.75 % x dB -26.00 dB</p> <p>Transmit Freq Error 7.674 kHz x dB Bandwidth 5.175 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.50300000 GHz</p> <p>Start Freq 2.50000000 GHz</p> <p>Stop Freq 2.50600000 GHz</p> <p>CF Step 90.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div> <p style="text-align: center;"><b>2503 MHz</b></p>			
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 09:28:18 Feb 17, 2006</p> <p>Ch Freq 2.593 GHz Trig Free</p> <p>Occupied Bandwidth</p> <p><b>Center 2.593000000 GHz</b></p> <p>Center 2.593 000 GHz Span 6 MHz Res BW 56 kHz VBW 560 kHz #Sweep 10 s (601 pts)</p> <p><b>Occupied Bandwidth 5.0211 MHz</b> Occ BW % Pwr 99.75 % x dB -26.00 dB</p> <p>Transmit Freq Error 7.576 kHz x dB Bandwidth 5.174 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.59300000 GHz</p> <p>Start Freq 2.59000000 GHz</p> <p>Stop Freq 2.59600000 GHz</p> <p>CF Step 90.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div> <p style="text-align: center;"><b>2593 MHz</b></p>			
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 10:00:26 Feb 17, 2006</p> <p>Ch Freq 2.689 GHz Trig Free</p> <p>Occupied Bandwidth</p> <p><b>Center 2.689000000 GHz</b></p> <p>Center 2.689 000 GHz Span 6 MHz Res BW 56 kHz VBW 560 kHz #Sweep 10 s (601 pts)</p> <p><b>Occupied Bandwidth 5.0212 MHz</b> Occ BW % Pwr 99.75 % x dB -26.00 dB</p> <p>Transmit Freq Error 7.169 kHz x dB Bandwidth 5.175 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.68900000 GHz</p> <p>Start Freq 2.68600000 GHz</p> <p>Stop Freq 2.69200000 GHz</p> <p>CF Step 90.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div> <p style="text-align: center;"><b>2689 MHz</b></p>			


Emission BW	RF Power: 5.5 Watts	Bandwidth: 5.5 MHz	Modulation: 64 QAM
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 09:12:54 Feb 17, 2006</p> <p>Ch Freq 2.503 GHz Trig Free</p> <p>Occupied Bandwidth</p> <p>Center 2.503000 GHz Span 6 MHz Res BW 56 kHz VBW 560 kHz #Sweep 10 s (601 pts)</p> <p><b>Occupied Bandwidth 5.0211 MHz</b> Occ BW % Pwr 99.75 % x dB -26.00 dB</p> <p>Transmit Freq Error 7.574 kHz x dB Bandwidth 5.175 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.50300000 GHz</p> <p>Start Freq 2.50000000 GHz</p> <p>Stop Freq 2.50600000 GHz</p> <p>CF Step 90.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div> <p style="text-align: center;"><b>2503 MHz</b></p>			
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 09:35:42 Feb 17, 2006</p> <p>Ch Freq 2.593 GHz Trig Free</p> <p>Occupied Bandwidth</p> <p><b>Center 2.593000000 GHz</b></p> <p>Center 2.593000 GHz Span 6 MHz Res BW 56 kHz VBW 560 kHz #Sweep 10 s (601 pts)</p> <p><b>Occupied Bandwidth 5.0212 MHz</b> Occ BW % Pwr 99.75 % x dB -26.00 dB</p> <p>Transmit Freq Error 7.575 kHz x dB Bandwidth 5.177 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.59300000 GHz</p> <p>Start Freq 2.59000000 GHz</p> <p>Stop Freq 2.59600000 GHz</p> <p>CF Step 90.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div> <p style="text-align: center;"><b>2593 MHz</b></p>			
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 10:00:44 Feb 17, 2006</p> <p>Ch Freq 2.689 GHz Trig Free</p> <p>Occupied Bandwidth</p> <p><b>Center 2.689000000 GHz</b></p> <p>Center 2.689000 GHz Span 6 MHz Res BW 56 kHz VBW 560 kHz #Sweep 10 s (601 pts)</p> <p><b>Occupied Bandwidth 5.0213 MHz</b> Occ BW % Pwr 99.75 % x dB -26.00 dB</p> <p>Transmit Freq Error 7.104 kHz x dB Bandwidth 5.177 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.68900000 GHz</p> <p>Start Freq 2.68600000 GHz</p> <p>Stop Freq 2.69200000 GHz</p> <p>CF Step 90.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div> <p style="text-align: center;"><b>2689 MHz</b></p>			

# **TRANSMIT SPURIOUS EMISSIONS**


# **ADDITIONAL ANALYZER PLOTS**










2593 MHz





2689 MHz





























**2689 MHz/6.0 MHz BW**




**2503 MHz/5.5 MHz BW**




**2689 MHz/6.0 MHz BW**





**2503 MHz/5.5 MHz BW**




**2689 MHz/6.0 MHz BW**














**2503 MHz/5.5 MHz BW**




**2689 MHz/6.0 MHz BW**





**2503 MHz**





**2689 MHz**
















2593 MHz




2689 MHz








2593 MHz





2689 MHz














**2503 MHz/5.5 MHz BW**




**2689 MHz/6.0 MHz BW**




**2503 MHz/5.5 MHz BW**



**2689 MHz/6.0 MHz BW**




2503 MHz/5.5 MHz BW




2689 MHz/6.0 MHz BW







**2503 MHz/5.5 MHz BW**




**2689 MHz/6.0 MHz BW**




**2503 MHz/5.5 MHz BW**




**2689 MHz/6.0 MHz BW**




**2503 MHz/5.5 MHz BW**



**2689 MHz/6.0 MHz BW**



**2503 MHz**





**2689 MHz**


# **FREQUENCY STABILITY**

# **ADDITIONAL ANALYZER PLOTS**









FCC Freq Stability	Bandwidth: 5.5 MHz	RF Power: 2 Watts	Frequency: 2593 MHz																											
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 14:21:59 Feb 24, 2006</p> <p>Ch Freq 2.593 GHz Trig</p> <p>Adj Channel Power</p> <p>Ref 33 dBm *Atten 20 dB</p> <p>#Avg 10 Log dB/ Offst 30.4 dB</p> <p>Center 2.593 000 GHz Span 8 MHz #Res BW 56 kHz VBW 560 kHz *Sweep 1 s (601 pts)</p> <table border="1"> <thead> <tr> <th>RMS Results</th> <th>Freq Offset</th> <th>Ref BW</th> <th>dBc</th> <th>Lower</th> <th>dBm</th> <th>dBc</th> <th>Upper</th> <th>dBm</th> </tr> </thead> <tbody> <tr> <td>Carrier Power</td> <td>3.250 MHz</td> <td>1.000 MHz</td> <td>-57.20</td> <td>-24.46</td> <td>-58.16</td> <td>-25.42</td> <td></td> <td></td> </tr> <tr> <td></td> <td>5.14000 MHz</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%; border-left: 1px solid black; padding-left: 5px;"> <p>Freq/Channel</p> <p>Center Freq 2.59300000 GHz</p> <p>Start Freq 2.58900000 GHz</p> <p>Stop Freq 2.59700000 GHz</p> <p>CF Step 1.00000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div>				RMS Results	Freq Offset	Ref BW	dBc	Lower	dBm	dBc	Upper	dBm	Carrier Power	3.250 MHz	1.000 MHz	-57.20	-24.46	-58.16	-25.42				5.14000 MHz							
RMS Results	Freq Offset	Ref BW	dBc	Lower	dBm	dBc	Upper	dBm																						
Carrier Power	3.250 MHz	1.000 MHz	-57.20	-24.46	-58.16	-25.42																								
	5.14000 MHz																													
<b>-40.5 VDC/20° C</b>																														
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 14:20:18 Feb 24, 2006</p> <p>Ch Freq 2.593 GHz Trig</p> <p>Adj Channel Power</p> <p>Ref 33 dBm *Atten 20 dB</p> <p>#Avg 10 Log dB/ Offst 30.4 dB</p> <p>Center 2.593 000 GHz Span 8 MHz #Res BW 56 kHz VBW 560 kHz *Sweep 1 s (601 pts)</p> <table border="1"> <thead> <tr> <th>RMS Results</th> <th>Freq Offset</th> <th>Ref BW</th> <th>dBc</th> <th>Lower</th> <th>dBm</th> <th>dBc</th> <th>Upper</th> <th>dBm</th> </tr> </thead> <tbody> <tr> <td>Carrier Power</td> <td>3.250 MHz</td> <td>1.000 MHz</td> <td>-57.43</td> <td>-24.67</td> <td>-58.23</td> <td>-25.47</td> <td></td> <td></td> </tr> <tr> <td></td> <td>5.14000 MHz</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%; border-left: 1px solid black; padding-left: 5px;"> <p>Freq/Channel</p> <p>Center Freq 2.59300000 GHz</p> <p>Start Freq 2.58900000 GHz</p> <p>Stop Freq 2.59700000 GHz</p> <p>CF Step 1.00000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div>				RMS Results	Freq Offset	Ref BW	dBc	Lower	dBm	dBc	Upper	dBm	Carrier Power	3.250 MHz	1.000 MHz	-57.43	-24.67	-58.23	-25.47				5.14000 MHz							
RMS Results	Freq Offset	Ref BW	dBc	Lower	dBm	dBc	Upper	dBm																						
Carrier Power	3.250 MHz	1.000 MHz	-57.43	-24.67	-58.23	-25.47																								
	5.14000 MHz																													
<b>48.0 VDC/+20° C</b>																														
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 14:22:37 Feb 24, 2006</p> <p>Ch Freq 2.593 GHz Trig</p> <p>Adj Channel Power</p> <p>Ref 33 dBm *Atten 20 dB</p> <p>#Avg 10 Log dB/ Offst 30.4 dB</p> <p>Center 2.593 000 GHz Span 8 MHz #Res BW 56 kHz VBW 560 kHz *Sweep 1 s (601 pts)</p> <table border="1"> <thead> <tr> <th>RMS Results</th> <th>Freq Offset</th> <th>Ref BW</th> <th>dBc</th> <th>Lower</th> <th>dBm</th> <th>dBc</th> <th>Upper</th> <th>dBm</th> </tr> </thead> <tbody> <tr> <td>Carrier Power</td> <td>3.250 MHz</td> <td>1.000 MHz</td> <td>-57.55</td> <td>-24.81</td> <td>-57.93</td> <td>-25.20</td> <td></td> <td></td> </tr> <tr> <td></td> <td>5.14000 MHz</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%; border-left: 1px solid black; padding-left: 5px;"> <p>Freq/Channel</p> <p>Center Freq 2.59300000 GHz</p> <p>Start Freq 2.58900000 GHz</p> <p>Stop Freq 2.59700000 GHz</p> <p>CF Step 1.00000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div>				RMS Results	Freq Offset	Ref BW	dBc	Lower	dBm	dBc	Upper	dBm	Carrier Power	3.250 MHz	1.000 MHz	-57.55	-24.81	-57.93	-25.20				5.14000 MHz							
RMS Results	Freq Offset	Ref BW	dBc	Lower	dBm	dBc	Upper	dBm																						
Carrier Power	3.250 MHz	1.000 MHz	-57.55	-24.81	-57.93	-25.20																								
	5.14000 MHz																													
<b>55.2 VDC/+20C</b>																														

