


ADDITIONAL ANALYZER PLOTS TABLE OF CONTENTS




RF POWER OUTPUT	2
RF Power: 2 Watts.....	3
Bandwidth: 6.0 MHz	3
Bandwidth: 5.5 MHz	5
RF Power: 1 Milliwatt	7
Bandwidth: 6.0 MHz	7
Bandwidth: 5.5 MHz	9
OCCUPIED/EMISSION BANDWIDTH.....	11
Occupied BW	12
RF Power: 2 Watts.....	12
Bandwidth: 6.0 MHz	12
Bandwidth: 5.5 MHz	14
Emission BW	16
RF Power: 2 Watts.....	16
Bandwidth: 6.0 MHz	16
Bandwidth: 5.5 MHz	18
TRANSMIT SPURIOUS EMISSIONS	20
RF Power: 2W.....	21
Freq Range: 9 kHz - 150 kHz.....	21
Freq Range: 150 kHz – 30 MHz.....	23
Freq Range: 30 MHz – 1 GHz.....	25
Freq Range: 1 GHz – 2.48 GHz	27
Freq Range: 2.7 GHz – 26.5 GHz	29
3 rd Harmonic	31
4th Harmonic	32
5th Harmonic	33
6th Harmonic	34
7th Harmonic	35
8th Harmonic	36
9th Harmonic	37
10th Harmonic	38




NOTE: To display the plots for a particular item, simply click it.




RF POWER OUTPUT

ADDITIONAL ANALYZER PLOTS









RF Power: 2 Watts	Bandwidth: 6.0 MHz	Modulation: 64 QAM
<p>Agilent 18:48:41 Jun 12, 2006</p> <p>Ch Freq 2.499 GHz Trig</p> <p>Channel Power</p>  <p>Channel Power: 32.86 dBm /5.6900 MHz Power Spectral Density: -34.69 dBm/Hz</p> <p>Copyright 2000-2005 Agilent Technologies</p>		<p>Freq/Channel</p> <p>Center Freq: 2.49900000 GHz</p> <p>Start Freq: 2.49600000 GHz</p> <p>Stop Freq: 2.50200000 GHz</p> <p>CF Step: 600.000000 kHz Auto Man</p> <p>Freq Offset: 0.00000000 Hz</p> <p>Signal Track: On Off</p>
2499 MHz		
<p>Agilent 18:51:36 Jun 12, 2006</p> <p>Ch Freq 2.593 GHz Trig</p> <p>Channel Power</p> <p>Center 2.593000000 GHz</p>  <p>Channel Power: 32.47 dBm /5.6900 MHz Power Spectral Density: -35.08 dBm/Hz</p> <p>Copyright 2000-2005 Agilent Technologies</p>		<p>Freq/Channel</p> <p>Center Freq: 2.59300000 GHz</p> <p>Start Freq: 2.59000000 GHz</p> <p>Stop Freq: 2.59600000 GHz</p> <p>CF Step: 600.000000 kHz Auto Man</p> <p>Freq Offset: 0.00000000 Hz</p> <p>Signal Track: On Off</p>
2593 MHz		
<p>Agilent 18:54:04 Jun 12, 2006</p> <p>Ch Freq 2.687 GHz Trig</p> <p>Channel Power</p> <p>Center 2.687000000 GHz</p>  <p>Channel Power: 32.97 dBm /5.6900 MHz Power Spectral Density: -34.58 dBm/Hz</p> <p>Copyright 2000-2005 Agilent Technologies</p>		<p>Freq/Channel</p> <p>Center Freq: 2.68700000 GHz</p> <p>Start Freq: 2.68400000 GHz</p> <p>Stop Freq: 2.69000000 GHz</p> <p>CF Step: 600.000000 kHz Auto Man</p> <p>Freq Offset: 0.00000000 Hz</p> <p>Signal Track: On Off</p>
2687 MHz		

RF Power: 2 Watts	Bandwidth: 5.5 MHz	Modulation: 16 QAM
<p>Agilent 18:31:07 Jun 12, 2006</p> <p>Ch Freq 2.499 GHz Trig</p> <p>Channel Power</p> <p>RBW 300.0 kHz</p> <p>Ref 40.61 dBm Atten 20 dB</p> <p>#Avg Log 10 dB/Offst 30.7 dB</p>  <p>Center 2.499 000 GHz Span 5.5 MHz</p> <p>#Res BW 300 kHz #VBW 3 MHz Sweep 1 ms (601 pts)</p> <p>Channel Power Power Spectral Density</p> <p>32.86 dBm /5.1400 MHz -34.25 dBm/Hz</p> <p>Copyright 2000-2005 Agilent Technologies</p>		<p>BW/Avg</p> <p>Res BW 300.0 kHz Auto Man</p> <p>Video BW 3.0 MHz Auto Man</p> <p>VBW/RBW 1.00000 Auto Man</p> <p>Average 10 On Off</p> <p>Avg/VBW Type Pwr (RMS) Auto Man</p> <p>Span/RBW 106 Auto Man</p>
2499 MHz		
<p>Agilent 18:39:28 Jun 12, 2006</p> <p>Ch Freq 2.593 GHz Trig</p> <p>Channel Power</p> <p>Center 2.593000000 GHz</p> <p>Ref 40.61 dBm Atten 20 dB</p> <p>#Avg Log 10 dB/Offst 30.7 dB</p>  <p>Center 2.593 000 GHz Span 5.5 MHz</p> <p>#Res BW 300 kHz #VBW 3 MHz Sweep 1 ms (601 pts)</p> <p>Channel Power Power Spectral Density</p> <p>32.45 dBm /5.1400 MHz -34.66 dBm/Hz</p> <p>Copyright 2000-2005 Agilent Technologies</p>		<p>Freq/Channel</p> <p>Center Freq 2.59300000 GHz</p> <p>Start Freq 2.59025000 GHz</p> <p>Stop Freq 2.59575000 GHz</p> <p>CF Step 550.000000 kHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p>
2593 MHz		
<p>Agilent 18:37:39 Jun 12, 2006</p> <p>Ch Freq 2.687 GHz Trig</p> <p>Channel Power</p> <p>Center 2.687000000 GHz</p> <p>Ref 40.61 dBm Atten 20 dB</p> <p>#Avg Log 10 dB/Offst 30.7 dB</p>  <p>Center 2.687 000 GHz Span 5.5 MHz</p> <p>#Res BW 300 kHz #VBW 3 MHz Sweep 1 ms (601 pts)</p> <p>Channel Power Power Spectral Density</p> <p>32.80 dBm /5.1400 MHz -34.31 dBm/Hz</p> <p>Copyright 2000-2005 Agilent Technologies</p>		<p>Freq/Channel</p> <p>Center Freq 2.68700000 GHz</p> <p>Start Freq 2.68425000 GHz</p> <p>Stop Freq 2.68975000 GHz</p> <p>CF Step 550.000000 kHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p>
2687 MHz		

RF Power: 2 Watts	Bandwidth: 5.5 MHz	Modulation: 64 QAM
<p>Agilent 18:31:58 Jun 12, 2006</p> <p>Ch Freq 2.499 GHz Trig</p> <p>Channel Power</p> <p>RBW 300.0 kHz</p> <p>Ref 40.61 dBm Atten 20 dB</p> <p>#Avg Log 10 dB/Offst 30.7 dB</p>  <p>Center 2.499 000 GHz Span 5.5 MHz</p> <p>#Res BW 300 kHz #VBW 3 MHz Sweep 1 ms (601 pts)</p> <p>Channel Power Power Spectral Density</p> <p>32.89 dBm /5.1400 MHz -34.22 dBm/Hz</p> <p>Copyright 2000-2005 Agilent Technologies</p>		<p>BW/Avg</p> <p>Res BW 300.0 kHz Auto Man</p> <p>Video BW 3.0 MHz Auto Man</p> <p>VBW/RBW 1.00000 Auto Man</p> <p>Average 10 On Off</p> <p>Avg/VBW Type Pwr (RMS) Auto Man</p> <p>Span/RBW 106 Auto Man</p>
2499 MHz		
<p>Agilent 18:39:07 Jun 12, 2006</p> <p>Ch Freq 2.593 GHz Trig</p> <p>Channel Power</p> <p>Center 2.593000000 GHz</p> <p>Ref 40.61 dBm Atten 20 dB</p> <p>#Avg Log 10 dB/Offst 30.7 dB</p>  <p>Center 2.593 000 GHz Span 5.5 MHz</p> <p>#Res BW 300 kHz #VBW 3 MHz Sweep 1 ms (601 pts)</p> <p>Channel Power Power Spectral Density</p> <p>32.27 dBm /5.1400 MHz -34.84 dBm/Hz</p> <p>Copyright 2000-2005 Agilent Technologies</p>		<p>Freq/Channel</p> <p>Center Freq 2.59300000 GHz</p> <p>Start Freq 2.59025000 GHz</p> <p>Stop Freq 2.59575000 GHz</p> <p>CF Step 550.000000 kHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p>
2593 MHz		
<p>Agilent 18:38:05 Jun 12, 2006</p> <p>Ch Freq 2.687 GHz Trig</p> <p>Channel Power</p> <p>Center 2.687000000 GHz</p> <p>Ref 40.61 dBm Atten 20 dB</p> <p>#Avg Log 10 dB/Offst 30.7 dB</p>  <p>Center 2.687 000 GHz Span 5.5 MHz</p> <p>#Res BW 300 kHz #VBW 3 MHz Sweep 1 ms (601 pts)</p> <p>Channel Power Power Spectral Density</p> <p>32.82 dBm /5.1400 MHz -34.29 dBm/Hz</p> <p>Copyright 2000-2005 Agilent Technologies</p>		<p>Freq/Channel</p> <p>Center Freq 2.68700000 GHz</p> <p>Start Freq 2.68425000 GHz</p> <p>Stop Freq 2.68975000 GHz</p> <p>CF Step 550.000000 kHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p>
2687 MHz		

RF Power: 1 Milliwatt	Bandwidth: 6.0 MHz	Modulation: 16 QAM
<p>Agilent 09:05:17 Mar 27, 2006</p> <p>Ch Freq 2.499 GHz Trig</p> <p>Channel Power</p> <p>Center 2.499000000 GHz</p> <p>Ref 33 dBm Atten 20 dB</p> <p>#Avg Log 10 dB/ Offst 30.1 dB</p> <p>Center 2.499 000 GHz Span 6 MHz #Res BW 62 kHz #VBW 620 kHz #Sweep 500 ms (601 pts)</p> <p>Channel Power 0.62 dBm /5.6900 MHz Power Spectral Density -66.93 dBm/Hz</p> <p>Copyright 2000-2004 Agilent Technologies</p>		
2499 MHz		
<p>Agilent 09:09:41 Mar 27, 2006</p> <p>Ch Freq 2.593 GHz Trig</p> <p>Channel Power</p> <p>Center 2.593000000 GHz</p> <p>Ref 33 dBm Atten 20 dB</p> <p>#Avg Log 10 dB/ Offst 30.1 dB</p> <p>Center 2.593 000 GHz Span 6 MHz #Res BW 62 kHz #VBW 620 kHz #Sweep 500 ms (601 pts)</p> <p>Channel Power -0.04 dBm /5.6900 MHz Power Spectral Density -67.60 dBm/Hz</p> <p>Copyright 2000-2004 Agilent Technologies</p>		
2593 MHz		
<p>Agilent 09:11:48 Mar 27, 2006</p> <p>Ch Freq 2.687 GHz Trig</p> <p>Channel Power</p> <p>Center 2.687000000 GHz</p> <p>Ref 33 dBm Atten 20 dB</p> <p>#Avg Log 10 dB/ Offst 30.1 dB</p> <p>Center 2.687 000 GHz Span 6 MHz #Res BW 62 kHz #VBW 620 kHz #Sweep 500 ms (601 pts)</p> <p>Channel Power -0.57 dBm /5.6900 MHz Power Spectral Density -68.12 dBm/Hz</p> <p>Copyright 2000-2004 Agilent Technologies</p>		
2687 MHz		




RF Power: 1 Milliwatt	Bandwidth: 6.0 MHz	Modulation: 64 QAM
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 09:07:54 Mar 27, 2006</p> <p>Ch Freq 2.499 GHz Trig</p> <p>Channel Power</p> <p>Center 2.499000000 GHz</p> <p>Ref 33 dBm Atten 20 dB</p>  <p>Center 2.499 000 GHz Span 6 MHz #Res BW 62 kHz #VBW 620 kHz #Sweep 500 ms (601 pts)</p> <p>Channel Power Power Spectral Density 0.59 dBm /5.6900 MHz -66.96 dBm/Hz</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.49900000 GHz</p> <p>Start Freq 2.49600000 GHz</p> <p>Stop Freq 2.50200000 GHz</p> <p>CF Step 94.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div>		
2499 MHz		
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 09:09:10 Mar 27, 2006</p> <p>Ch Freq 2.593 GHz Trig</p> <p>Channel Power</p> <p>Center 2.593000000 GHz</p> <p>Ref 33 dBm Atten 20 dB</p>  <p>Center 2.593 000 GHz Span 6 MHz #Res BW 62 kHz #VBW 620 kHz #Sweep 500 ms (601 pts)</p> <p>Channel Power Power Spectral Density -0.04 dBm /5.6900 MHz -67.59 dBm/Hz</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.59300000 GHz</p> <p>Start Freq 2.59000000 GHz</p> <p>Stop Freq 2.59600000 GHz</p> <p>CF Step 94.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div>		
2593 MHz		
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 09:12:18 Mar 27, 2006</p> <p>Ch Freq 2.687 GHz Trig</p> <p>Channel Power</p> <p>Center 2.687000000 GHz</p> <p>Ref 33 dBm Atten 20 dB</p>  <p>Center 2.687 000 GHz Span 6 MHz #Res BW 62 kHz #VBW 620 kHz #Sweep 500 ms (601 pts)</p> <p>Channel Power Power Spectral Density -0.57 dBm /5.6900 MHz -68.12 dBm/Hz</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.68700000 GHz</p> <p>Start Freq 2.68400000 GHz</p> <p>Stop Freq 2.69000000 GHz</p> <p>CF Step 94.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div>		
2687 MHz		

RF Power: 1 Milliwatt	Bandwidth: 5.5 MHz	Modulation: 16 QAM
<p>Agilent 09:13:50 Mar 27, 2006</p> <p>Ch Freq 2.499 GHz Trig</p> <p>Channel Power</p>  <p>Channel Power: 0.62 dBm /5.1400 MHz Power Spectral Density: -66.48 dBm/Hz</p> <p>Copyright 2000-2004 Agilent Technologies</p>		<p>Freq/Channel</p> <p>Center Freq 2.49900000 GHz</p> <p>Start Freq 2.49625000 GHz</p> <p>Stop Freq 2.50175000 GHz</p> <p>CF Step 94.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p>
2499 MHz		
<p>Agilent 09:16:15 Mar 27, 2006</p> <p>Ch Freq 2.593 GHz Trig</p> <p>Channel Power</p> <p>Center 2.593000000 GHz</p>  <p>Channel Power: -0.03 dBm /5.1400 MHz Power Spectral Density: -67.14 dBm/Hz</p> <p>Copyright 2000-2004 Agilent Technologies</p>		<p>Freq/Channel</p> <p>Center Freq 2.59300000 GHz</p> <p>Start Freq 2.59025000 GHz</p> <p>Stop Freq 2.59575000 GHz</p> <p>CF Step 94.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p>
2593 MHz		
<p>Agilent 09:17:25 Mar 27, 2006</p> <p>Ch Freq 2.687 GHz Trig</p> <p>Channel Power</p>  <p>Channel Power: -0.54 dBm /5.1400 MHz Power Spectral Density: -67.65 dBm/Hz</p> <p>Copyright 2000-2004 Agilent Technologies</p>		<p>Freq/Channel</p> <p>Center Freq 2.68700000 GHz</p> <p>Start Freq 2.68425000 GHz</p> <p>Stop Freq 2.68975000 GHz</p> <p>CF Step 94.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p>
2687 MHz		

RF Power: 1 Milliwatt	Bandwidth: 5.5 MHz	Modulation: 64 QAM
<p>Agilent 09:14:09 Mar 27, 2006</p> <p>Ch Freq 2.499 GHz Trig</p> <p>Channel Power</p> <p>Ref 33 dBm Atten 20 dB</p> <p>Center 2.499 000 GHz Span 5.5 MHz</p> <p>Res BW 56 kHz VBW 560 kHz Sweep 500 ms (601 pts)</p> <p>Channel Power 0.63 dBm /5.1400 MHz Power Spectral Density -66.48 dBm/Hz</p> <p>Copyright 2000-2004 Agilent Technologies</p>		
2499 MHz		
<p>Agilent 09:16:36 Mar 27, 2006</p> <p>Ch Freq 2.593 GHz Trig</p> <p>Channel Power</p> <p>Center 2.593000000 GHz</p> <p>Ref 33 dBm Atten 20 dB</p> <p>Center 2.593 000 GHz Span 5.5 MHz</p> <p>Res BW 56 kHz VBW 560 kHz Sweep 500 ms (601 pts)</p> <p>Channel Power -0.04 dBm /5.1400 MHz Power Spectral Density -67.15 dBm/Hz</p> <p>Copyright 2000-2004 Agilent Technologies</p>		
2593 MHz		
<p>Agilent 09:18:04 Mar 27, 2006</p> <p>Ch Freq 2.687 GHz Trig</p> <p>Channel Power</p> <p>Ref 33 dBm Atten 20 dB</p> <p>Center 2.687 000 GHz Span 5.5 MHz</p> <p>Res BW 56 kHz VBW 560 kHz Sweep 500 ms (601 pts)</p> <p>Channel Power -0.54 dBm /5.1400 MHz Power Spectral Density -67.65 dBm/Hz</p> <p>Copyright 2000-2004 Agilent Technologies</p>		
2687 MHz		




OCCUPIED/EMISSION BANDWIDTH




ADDITIONAL ANALYZER PLOTS

Occupied BW	RF Power: 2 Watts	Bandwidth: 6.0 MHz	Modulation: 16 QAM
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 10:16:13 Mar 27, 2006</p> <p>Ch Freq 2.499 GHz Trig</p> <p>Occupied Bandwidth</p> <p>Center 2.499000000 GHz</p>  <p>Center 2.499 000 GHz Span 6.5 MHz Res BW 62 kHz VBW 620 kHz #Sweep 500 ms (601 pts)</p> <p>Occupied Bandwidth 5.4781 MHz</p> <p>Transmit Freq Error 5.181 kHz x dB Bandwidth 5.656 MHz*</p> <p>Occ BW % Pwr 99.00 % x dB -20.00 dB</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.49300000 GHz</p> <p>Start Freq 2.49575000 GHz</p> <p>Stop Freq 2.50225000 GHz</p> <p>CF Step 94.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div> <p style="text-align: center;">2499 MHz</p>			
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 10:20:04 Mar 27, 2006</p> <p>Ch Freq 2.593 GHz Trig</p> <p>Occupied Bandwidth</p> <p>Center 2.593000000 GHz</p>  <p>Center 2.593 000 GHz Span 6.5 MHz Res BW 62 kHz VBW 620 kHz #Sweep 500 ms (601 pts)</p> <p>Occupied Bandwidth 5.4803 MHz</p> <p>Transmit Freq Error 6.528 kHz x dB Bandwidth 5.661 MHz*</p> <p>Occ BW % Pwr 99.00 % x dB -20.00 dB</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.59300000 GHz</p> <p>Start Freq 2.58975000 GHz</p> <p>Stop Freq 2.59625000 GHz</p> <p>CF Step 94.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div> <p style="text-align: center;">2593 MHz</p>			
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 10:21:12 Mar 27, 2006</p> <p>Ch Freq 2.687 GHz Trig</p> <p>Occupied Bandwidth</p> <p>Center 2.687000000 GHz</p>  <p>Center 2.687 000 GHz Span 6.5 MHz Res BW 62 kHz VBW 620 kHz #Sweep 500 ms (601 pts)</p> <p>Occupied Bandwidth 5.4807 MHz</p> <p>Transmit Freq Error 5.554 kHz x dB Bandwidth 5.659 MHz*</p> <p>Occ BW % Pwr 99.00 % x dB -20.00 dB</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.68700000 GHz</p> <p>Start Freq 2.68375000 GHz</p> <p>Stop Freq 2.69025000 GHz</p> <p>CF Step 94.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div> <p style="text-align: center;">2687 MHz</p>			

Occupied BW	RF Power: 2 Watts	Bandwidth: 6.0 MHz	Modulation: 64 QAM
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 10:19:08 Mar 27, 2006</p> <p>Ch Freq 2.499 GHz Trig</p> <p>Occupied Bandwidth</p> <p>Center 2.499000000 GHz</p> <p>Ref 33 dBm Atten 20 dB</p> <p>#Avg 10 Log dB/Offst 30.1 dB</p> <p>Center 2.499 000 GHz Span 6.5 MHz Res BW 62 kHz VBW 620 kHz #Sweep 500 ms (601 pts)</p> <p>Occupied Bandwidth 5.4803 MHz Occ BW % Pwr 99.00 % x dB -20.00 dB</p> <p>Transmit Freq Error 5.165 kHz x dB Bandwidth 5.658 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.49900000 GHz</p> <p>Start Freq 2.49575000 GHz</p> <p>Stop Freq 2.50225000 GHz</p> <p>CF Step 94.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div> <p style="text-align: center;">2499 MHz</p>			
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 10:20:22 Mar 27, 2006</p> <p>Ch Freq 2.593 GHz Trig</p> <p>Occupied Bandwidth</p> <p>Center 2.593000000 GHz</p> <p>Ref 33 dBm Atten 20 dB</p> <p>#Avg 10 Log dB/Offst 30.1 dB</p> <p>Center 2.593 000 GHz Span 6.5 MHz Res BW 62 kHz VBW 620 kHz #Sweep 500 ms (601 pts)</p> <p>Occupied Bandwidth 5.4802 MHz Occ BW % Pwr 99.00 % x dB -20.00 dB</p> <p>Transmit Freq Error 5.189 kHz x dB Bandwidth 5.659 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.59300000 GHz</p> <p>Start Freq 2.58975000 GHz</p> <p>Stop Freq 2.59625000 GHz</p> <p>CF Step 94.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div> <p style="text-align: center;">2593 MHz</p>			
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 10:21:32 Mar 27, 2006</p> <p>Ch Freq 2.687 GHz Trig</p> <p>Occupied Bandwidth</p> <p>Center 2.687000000 GHz</p> <p>Ref 33 dBm Atten 20 dB</p> <p>#Avg 10 Log dB/Offst 30.1 dB</p> <p>Center 2.687 000 GHz Span 6.5 MHz Res BW 62 kHz VBW 620 kHz #Sweep 500 ms (601 pts)</p> <p>Occupied Bandwidth 5.4794 MHz Occ BW % Pwr 99.00 % x dB -20.00 dB</p> <p>Transmit Freq Error 6.177 kHz x dB Bandwidth 5.660 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.68700000 GHz</p> <p>Start Freq 2.68375000 GHz</p> <p>Stop Freq 2.69025000 GHz</p> <p>CF Step 94.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div> <p style="text-align: center;">2687 MHz</p>			

Occupied BW	RF Power: 2 Watts	Bandwidth: 5.5 MHz	Modulation: 16 QAM
<p>Agilent 10:26:54 Mar 27, 2006</p> <p>Ch Freq 2.499 GHz Trig</p> <p>Occupied Bandwidth</p> <p>Ref 33 dBm Atten 20 dB</p> <p>#Avg Log 10 dB/Offst 30.1 dB</p> <p>Center 2.499 000 GHz Span 6 MHz Res BW 56 kHz VBW 560 kHz #Sweep 500 ms (601 pts)</p> <p>Occupied Bandwidth 4.9575 MHz Occ BW % Pwr 99.00 % x dB -20.00 dB</p> <p>Transmit Freq Error 5.929 kHz x dB Bandwidth 5.122 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> <p>Freq/Channel</p> <p>Center Freq 2.49900000 GHz</p> <p>Start Freq 2.49600000 GHz</p> <p>Stop Freq 2.50200000 GHz</p> <p>CF Step 94.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p>			
2499 MHz			
<p>Agilent 10:28:14 Mar 27, 2006</p> <p>Ch Freq 2.593 GHz Trig</p> <p>Occupied Bandwidth</p> <p>Ref 33 dBm Atten 20 dB</p> <p>#Avg Log 10 dB/Offst 30.1 dB</p> <p>Center 2.593 000 GHz Span 6 MHz Res BW 56 kHz VBW 560 kHz #Sweep 500 ms (601 pts)</p> <p>Occupied Bandwidth 4.9582 MHz Occ BW % Pwr 99.00 % x dB -20.00 dB</p> <p>Transmit Freq Error 4.971 kHz x dB Bandwidth 5.122 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> <p>Freq/Channel</p> <p>Center Freq 2.59300000 GHz</p> <p>Start Freq 2.59000000 GHz</p> <p>Stop Freq 2.59600000 GHz</p> <p>CF Step 94.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p>			
2593 MHz			
<p>Agilent 10:29:29 Mar 27, 2006</p> <p>Ch Freq 2.687 GHz Trig</p> <p>Occupied Bandwidth</p> <p>Ref 33 dBm Atten 20 dB</p> <p>#Avg Log 10 dB/Offst 30.1 dB</p> <p>Center 2.687 000 GHz Span 6 MHz Res BW 56 kHz VBW 560 kHz #Sweep 500 ms (601 pts)</p> <p>Occupied Bandwidth 4.9594 MHz Occ BW % Pwr 99.00 % x dB -20.00 dB</p> <p>Transmit Freq Error 5.516 kHz x dB Bandwidth 5.123 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> <p>Freq/Channel</p> <p>Center Freq 2.68700000 GHz</p> <p>Start Freq 2.68400000 GHz</p> <p>Stop Freq 2.69000000 GHz</p> <p>CF Step 94.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p>			
2687 MHz			

Occupied BW	RF Power: 2 Watts	Bandwidth: 5.5 MHz	Modulation: 64 QAM
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 10:27:17 Mar 27, 2006</p> <p>Ch Freq 2.499 GHz Trig</p> <p>Occupied Bandwidth</p>  <p>Center 2.499 000 GHz Span 6 MHz Res BW 56 kHz VBW 560 kHz #Sweep 500 ms (601 pts)</p> <p>Occupied Bandwidth 4.9596 MHz Occ BW % Pwr 99.00 % x dB Bandwidth 5.121 MHz* x dB -20.00 dB</p> <p>Transmit Freq Error 6.285 kHz</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.49900000 GHz</p> <p>Start Freq 2.49600000 GHz</p> <p>Stop Freq 2.50200000 GHz</p> <p>CF Step 94.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div> <p style="text-align: center;">2499 MHz</p>			
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 10:28:34 Mar 27, 2006</p> <p>Ch Freq 2.593 GHz Trig</p> <p>Occupied Bandwidth</p>  <p>Center 2.593 000 GHz Span 6 MHz Res BW 56 kHz VBW 560 kHz #Sweep 500 ms (601 pts)</p> <p>Occupied Bandwidth 4.9603 MHz Occ BW % Pwr 99.00 % x dB Bandwidth 5.124 MHz* x dB -20.00 dB</p> <p>Transmit Freq Error 6.485 kHz</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.59300000 GHz</p> <p>Start Freq 2.59000000 GHz</p> <p>Stop Freq 2.59600000 GHz</p> <p>CF Step 94.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div> <p style="text-align: center;">2593 MHz</p>			
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 10:29:49 Mar 27, 2006</p> <p>Ch Freq 2.687 GHz Trig</p> <p>Occupied Bandwidth</p>  <p>Center 2.687 000 GHz Span 6 MHz Res BW 56 kHz VBW 560 kHz #Sweep 500 ms (601 pts)</p> <p>Occupied Bandwidth 4.9549 MHz Occ BW % Pwr 99.00 % x dB Bandwidth 5.121 MHz* x dB -20.00 dB</p> <p>Transmit Freq Error 5.836 kHz</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.68700000 GHz</p> <p>Start Freq 2.68400000 GHz</p> <p>Stop Freq 2.69000000 GHz</p> <p>CF Step 94.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div> <p style="text-align: center;">2687 MHz</p>			

Emission BW	RF Power: 2 Watts	Bandwidth: 6.0 MHz	Modulation: 16 QAM
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 10:40:57 Mar 27, 2006</p> <p>Ch Freq 2.499 GHz Trig</p> <p>Occupied Bandwidth</p>  <p>Center 2.499 000 GHz Span 6.5 MHz Res BW 62 kHz VBW 620 kHz #Sweep 500 ms (601 pts)</p> <p>Occupied Bandwidth 5.5466 MHz Occ BW % Pwr 99.75 % x dB Bandwidth 5.685 MHz* x dB -26.00 dB</p> <p>Transmit Freq Error 7.244 kHz</p> <p>x dB Bandwidth 5.685 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.49900000 GHz</p> <p>Start Freq 2.49575000 GHz</p> <p>Stop Freq 2.50225000 GHz</p> <p>CF Step 94.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div> <p style="text-align: center;">2499 MHz</p>			
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 10:42:18 Mar 27, 2006</p> <p>Ch Freq 2.593 GHz Trig</p> <p>Occupied Bandwidth</p>  <p>Center 2.593 000 GHz Span 6.5 MHz Res BW 62 kHz VBW 620 kHz #Sweep 500 ms (601 pts)</p> <p>Occupied Bandwidth 5.5491 MHz Occ BW % Pwr 99.75 % x dB Bandwidth 5.688 MHz* x dB -26.00 dB</p> <p>Transmit Freq Error 6.471 kHz</p> <p>x dB Bandwidth 5.688 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.59300000 GHz</p> <p>Start Freq 2.58975000 GHz</p> <p>Stop Freq 2.59625000 GHz</p> <p>CF Step 94.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div> <p style="text-align: center;">2593 MHz</p>			
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 10:44:08 Mar 27, 2006</p> <p>Ch Freq 2.687 GHz Trig</p> <p>Occupied Bandwidth</p>  <p>Center 2.687 000 GHz Span 6.5 MHz Res BW 62 kHz VBW 620 kHz #Sweep 500 ms (601 pts)</p> <p>Occupied Bandwidth 5.5485 MHz Occ BW % Pwr 99.75 % x dB Bandwidth 5.686 MHz* x dB -26.00 dB</p> <p>Transmit Freq Error 6.573 kHz</p> <p>x dB Bandwidth 5.686 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.68700000 GHz</p> <p>Start Freq 2.68375000 GHz</p> <p>Stop Freq 2.69025000 GHz</p> <p>CF Step 94.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div> <p style="text-align: center;">2687 MHz</p>			


Emission BW	RF Power: 2 Watts	Bandwidth: 6.0 MHz	Modulation: 64 QAM
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 10:41:19 Mar 27, 2006</p> <p>Ch Freq 2.499 GHz Trig</p> <p>Occupied Bandwidth</p> <p>Occupied Bandwidth 5.5490 MHz Occ BW % Pwr 99.75 % x dB -26.00 dB</p> <p>Transmit Freq Error 7.495 kHz x dB Bandwidth 5.690 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.49900000 GHz</p> <p>Start Freq 2.49575000 GHz</p> <p>Stop Freq 2.50225000 GHz</p> <p>CF Step 94.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div> <p style="text-align: center;">2499 MHz</p>			
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 10:42:51 Mar 27, 2006</p> <p>Ch Freq 2.593 GHz Trig</p> <p>Occupied Bandwidth</p> <p>Occupied Bandwidth 5.5496 MHz Occ BW % Pwr 99.75 % x dB -26.00 dB</p> <p>Transmit Freq Error 6.963 kHz x dB Bandwidth 5.685 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.59300000 GHz</p> <p>Start Freq 2.58975000 GHz</p> <p>Stop Freq 2.59625000 GHz</p> <p>CF Step 94.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div> <p style="text-align: center;">2593 MHz</p>			
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 10:44:28 Mar 27, 2006</p> <p>Ch Freq 2.687 GHz Trig</p> <p>Occupied Bandwidth</p> <p>Occupied Bandwidth 5.5460 MHz Occ BW % Pwr 99.75 % x dB -26.00 dB</p> <p>Transmit Freq Error 7.258 kHz x dB Bandwidth 5.688 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.68700000 GHz</p> <p>Start Freq 2.68375000 GHz</p> <p>Stop Freq 2.69025000 GHz</p> <p>CF Step 94.0000000 MHz Auto Man</p> <p>Freq Offset 0.00000000 Hz</p> <p>Signal Track On Off</p> </div> </div> <p style="text-align: center;">2687 MHz</p>			

Emission BW	RF Power: 2 Watts	Bandwidth: 5.5 MHz	Modulation: 16 QAM
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 10:34:08 Mar 27, 2006</p> <p>Ch Freq 2.499 GHz Trig</p> <p>Occupied Bandwidth</p> <p>Ref 33 dBm Atten 20 dB</p> <p>#Avg 10 Log dB/Offst 30.1 dB</p> <p>Center 2.499 000 GHz Span 6 MHz Res BW 56 kHz VBW 560 kHz #Sweep 500 ms (601 pts)</p> <p>Occupied Bandwidth 5.0223 MHz</p> <p>Transmit Freq Error 6.724 kHz x dB Bandwidth 5.148 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Sweep</p> <p>Sweep Time 500.0 ms Auto Man</p> <p>Sweep Single Cont</p> <p>Auto Sweep Time Norm Accy</p> <p>Gate On Off</p> <p>Gate Setup</p> <p>Points 601</p> </div> </div>			
2499 MHz			
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 10:36:24 Mar 27, 2006</p> <p>Ch Freq 2.593 GHz Trig</p> <p>Occupied Bandwidth</p> <p>Center 2.593000000 GHz</p> <p>Ref 33 dBm Atten 20 dB</p> <p>#Avg 10 Log dB/Offst 30.1 dB</p> <p>Center 2.593 000 GHz Span 6 MHz Res BW 56 kHz VBW 560 kHz #Sweep 500 ms (601 pts)</p> <p>Occupied Bandwidth 5.0213 MHz</p> <p>Transmit Freq Error 6.339 kHz x dB Bandwidth 5.145 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.593000000 GHz</p> <p>Start Freq 2.590000000 GHz</p> <p>Stop Freq 2.596000000 GHz</p> <p>CF Step 94.0000000 MHz Auto Man</p> <p>Freq Offset 0.000000000 Hz</p> <p>Signal Track On Off</p> </div> </div>			
2593 MHz			
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 10:37:58 Mar 27, 2006</p> <p>Ch Freq 2.687 GHz Trig</p> <p>Occupied Bandwidth</p> <p>Ref 33 dBm Atten 20 dB</p> <p>#Avg 10 Log dB/Offst 30.1 dB</p> <p>Center 2.687 000 GHz Span 6 MHz Res BW 56 kHz VBW 560 kHz #Sweep 500 ms (601 pts)</p> <p>Occupied Bandwidth 5.0217 MHz</p> <p>Transmit Freq Error 6.001 kHz x dB Bandwidth 5.147 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.687000000 GHz</p> <p>Start Freq 2.684000000 GHz</p> <p>Stop Freq 2.690000000 GHz</p> <p>CF Step 94.0000000 MHz Auto Man</p> <p>Freq Offset 0.000000000 Hz</p> <p>Signal Track On Off</p> </div> </div>			
2687 MHz			


Emission BW	RF Power: 2 Watts	Bandwidth: 5.5 MHz	Modulation: 64 QAM
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 10:34:27 Mar 27, 2006</p> <p>Ch Freq 2.499 GHz Trig</p> <p>Occupied Bandwidth</p> <p>Center 2.499 000 GHz Span 6 MHz Res BW 56 kHz VBW 560 kHz #Sweep 500 ms (601 pts)</p> <p>Occupied Bandwidth 5.0201 MHz Occ BW % Pwr 99.75 % x dB -26.00 dB</p> <p>Transmit Freq Error 6.451 kHz x dB Bandwidth 5.149 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Sweep</p> <p>Sweep Time 500.0 ms Auto Man</p> <p>Sweep Single Cont</p> <p>Auto Sweep Time Norm Accy</p> <p>Gate On Off</p> <p>Gate Setup</p> <p>Points 601</p> </div> </div> <p style="text-align: center;">2499 MHz</p>			
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 10:36:47 Mar 27, 2006</p> <p>Ch Freq 2.593 GHz Trig</p> <p>Occupied Bandwidth</p> <p>Center 2.593000000 GHz</p> <p>Center 2.593 000 GHz Span 6 MHz Res BW 56 kHz VBW 560 kHz #Sweep 500 ms (601 pts)</p> <p>Occupied Bandwidth 5.0216 MHz Occ BW % Pwr 99.75 % x dB -26.00 dB</p> <p>Transmit Freq Error 7.970 kHz x dB Bandwidth 5.148 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.593000000 GHz</p> <p>Start Freq 2.590000000 GHz</p> <p>Stop Freq 2.596000000 GHz</p> <p>CF Step 94.0000000 MHz Auto Man</p> <p>Freq Offset 0.000000000 Hz</p> <p>Signal Track On Off</p> </div> </div> <p style="text-align: center;">2593 MHz</p>			
<div style="display: flex; justify-content: space-between;"> <div style="width: 60%;"> <p>Agilent 10:38:19 Mar 27, 2006</p> <p>Ch Freq 2.687 GHz Trig</p> <p>Occupied Bandwidth</p> <p>Center 2.687 000 GHz Span 6 MHz Res BW 56 kHz VBW 560 kHz #Sweep 500 ms (601 pts)</p> <p>Occupied Bandwidth 5.0193 MHz Occ BW % Pwr 99.75 % x dB -26.00 dB</p> <p>Transmit Freq Error 6.871 kHz x dB Bandwidth 5.145 MHz*</p> <p>Copyright 2000-2004 Agilent Technologies</p> </div> <div style="width: 35%;"> <p>Freq/Channel</p> <p>Center Freq 2.687000000 GHz</p> <p>Start Freq 2.684000000 GHz</p> <p>Stop Freq 2.690000000 GHz</p> <p>CF Step 94.0000000 MHz Auto Man</p> <p>Freq Offset 0.000000000 Hz</p> <p>Signal Track On Off</p> </div> </div> <p style="text-align: center;">2687 MHz</p>			


TRANSMIT SPURIOUS EMISSIONS


ADDITIONAL ANALYZER PLOTS





2593 MHz


















2593 MHz



2687 MHz

