



HERMON LABORATORIES

December 31, 2003

American TCB
6731 Whittier Ave
Suite C110
McLean, VA 22101
Attn: Mr. T. Johnson, Examining Engineer

RE: your e-mail dated **December 30, 2003**; Airspan Networks Ltd.
FCC ID: PIDAIRSPAN-IDR, ATCB000957

Dear Mr. Johnson,
Please find below the answers to your questions.

- 1) The chapter 10_rev1, chapter 2_rev1 and the requested letter "Installation_marketing_letter" were uploaded on December 31, 2003 via Users Manual and cover letter folders.
- 2) The frequency is 3.15 MHz, not 12 MHz, plot A69 with frequency illustration was uploaded on December 31, 2003 via Additional information folder.
- 3) This Application covers just hybrid mode use. "Description_Hybrid_mode_900_rev1" with corrected page 5 was uploaded on December 31, 2003 via Operational Description folder.
- 4) We regret the information is not clear, we confirm that
 - a) The method "First example" was used, not Method 3;
 - b) "Description_Hybrid_mode_900" is issued for information only, number of hopping channels was not tested and compared with the limit – please refer to our test report AIRRAD_FCC.15693_rev1
 - c) power spectral density was measured and shown - please see §4.1 of our test report AIRRAD_FCC.15693_rev1;
 - d) minimum bandwidth was measured and shown in §4.4 of our test report AIRRAD_FCC.15693_rev1
- 5) Thank you, the test engineers will be instructed.

Sincerely,

Marina Cherniavsky,
certification engineer
Hermon Laboratories