




HERMON LABORATORIES


Test specification: Section 96.41(b), Maximum EIRP and maximum power spectral density	
Test procedure: Section 96.41(e)(3)	
Test mode: Compliance	Verdict: PASS
Date(s): 29-Jul-20	
Temperature: 24 °C	Relative Humidity: 55 %
Remarks:	

Plot 7.1.15 Peak spectral power density at high frequency


CHANNEL SPACING:
ANTENNA CHAIN:
Modulation: QPSK



10 MHz
3
Modulation: 16QAM



Modulation: 64QAM






HERMON LABORATORIES


Test specification: Section 96.41(b), Maximum EIRP and maximum power spectral density	
Test procedure: Section 96.41(e)(3)	
Test mode: Compliance	Verdict: PASS
Date(s): 29-Jul-20	
Temperature: 24 °C	Relative Humidity: 55 %
Remarks:	

Plot 7.1.16 Peak spectral power density at low frequency


CHANNEL SPACING:
ANTENNA CHAIN:
Modulation: QPSK



10 MHz
7
Modulation: 16QAM



Modulation: 64QAM






HERMON LABORATORIES


Test specification: Section 96.41(b), Maximum EIRP and maximum power spectral density			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance	Verdict: PASS		
Date(s): 29-Jul-20			
Temperature: 24 °C	Relative Humidity: 55 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.1.17 Peak spectral power density at mid frequency


CHANNEL SPACING:
ANTENNA CHAIN:
Modulation: QPSK



10 MHz
7
Modulation: 16QAM



Modulation: 64QAM






HERMON LABORATORIES


Test specification: Section 96.41(b), Maximum EIRP and maximum power spectral density	
Test procedure: Section 96.41(e)(3)	
Test mode: Compliance	Verdict: PASS
Date(s): 29-Jul-20	
Temperature: 24 °C	Relative Humidity: 55 %
Remarks:	

Plot 7.1.18 Peak spectral power density at high frequency


CHANNEL SPACING:
ANTENNA CHAIN:
Modulation: QPSK



10 MHz
7
Modulation: 16QAM



Modulation: 64QAM






HERMON LABORATORIES


Test specification: Section 96.41(b), Maximum EIRP and maximum power spectral density			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance	Verdict: PASS		
Date(s): 29-Jul-20			
Temperature: 24 °C	Relative Humidity: 55 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.1.19 Peak spectral power density at low frequency


CHANNEL SPACING:
ANTENNA CHAIN:
Modulation: QPSK



10 MHz
4
Modulation: 16QAM



Modulation: 64QAM






HERMON LABORATORIES


Test specification: Section 96.41(b), Maximum EIRP and maximum power spectral density	
Test procedure: Section 96.41(e)(3)	
Test mode: Compliance	Verdict: PASS
Date(s): 29-Jul-20	
Temperature: 24 °C	Relative Humidity: 55 %
Remarks:	

Plot 7.1.20 Peak spectral power density at mid frequency


CHANNEL SPACING:
ANTENNA CHAIN:
Modulation: QPSK



10 MHz
4
Modulation: 16QAM



Modulation: 64QAM






HERMON LABORATORIES


Test specification: Section 96.41(b), Maximum EIRP and maximum power spectral density			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance	Verdict: PASS		
Date(s): 29-Jul-20			
Temperature: 24 °C	Relative Humidity: 55 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.1.21 Peak spectral power density at high frequency


CHANNEL SPACING:
ANTENNA CHAIN:
Modulation: QPSK



10 MHz
4
Modulation: 16QAM



Modulation: 64QAM






HERMON LABORATORIES


Test specification: Section 96.41(b), Maximum EIRP and maximum power spectral density	
Test procedure: Section 96.41(e)(3)	
Test mode: Compliance	Verdict: PASS
Date(s): 29-Jul-20	
Temperature: 24 °C	Relative Humidity: 55 %
Remarks:	

Plot 7.1.22 Peak spectral power density at low frequency


CHANNEL SPACING:
ANTENNA CHAIN:
Modulation: QPSK



10 MHz
8
Modulation: 16QAM



Modulation: 64QAM






HERMON LABORATORIES


Test specification: Section 96.41(b), Maximum EIRP and maximum power spectral density	
Test procedure: Section 96.41(e)(3)	
Test mode: Compliance	Verdict: PASS
Date(s): 29-Jul-20	
Temperature: 24 °C	Relative Humidity: 55 %
Remarks:	

Plot 7.1.23 Peak spectral power density at mid frequency


CHANNEL SPACING:
ANTENNA CHAIN:
Modulation: QPSK



10 MHz
8
Modulation: 16QAM



Modulation: 64QAM






HERMON LABORATORIES


Test specification: Section 96.41(b), Maximum EIRP and maximum power spectral density	
Test procedure: Section 96.41(e)(3)	
Test mode: Compliance	Verdict: PASS
Date(s): 29-Jul-20	
Temperature: 24 °C	Relative Humidity: 55 %
Remarks:	

Plot 7.1.24 Peak spectral power density at high frequency


CHANNEL SPACING:
ANTENNA CHAIN:
Modulation: QPSK



10 MHz
8
Modulation: 16QAM



Modulation: 64QAM






HERMON LABORATORIES


Test specification: Section 96.41(b), Maximum EIRP and maximum power spectral density	
Test procedure: Section 96.41(e)(3)	
Test mode: Compliance	Verdict: PASS
Date(s): 29-Jul-20	
Temperature: 24 °C	Relative Humidity: 55 %
Remarks:	

Plot 7.1.25 Peak spectral power density at low frequency within


CHANNEL SPACING:
ANTENNA CHAIN:
Modulation: QPSK



20 MHz
1
Modulation: 16QAM



Modulation: 64QAM






HERMON LABORATORIES


Test specification: Section 96.41(b), Maximum EIRP and maximum power spectral density			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance	Verdict: PASS		
Date(s): 29-Jul-20			
Temperature: 24 °C	Relative Humidity: 55 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.1.26 Peak spectral power density at mid frequency


CHANNEL SPACING:
ANTENNA CHAIN:
Modulation: QPSK



20 MHz
1
Modulation: 16QAM



Modulation: 64QAM






HERMON LABORATORIES


Test specification: Section 96.41(b), Maximum EIRP and maximum power spectral density			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance	Verdict: PASS		
Date(s): 29-Jul-20			
Temperature: 24 °C	Relative Humidity: 55 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.1.27 Peak spectral power density at high frequency


CHANNEL SPACING:
ANTENNA CHAIN:
Modulation: QPSK



20 MHz
1
Modulation: 16QAM



Modulation: 64QAM






HERMON LABORATORIES


Test specification: Section 96.41(b), Maximum EIRP and maximum power spectral density			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance	Verdict: PASS		
Date(s): 29-Jul-20			
Temperature: 24 °C	Relative Humidity: 55 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.1.28 Peak spectral power density at low frequency within


CHANNEL SPACING:
ANTENNA CHAIN:
Modulation: QPSK



20 MHz
5
Modulation: 16QAM



Modulation: 64QAM






HERMON LABORATORIES


Test specification: Section 96.41(b), Maximum EIRP and maximum power spectral density			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance	Verdict: PASS		
Date(s): 29-Jul-20			
Temperature: 24 °C	Relative Humidity: 55 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.1.29 Peak spectral power density at mid frequency


CHANNEL SPACING:
ANTENNA CHAIN:
Modulation: QPSK



20 MHz
5
Modulation: 16QAM



Modulation: 64QAM






HERMON LABORATORIES


Test specification: Section 96.41(b), Maximum EIRP and maximum power spectral density			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance	Verdict: PASS		
Date(s): 29-Jul-20			
Temperature: 24 °C	Relative Humidity: 55 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.1.30 Peak spectral power density at high frequency


CHANNEL SPACING:
ANTENNA CHAIN:
Modulation: QPSK



20 MHz
5
Modulation: 16QAM



Modulation: 64QAM






HERMON LABORATORIES


Test specification: Section 96.41(b), Maximum EIRP and maximum power spectral density	
Test procedure: Section 96.41(e)(3)	
Test mode: Compliance	Verdict: PASS
Date(s): 29-Jul-20	
Temperature: 24 °C	Relative Humidity: 55 %
Remarks:	

Plot 7.1.31 Peak spectral power density at low frequency within


CHANNEL SPACING:
ANTENNA CHAIN:
Modulation: QPSK



20 MHz
2
Modulation: 16QAM



Modulation: 64QAM






HERMON LABORATORIES


Test specification: Section 96.41(b), Maximum EIRP and maximum power spectral density			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance	Verdict: PASS		
Date(s): 29-Jul-20			
Temperature: 24 °C	Relative Humidity: 55 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.1.32 Peak spectral power density at mid frequency


CHANNEL SPACING:
ANTENNA CHAIN:
Modulation: QPSK



20 MHz
2
Modulation: 16QAM



Modulation: 64QAM






HERMON LABORATORIES


Test specification: Section 96.41(b), Maximum EIRP and maximum power spectral density	
Test procedure: Section 96.41(e)(3)	
Test mode: Compliance	Verdict: PASS
Date(s): 29-Jul-20	
Temperature: 24 °C	Relative Humidity: 55 %
Remarks:	

Plot 7.1.33 Peak spectral power density at high frequency


CHANNEL SPACING:
ANTENNA CHAIN:
Modulation: QPSK



20 MHz
2
Modulation: 16QAM



Modulation: 64QAM






HERMON LABORATORIES


Test specification: Section 96.41(b), Maximum EIRP and maximum power spectral density			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance	Verdict: PASS		
Date(s): 29-Jul-20			
Temperature: 24 °C	Relative Humidity: 55 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.1.34 Peak spectral power density at low frequency within


CHANNEL SPACING:
ANTENNA CHAIN:
Modulation: QPSK



20 MHz
6
Modulation: 16QAM



Modulation: 64QAM






HERMON LABORATORIES


Test specification: Section 96.41(b), Maximum EIRP and maximum power spectral density			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance	Verdict: PASS		
Date(s): 29-Jul-20			
Temperature: 24 °C	Relative Humidity: 55 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.1.35 Peak spectral power density at mid frequency

CHANNEL SPACING:
ANTENNA CHAIN:
Modulation: QPSK



20 MHz
6
Modulation: 16QAM



Modulation: 64QAM

