




HERMON LABORATORIES

Test specification: Section 96.41(e), Emission mask			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance	Verdict: PASS		
Date(s): 04-Aug-20			
Temperature: 24.2 °C	Relative Humidity: 49 %	Air Pressure: 1010 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.4.8 Emission outside the fundamental test results in 3530 - 3575 GHz range at mid carrier frequency


MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1

64QAM
10 MHz
ANTENNA CHAIN: #5



ANTENNA CHAIN: #2

ANTENNA CHAIN: #6







HERMON LABORATORIES

Test specification: Section 96.41(e), Emission mask			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 04-Aug-20			
Temperature: 24.2 °C	Relative Humidity: 49 %	Air Pressure: 1010 hPa	Power: 63 VAC, 50 Hz
Remarks:			


ANTENNA CHAIN: #3




ANTENNA CHAIN: #7



ANTENNA CHAIN: #4



ANTENNA CHAIN: #8






HERMON LABORATORIES

Test specification: Section 96.41(e), Emission mask			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 04-Aug-20			
Temperature: 24.2 °C	Relative Humidity: 49 %	Air Pressure: 1010 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.4.9 Emission outside the fundamental test results in 3575 - 3675 GHz range at mid carrier frequency


MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1

64QAM
10 MHz
ANTENNA CHAIN: #5



ANTENNA CHAIN: #2

ANTENNA CHAIN: #6







HERMON LABORATORIES

Test specification: Section 96.41(e), Emission mask			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 04-Aug-20			
Temperature: 24.2 °C	Relative Humidity: 49 %	Air Pressure: 1010 hPa	Power: 63 VAC, 50 Hz
Remarks:			


ANTENNA CHAIN: #3




ANTENNA CHAIN: #7



ANTENNA CHAIN: #4



ANTENNA CHAIN: #8






HERMON LABORATORIES

Test specification: Section 96.41(e), Emission mask			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 04-Aug-20			
Temperature: 24.2 °C	Relative Humidity: 49 %	Air Pressure: 1010 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.4.10 Emission outside the fundamental test results in 3675 - 3720 GHz range at mid carrier frequency


MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1

64QAM
10 MHz
ANTENNA CHAIN: #5



ANTENNA CHAIN: #2

ANTENNA CHAIN: #6







HERMON LABORATORIES

Test specification: Section 96.41(e), Emission mask			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 04-Aug-20			
Temperature: 24.2 °C	Relative Humidity: 49 %	Air Pressure: 1010 hPa	Power: 63 VAC, 50 Hz
Remarks:			


ANTENNA CHAIN: #3




ANTENNA CHAIN: #7



ANTENNA CHAIN: #4



ANTENNA CHAIN: #8







HERMON LABORATORIES

Test specification: Section 96.41(e), Emission mask			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 04-Aug-20			
Temperature: 24.2 °C	Relative Humidity: 49 %	Air Pressure: 1010 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.4.11 Emission outside the fundamental test results in 3530 - 3645 GHz range at high carrier frequency



MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1

QPSK
10 MHz
ANTENNA CHAIN: #5



ANTENNA CHAIN: #2

ANTENNA CHAIN: #6







HERMON LABORATORIES

Test specification: Section 96.41(e), Emission mask			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 04-Aug-20			
Temperature: 24.2 °C	Relative Humidity: 49 %	Air Pressure: 1010 hPa	Power: 63 VAC, 50 Hz
Remarks:			


ANTENNA CHAIN: #3




ANTENNA CHAIN: #7



ANTENNA CHAIN: #4



ANTENNA CHAIN: #8







HERMON LABORATORIES

Test specification: Section 96.41(e), Emission mask			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 04-Aug-20			
Temperature: 24.2 °C	Relative Humidity: 49 %	Air Pressure: 1010 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.4.12 Emission outside the fundamental test results in 3645 - 3745 GHz range at high carrier frequency



MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1

QPSK
10 MHz
ANTENNA CHAIN: #5



ANTENNA CHAIN: #2

ANTENNA CHAIN: #6







HERMON LABORATORIES

Test specification: Section 96.41(e), Emission mask			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 04-Aug-20			
Temperature: 24.2 °C	Relative Humidity: 49 %	Air Pressure: 1010 hPa	Power: 63 VAC, 50 Hz
Remarks:			


ANTENNA CHAIN: #3




ANTENNA CHAIN: #7



ANTENNA CHAIN: #4



ANTENNA CHAIN: #8






HERMON LABORATORIES

Test specification: Section 96.41(e), Emission mask			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 04-Aug-20			
Temperature: 24.2 °C	Relative Humidity: 49 %	Air Pressure: 1010 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.4.13 Emission outside the fundamental test results in 3530 - 3645 GHz range at high carrier frequency


MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1

64QAM
10 MHz
ANTENNA CHAIN: #5



ANTENNA CHAIN: #2

ANTENNA CHAIN: #6







HERMON LABORATORIES

Test specification: Section 96.41(e), Emission mask			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 04-Aug-20			
Temperature: 24.2 °C	Relative Humidity: 49 %	Air Pressure: 1010 hPa	Power: 63 VAC, 50 Hz
Remarks:			


ANTENNA CHAIN: #3




ANTENNA CHAIN: #7



ANTENNA CHAIN: #4



ANTENNA CHAIN: #8






HERMON LABORATORIES

Test specification: Section 96.41(e), Emission mask			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 04-Aug-20			
Temperature: 24.2 °C	Relative Humidity: 49 %	Air Pressure: 1010 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.4.14 Emission outside the fundamental test results in 3645 - 3745 GHz range at high carrier frequency


MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1

64QAM
10 MHz
ANTENNA CHAIN: #5



ANTENNA CHAIN: #2

ANTENNA CHAIN: #6







HERMON LABORATORIES

Test specification: Section 96.41(e), Emission mask			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 04-Aug-20			
Temperature: 24.2 °C	Relative Humidity: 49 %	Air Pressure: 1010 hPa	Power: 63 VAC, 50 Hz
Remarks:			


ANTENNA CHAIN: #3




ANTENNA CHAIN: #7



ANTENNA CHAIN: #4



ANTENNA CHAIN: #8






HERMON LABORATORIES

Test specification: Section 96.41(e), Emission mask			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 04-Aug-20			
Temperature: 24.2 °C	Relative Humidity: 49 %	Air Pressure: 1010 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.4.15 Emission outside the fundamental test results in 3510 - 3610 GHz range at low carrier frequency


MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1

QPSK
20 MHz
ANTENNA CHAIN: #5



ANTENNA CHAIN: #2

ANTENNA CHAIN: #6







HERMON LABORATORIES

Test specification: Section 96.41(e), Emission mask			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 04-Aug-20			
Temperature: 24.2 °C	Relative Humidity: 49 %	Air Pressure: 1010 hPa	Power: 63 VAC, 50 Hz
Remarks:			


ANTENNA CHAIN: #3




ANTENNA CHAIN: #7



ANTENNA CHAIN: #4



ANTENNA CHAIN: #8






HERMON LABORATORIES

Test specification: Section 96.41(e), Emission mask			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 04-Aug-20			
Temperature: 24.2 °C	Relative Humidity: 49 %	Air Pressure: 1010 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.4.16 Emission outside the fundamental test results in 3610 - 3720 GHz range at low carrier frequency


MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1

QPSK
20 MHz
ANTENNA CHAIN: #5



ANTENNA CHAIN: #2

ANTENNA CHAIN: #6







HERMON LABORATORIES

Test specification: Section 96.41(e), Emission mask			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance	Verdict: PASS		
Date(s): 04-Aug-20			
Temperature: 24.2 °C	Relative Humidity: 49 %	Air Pressure: 1010 hPa	Power: 63 VAC, 50 Hz
Remarks:			


ANTENNA CHAIN: #3




ANTENNA CHAIN: #7



ANTENNA CHAIN: #4



ANTENNA CHAIN: #8







HERMON LABORATORIES

Test specification: Section 96.41(e), Emission mask			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 04-Aug-20			
Temperature: 24.2 °C	Relative Humidity: 49 %	Air Pressure: 1010 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.4.17 Emission outside the fundamental test results in 3510 - 3610 GHz range at low carrier frequency



MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1

64QAM
20 MHz
ANTENNA CHAIN: #5



ANTENNA CHAIN: #2

ANTENNA CHAIN: #6







HERMON LABORATORIES

Test specification: Section 96.41(e), Emission mask			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 04-Aug-20			
Temperature: 24.2 °C	Relative Humidity: 49 %	Air Pressure: 1010 hPa	Power: 63 VAC, 50 Hz
Remarks:			


ANTENNA CHAIN: #3




ANTENNA CHAIN: #7



ANTENNA CHAIN: #4



ANTENNA CHAIN: #8






HERMON LABORATORIES

Test specification: Section 96.41(e), Emission mask			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 04-Aug-20			
Temperature: 24.2 °C	Relative Humidity: 49 %	Air Pressure: 1010 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.4.18 Emission outside the fundamental test results in 3610 - 3720 GHz range at low carrier frequency


MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1

64QAM
20 MHz
ANTENNA CHAIN: #5



ANTENNA CHAIN: #2

ANTENNA CHAIN: #6







HERMON LABORATORIES

Test specification: Section 96.41(e), Emission mask			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 04-Aug-20			
Temperature: 24.2 °C	Relative Humidity: 49 %	Air Pressure: 1010 hPa	Power: 63 VAC, 50 Hz
Remarks:			


ANTENNA CHAIN: #3




ANTENNA CHAIN: #7



ANTENNA CHAIN: #4



ANTENNA CHAIN: #8






HERMON LABORATORIES

Test specification: Section 96.41(e), Emission mask			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 04-Aug-20			
Temperature: 24.2 °C	Relative Humidity: 49 %	Air Pressure: 1010 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.4.19 Emission outside the fundamental test results in 3530 - 3575 GHz range at mid carrier frequency

MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1

QPSK
20 MHz
ANTENNA CHAIN: #5



ANTENNA CHAIN: #2

ANTENNA CHAIN: #6

