




HERMON LABORATORIES


Test specification: Section 96.41(e)(3), Conducted spurious emissions			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.6.23 Spurious emission measurements in 6 - 10 GHz range at mid carrier frequency


MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1




64QAM
10 MHz
ANTENNA CHAIN: #5



ANTENNA CHAIN: #2



ANTENNA CHAIN: #6







HERMON LABORATORIES

Test specification: Section 96.41(e)(3), Conducted spurious emissions	
Test procedure: Section 96.41(e)(3)	
Test mode: Compliance	Verdict: PASS
Date(s): 13-Aug-20	
Temperature: 24.1 °C	Relative Humidity: 49 %
Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:	


ANTENNA CHAIN: #3




ANTENNA CHAIN: #7



ANTENNA CHAIN: #4



ANTENNA CHAIN: #8






HERMON LABORATORIES


Test specification: Section 96.41(e)(3), Conducted spurious emissions			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.6.24 Spurious emission measurements in 6 – 10 GHz range at high carrier frequency


MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1




64QAM
10 MHz
ANTENNA CHAIN: #5



ANTENNA CHAIN: #2



ANTENNA CHAIN: #6







HERMON LABORATORIES

Test specification: Section 96.41(e)(3), Conducted spurious emissions	
Test procedure: Section 96.41(e)(3)	
Test mode: Compliance	Verdict: PASS
Date(s): 13-Aug-20	
Temperature: 24.1 °C	Relative Humidity: 49 %
Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:	


ANTENNA CHAIN: #3




ANTENNA CHAIN: #7



ANTENNA CHAIN: #4



ANTENNA CHAIN: #8






HERMON LABORATORIES


Test specification: Section 96.41(e)(3), Conducted spurious emissions			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.6.25 Spurious emission measurements in 10 – 18 GHz range at low carrier frequency


MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1




64QAM
10 MHz
ANTENNA CHAIN: #5



ANTENNA CHAIN: #2



ANTENNA CHAIN: #6







HERMON LABORATORIES

Test specification: Section 96.41(e)(3), Conducted spurious emissions	
Test procedure: Section 96.41(e)(3)	
Test mode: Compliance	Verdict: PASS
Date(s): 13-Aug-20	
Temperature: 24.1 °C	Relative Humidity: 49 %
Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:	


ANTENNA CHAIN: #3




ANTENNA CHAIN: #7



ANTENNA CHAIN: #4



ANTENNA CHAIN: #8






HERMON LABORATORIES


Test specification: Section 96.41(e)(3), Conducted spurious emissions			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance	Verdict: PASS		
Date(s): 13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.6.26 Spurious emission measurements in 10 – 18 GHz range at mid carrier frequency


MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1




64QAM
10 MHz
ANTENNA CHAIN: #5



ANTENNA CHAIN: #2



ANTENNA CHAIN: #6







HERMON LABORATORIES

Test specification: Section 96.41(e)(3), Conducted spurious emissions			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			


ANTENNA CHAIN: #3




ANTENNA CHAIN: #7



ANTENNA CHAIN: #4



ANTENNA CHAIN: #8






HERMON LABORATORIES


Test specification: Section 96.41(e)(3), Conducted spurious emissions			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.6.27 Spurious emission measurements in 10 – 18 GHz range at high carrier frequency


MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1




64QAM
10 MHz
ANTENNA CHAIN: #5



ANTENNA CHAIN: #2



ANTENNA CHAIN: #6







HERMON LABORATORIES

Test specification: Section 96.41(e)(3), Conducted spurious emissions			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			


ANTENNA CHAIN: #3




ANTENNA CHAIN: #7



ANTENNA CHAIN: #4



ANTENNA CHAIN: #8







HERMON LABORATORIES

Test specification: Section 96.41(e)(3), Conducted spurious emissions			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.6.28 Spurious emission measurements in 18 – 26.5 GHz range at low carrier frequency



MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1

64QAM
10 MHz
ANTENNA CHAIN: #5



ANTENNA CHAIN: #2

ANTENNA CHAIN: #6







HERMON LABORATORIES

Test specification: Section 96.41(e)(3), Conducted spurious emissions			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			


ANTENNA CHAIN: #3




ANTENNA CHAIN: #7



ANTENNA CHAIN: #4



ANTENNA CHAIN: #8







Test specification: Section 96.41(e)(3), Conducted spurious emissions			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.6.29 Spurious emission measurements in 18 – 26.5 GHz range at mid carrier frequency



MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1

64QAM
10 MHz
ANTENNA CHAIN: #5



ANTENNA CHAIN: #2


ANTENNA CHAIN: #6






Test specification: Section 96.41(e)(3), Conducted spurious emissions			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			


ANTENNA CHAIN: #3




ANTENNA CHAIN: #7



ANTENNA CHAIN: #4



ANTENNA CHAIN: #8







HERMON LABORATORIES

Test specification: Section 96.41(e)(3), Conducted spurious emissions			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.6.30 Spurious emission measurements in 18 – 26.5 GHz range at high carrier frequency



MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1

64QAM
10 MHz
ANTENNA CHAIN: #5



ANTENNA CHAIN: #2


ANTENNA CHAIN: #6






Test specification: Section 96.41(e)(3), Conducted spurious emissions			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			


ANTENNA CHAIN: #3




ANTENNA CHAIN: #7



ANTENNA CHAIN: #4



ANTENNA CHAIN: #8







HERMON LABORATORIES

Test specification: Section 96.41(e)(3), Conducted spurious emissions			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.6.31 Spurious emission measurements in 26.5 - 37 GHz range at low carrier frequency



MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1

64QAM
10 MHz
ANTENNA CHAIN: #5



ANTENNA CHAIN: #2


ANTENNA CHAIN: #6






Test specification: Section 96.41(e)(3), Conducted spurious emissions			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			


ANTENNA CHAIN: #3




ANTENNA CHAIN: #7



ANTENNA CHAIN: #4



ANTENNA CHAIN: #8







HERMON LABORATORIES

Test specification: Section 96.41(e)(3), Conducted spurious emissions			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.6.32 Spurious emission measurements in 26.5 - 37 GHz range at mid carrier frequency



MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1

64QAM
10 MHz
ANTENNA CHAIN: #5



ANTENNA CHAIN: #2

ANTENNA CHAIN: #6







HERMON LABORATORIES

Test specification: Section 96.41(e)(3), Conducted spurious emissions			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			


ANTENNA CHAIN: #3




ANTENNA CHAIN: #7



ANTENNA CHAIN: #4



ANTENNA CHAIN: #8







Test specification: Section 96.41(e)(3), Conducted spurious emissions			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.6.33 Spurious emission measurements in 26.5 - 37 GHz range at high carrier frequency



MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1

64QAM
10 MHz
ANTENNA CHAIN: #5



ANTENNA CHAIN: #2


ANTENNA CHAIN: #6






Test specification: Section 96.41(e)(3), Conducted spurious emissions			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			


ANTENNA CHAIN: #3




ANTENNA CHAIN: #7



ANTENNA CHAIN: #4



ANTENNA CHAIN: #8







HERMON LABORATORIES

Test specification: Section 96.41(e)(3), Conducted spurious emissions			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.6.34 Spurious emission measurements in 9 kHz - 150 kHz range at low carrier frequency



MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1

64QAM
20 MHz
ANTENNA CHAIN: #5



ANTENNA CHAIN: #2

ANTENNA CHAIN: #6







HERMON LABORATORIES

Test specification: Section 96.41(e)(3), Conducted spurious emissions			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			


ANTENNA CHAIN: #3




ANTENNA CHAIN: #7



ANTENNA CHAIN: #4



ANTENNA CHAIN: #8







HERMON LABORATORIES

Test specification: Section 96.41(e)(3), Conducted spurious emissions			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.6.35 Spurious emission measurements in 9 kHz - 150 kHz range at mid carrier frequency



MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1

64QAM
20 MHz
ANTENNA CHAIN: #5



ANTENNA CHAIN: #2

ANTENNA CHAIN: #6







HERMON LABORATORIES

Test specification: Section 96.41(e)(3), Conducted spurious emissions			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			


ANTENNA CHAIN: #3




ANTENNA CHAIN: #7



ANTENNA CHAIN: #4



ANTENNA CHAIN: #8







HERMON LABORATORIES

Test specification: Section 96.41(e)(3), Conducted spurious emissions			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.6.36 Spurious emission measurements in 9 kHz - 150 kHz range at high carrier frequency



MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1

64QAM
20 MHz
ANTENNA CHAIN: #5



ANTENNA CHAIN: #2

ANTENNA CHAIN: #6







HERMON LABORATORIES

Test specification: Section 96.41(e)(3), Conducted spurious emissions			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			


ANTENNA CHAIN: #3




ANTENNA CHAIN: #7



ANTENNA CHAIN: #4



ANTENNA CHAIN: #8







HERMON LABORATORIES

Test specification: Section 96.41(e)(3), Conducted spurious emissions			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.6.37 Spurious emission measurements in 150 kHz – 30 MHz range at low carrier frequency



MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1

64QAM
20 MHz
ANTENNA CHAIN: #5



ANTENNA CHAIN: #2

ANTENNA CHAIN: #6







HERMON LABORATORIES

Test specification: Section 96.41(e)(3), Conducted spurious emissions			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			


ANTENNA CHAIN: #3




ANTENNA CHAIN: #7



ANTENNA CHAIN: #4



ANTENNA CHAIN: #8







HERMON LABORATORIES

Test specification: Section 96.41(e)(3), Conducted spurious emissions			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.6.38 Spurious emission measurements in 150 kHz – 30 MHz range at mid carrier frequency



MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1

64QAM
20 MHz
ANTENNA CHAIN: #5



ANTENNA CHAIN: #2

ANTENNA CHAIN: #6







HERMON LABORATORIES

Test specification: Section 96.41(e)(3), Conducted spurious emissions			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			


ANTENNA CHAIN: #3




ANTENNA CHAIN: #7



ANTENNA CHAIN: #4



ANTENNA CHAIN: #8







HERMON LABORATORIES

Test specification: Section 96.41(e)(3), Conducted spurious emissions			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.6.39 Spurious emission measurements in 150 kHz – 30 MHz range at high carrier frequency



MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1

64QAM
20 MHz
ANTENNA CHAIN: #5



ANTENNA CHAIN: #2

ANTENNA CHAIN: #6







HERMON LABORATORIES

Test specification: Section 96.41(e)(3), Conducted spurious emissions			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			


ANTENNA CHAIN: #3




ANTENNA CHAIN: #7



ANTENNA CHAIN: #4



ANTENNA CHAIN: #8







HERMON LABORATORIES

Test specification: Section 96.41(e)(3), Conducted spurious emissions			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.6.40 Spurious emission measurements in 30 - 1000 MHz range at low carrier frequency



MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1

64QAM
20 MHz
ANTENNA CHAIN: #5



ANTENNA CHAIN: #2


ANTENNA CHAIN: #6






Test specification: Section 96.41(e)(3), Conducted spurious emissions			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			


ANTENNA CHAIN: #3




ANTENNA CHAIN: #7



ANTENNA CHAIN: #4



ANTENNA CHAIN: #8







HERMON LABORATORIES

Test specification: Section 96.41(e)(3), Conducted spurious emissions			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			

Plot 7.6.41 Spurious emission measurements in 30 - 1000 MHz range at mid carrier frequency



MODULATION:
CHANNEL SPACING:
ANTENNA CHAIN: #1

64QAM
20 MHz
ANTENNA CHAIN: #5



ANTENNA CHAIN: #2

ANTENNA CHAIN: #6







HERMON LABORATORIES

Test specification: Section 96.41(e)(3), Conducted spurious emissions			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 13-Aug-20			
Temperature: 24.1 °C	Relative Humidity: 49 %	Air Pressure: 1011 hPa	Power: 63 VAC, 50 Hz
Remarks:			


ANTENNA CHAIN: #3



ANTENNA CHAIN: #7



ANTENNA CHAIN: #4



ANTENNA CHAIN: #8

