





|  |                                |                               |                      |
|--|--------------------------------|-------------------------------|----------------------|
| <b>Test specification:</b> Section 96.41(e), Emission mask |                                |                               |                      |
| <b>Test procedure:</b> Section 96.41(e)(3)                 |                                |                               |                      |
| <b>Test mode:</b> Compliance                               |                                | <b>Verdict:</b> PASS          |                      |
| <b>Date(s):</b> 14-Dec-21                                  |                                |                               |                      |
| <b>Temperature:</b> 25 °C                                  | <b>Relative Humidity:</b> 54 % | <b>Air Pressure:</b> 1011 hPa | <b>Power:</b> 48 VDC |
| <b>Remarks:</b>  |                                |                               |                      |

Plot 7.4.23 Emission outside the fundamental test results at high carrier frequency

CHANNEL SPACING:  
ANTENNA CHAIN:  
Modulation: QPSK




10 MHz  
4  
Modulation: 16QAM






|  |                                |                               |                      |
|--|--------------------------------|-------------------------------|----------------------|
| <b>Test specification:</b> Section 96.41(e), Emission mask |                                |                               |                      |
| <b>Test procedure:</b> Section 96.41(e)(3)                 |                                |                               |                      |
| <b>Test mode:</b> Compliance                               |                                | <b>Verdict:</b> PASS          |                      |
| <b>Date(s):</b> 14-Dec-21                                  |                                |                               |                      |
| <b>Temperature:</b> 25 °C                                  | <b>Relative Humidity:</b> 54 % | <b>Air Pressure:</b> 1011 hPa | <b>Power:</b> 48 VDC |
| <b>Remarks:</b>  |                                |                               |                      |

Plot 7.4.24 Emission outside the fundamental test results at high carrier frequency

CHANNEL SPACING:  
ANTENNA CHAIN:  
Modulation: 64QAM



10 MHz  
4  
Modulation: 256QAM







|                            |                                |  |                      |
|----------------------------|--------------------------------|--|----------------------|
| <b>Test specification:</b> |                                | <b>Section 96.41(e), Emission mask</b> |                      |
| <b>Test procedure:</b>     |                                | Section 96.41(e)(3)                    |                      |
| <b>Test mode:</b>          |                                | <b>Verdict:</b> PASS                   |                      |
| <b>Date(s):</b>            |                                |  |                      |
| 14-Dec-21                  |                                |  |                      |
| <b>Temperature:</b> 25 °C  | <b>Relative Humidity:</b> 54 % | <b>Air Pressure:</b> 1011 hPa          | <b>Power:</b> 48 VDC |
| <b>Remarks:</b>            |                                |  |                      |

Plot 7.4.25 Emission outside the fundamental test results at low carrier frequency

CHANNEL SPACING:  
ANTENNA CHAIN:  
Modulation: QPSK

30 MHz  
1  
Modulation: 16QAM







|                            |                                |  |                      |
|----------------------------|--------------------------------|--|----------------------|
| <b>Test specification:</b> |                                | <b>Section 96.41(e), Emission mask</b> |                      |
| <b>Test procedure:</b>     |                                | Section 96.41(e)(3)                    |                      |
| <b>Test mode:</b>          |                                | <b>Verdict:</b> PASS                   |                      |
| <b>Date(s):</b>            |                                |  |                      |
| 14-Dec-21                  |                                |  |                      |
| <b>Temperature:</b> 25 °C  | <b>Relative Humidity:</b> 54 % | <b>Air Pressure:</b> 1011 hPa          | <b>Power:</b> 48 VDC |
| <b>Remarks:</b>            |                                |  |                      |

Plot 7.4.26 Emission outside the fundamental test results at low carrier frequency

CHANNEL SPACING:  
ANTENNA CHAIN:  
Modulation: 64QAM

30 MHz  
1  
Modulation: 256QAM







|                            |                                |  |                      |
|----------------------------|--------------------------------|--|----------------------|
| <b>Test specification:</b> |                                | <b>Section 96.41(e), Emission mask</b> |                      |
| <b>Test procedure:</b>     |                                | Section 96.41(e)(3)                    |                      |
| <b>Test mode:</b>          |                                | <b>Verdict:</b> PASS                   |                      |
| <b>Date(s):</b>            |                                |  |                      |
| 14-Dec-21                  |                                |  |                      |
| <b>Temperature:</b> 25 °C  | <b>Relative Humidity:</b> 54 % | <b>Air Pressure:</b> 1011 hPa          | <b>Power:</b> 48 VDC |
| <b>Remarks:</b>            |                                |  |                      |

Plot 7.4.27 Emission outside the fundamental test results at low carrier frequency

CHANNEL SPACING:  
ANTENNA CHAIN:  
Modulation: QPSK

30 MHz  
2  
Modulation: 16QAM







|                            |                                |  |                      |
|----------------------------|--------------------------------|--|----------------------|
| <b>Test specification:</b> |                                | <b>Section 96.41(e), Emission mask</b> |                      |
| <b>Test procedure:</b>     |                                | Section 96.41(e)(3)                    |                      |
| <b>Test mode:</b>          |                                | <b>Verdict:</b> PASS                   |                      |
| <b>Date(s):</b>            |                                |  |                      |
| 14-Dec-21                  |                                |  |                      |
| <b>Temperature:</b> 25 °C  | <b>Relative Humidity:</b> 54 % | <b>Air Pressure:</b> 1011 hPa          | <b>Power:</b> 48 VDC |
| <b>Remarks:</b>            |                                |  |                      |

Plot 7.4.28 Emission outside the fundamental test results at low carrier frequency

CHANNEL SPACING:  
ANTENNA CHAIN:  
Modulation: 64QAM

30 MHz  
2  
Modulation: 256QAM







|                            |                                |  |                      |
|----------------------------|--------------------------------|--|----------------------|
| <b>Test specification:</b> |                                | <b>Section 96.41(e), Emission mask</b> |                      |
| <b>Test procedure:</b>     |                                | Section 96.41(e)(3)                    |                      |
| <b>Test mode:</b>          |                                | <b>Verdict:</b> PASS                   |                      |
| <b>Date(s):</b>            |                                |  |                      |
| 14-Dec-21                  |                                |  |                      |
| <b>Temperature:</b> 25 °C  | <b>Relative Humidity:</b> 54 % | <b>Air Pressure:</b> 1011 hPa          | <b>Power:</b> 48 VDC |
| <b>Remarks:</b>            |                                |  |                      |

Plot 7.4.29 Emission outside the fundamental test results at low carrier frequency

CHANNEL SPACING:  
ANTENNA CHAIN:  
Modulation: QPSK

30 MHz  
3  
Modulation: 16QAM







|  |                                |                               |                      |
|--|--------------------------------|-------------------------------|----------------------|
| <b>Test specification:</b> Section 96.41(e), Emission mask |                                |                               |                      |
| <b>Test procedure:</b> Section 96.41(e)(3)                 |                                |                               |                      |
| <b>Test mode:</b> Compliance                               |                                | <b>Verdict:</b> PASS          |                      |
| <b>Date(s):</b> 14-Dec-21                                  |                                |                               |                      |
| <b>Temperature:</b> 25 °C                                  | <b>Relative Humidity:</b> 54 % | <b>Air Pressure:</b> 1011 hPa | <b>Power:</b> 48 VDC |
| <b>Remarks:</b>  |                                |                               |                      |

Plot 7.4.30 Emission outside the fundamental test results at low carrier frequency

CHANNEL SPACING:  
ANTENNA CHAIN:  
Modulation: 64QAM

30 MHz  
3  
Modulation: 256QAM









|                            |                                |  |                      |
|----------------------------|--------------------------------|--|----------------------|
| <b>Test specification:</b> |                                | <b>Section 96.41(e), Emission mask</b> |                      |
| <b>Test procedure:</b>     |                                | Section 96.41(e)(3)                    |                      |
| <b>Test mode:</b>          |                                | <b>Verdict:</b> PASS                   |                      |
| <b>Date(s):</b>            |                                |  |                      |
| 14-Dec-21                  |                                |  |                      |
| <b>Temperature:</b> 25 °C  | <b>Relative Humidity:</b> 54 % | <b>Air Pressure:</b> 1011 hPa          | <b>Power:</b> 48 VDC |
| <b>Remarks:</b>            |                                |  |                      |

Plot 7.4.31 Emission outside the fundamental test results at low carrier frequency

CHANNEL SPACING:  
ANTENNA CHAIN:  
Modulation: QPSK

30 MHz  
4  
Modulation: 16QAM







|                     |                         |                                 |               |
|---------------------|-------------------------|---------------------------------|---------------|
| Test specification: |                         | Section 96.41(e), Emission mask |               |
| Test procedure:     |                         | Section 96.41(e)(3)             |               |
| Test mode:          |                         | Verdict: PASS                   |               |
| Date(s):            |                         |                                 |               |
| 14-Dec-21           |                         |                                 |               |
| Temperature: 25 °C  | Relative Humidity: 54 % | Air Pressure: 1011 hPa          | Power: 48 VDC |
| Remarks:            |                         |                                 |               |

Plot 7.4.32 Emission outside the fundamental test results at low carrier frequency

CHANNEL SPACING:  
ANTENNA CHAIN:  
Modulation: 64QAM

30 MHz  
4  
Modulation: 256QAM







|                     |                         |                                 |               |
|---------------------|-------------------------|---------------------------------|---------------|
| Test specification: |                         | Section 96.41(e), Emission mask |               |
| Test procedure:     |                         | Section 96.41(e)(3)             |               |
| Test mode:          |                         | Verdict: PASS                   |               |
| Date(s):            |                         |                                 |               |
| 14-Dec-21           |                         |                                 |               |
| Temperature: 25 °C  | Relative Humidity: 54 % | Air Pressure: 1011 hPa          | Power: 48 VDC |
| Remarks:            |                         |                                 |               |

Plot 7.4.33 Emission outside the fundamental test results at mid carrier frequency

CHANNEL SPACING:  
ANTENNA CHAIN:  
Modulation: QPSK

30 MHz  
1  
Modulation: 16QAM







|  |                                |                               |                      |
|--|--------------------------------|-------------------------------|----------------------|
| <b>Test specification:</b> Section 96.41(e), Emission mask |                                |                               |                      |
| <b>Test procedure:</b> Section 96.41(e)(3)                 |                                |                               |                      |
| <b>Test mode:</b> Compliance                               |                                | <b>Verdict:</b> PASS          |                      |
| <b>Date(s):</b> 14-Dec-21                                  |                                |                               |                      |
| <b>Temperature:</b> 25 °C                                  | <b>Relative Humidity:</b> 54 % | <b>Air Pressure:</b> 1011 hPa | <b>Power:</b> 48 VDC |
| <b>Remarks:</b>  |                                |                               |                      |

Plot 7.4.34 Emission outside the fundamental test results at mid carrier frequency

CHANNEL SPACING:  
ANTENNA CHAIN:  
Modulation: 64QAM

30 MHz  
1  
Modulation: 256QAM







|                     |                         |                                 |               |
|---------------------|-------------------------|---------------------------------|---------------|
| Test specification: |                         | Section 96.41(e), Emission mask |               |
| Test procedure:     |                         | Section 96.41(e)(3)             |               |
| Test mode:          |                         | Verdict: PASS                   |               |
| Date(s):            |                         |                                 |               |
| 14-Dec-21           |                         |                                 |               |
| Temperature: 25 °C  | Relative Humidity: 54 % | Air Pressure: 1011 hPa          | Power: 48 VDC |
| Remarks:            |                         |                                 |               |

Plot 7.4.35 Emission outside the fundamental test results at mid carrier frequency

CHANNEL SPACING:  
ANTENNA CHAIN:  
Modulation: QPSK

30 MHz  
2  
Modulation: 16QAM







|                     |                         |                                 |               |
|---------------------|-------------------------|---------------------------------|---------------|
| Test specification: |                         | Section 96.41(e), Emission mask |               |
| Test procedure:     |                         | Section 96.41(e)(3)             |               |
| Test mode:          |                         | Verdict: PASS                   |               |
| Date(s):            |                         |                                 |               |
| 14-Dec-21           |                         |                                 |               |
| Temperature: 25 °C  | Relative Humidity: 54 % | Air Pressure: 1011 hPa          | Power: 48 VDC |
| Remarks:            |                         |                                 |               |

Plot 7.4.36 Emission outside the fundamental test results at mid carrier frequency

CHANNEL SPACING:  
ANTENNA CHAIN:  
Modulation: 64QAM

30 MHz  
2  
Modulation: 256QAM







|                     |                         |                                 |               |
|---------------------|-------------------------|---------------------------------|---------------|
| Test specification: |                         | Section 96.41(e), Emission mask |               |
| Test procedure:     |                         | Section 96.41(e)(3)             |               |
| Test mode:          |                         | Verdict: PASS                   |               |
| Date(s):            |                         |                                 |               |
| 14-Dec-21           |                         |                                 |               |
| Temperature: 25 °C  | Relative Humidity: 54 % | Air Pressure: 1011 hPa          | Power: 48 VDC |
| Remarks:            |                         |                                 |               |

Plot 7.4.37 Emission outside the fundamental test results at mid carrier frequency

CHANNEL SPACING:  
ANTENNA CHAIN:  
Modulation: QPSK

30 MHz  
3  
Modulation: 16QAM







|                     |                         |                                 |               |
|---------------------|-------------------------|---------------------------------|---------------|
| Test specification: |                         | Section 96.41(e), Emission mask |               |
| Test procedure:     |                         | Section 96.41(e)(3)             |               |
| Test mode:          |                         | Verdict: PASS                   |               |
| Date(s):            |                         |                                 |               |
| 14-Dec-21           |                         |                                 |               |
| Temperature: 25 °C  | Relative Humidity: 54 % | Air Pressure: 1011 hPa          | Power: 48 VDC |
| Remarks:            |                         |                                 |               |

Plot 7.4.38 Emission outside the fundamental test results at mid carrier frequency

CHANNEL SPACING:  
ANTENNA CHAIN:  
Modulation: 64QAM

30 MHz  
3  
Modulation: 256QAM









|                            |                                |  |                      |
|----------------------------|--------------------------------|--|----------------------|
| <b>Test specification:</b> |                                | <b>Section 96.41(e), Emission mask</b> |                      |
| <b>Test procedure:</b>     |                                | Section 96.41(e)(3)                    |                      |
| <b>Test mode:</b>          |                                | <b>Verdict:</b> PASS                   |                      |
| <b>Date(s):</b>            |                                |  |                      |
| 14-Dec-21                  |                                |  |                      |
| <b>Temperature:</b> 25 °C  | <b>Relative Humidity:</b> 54 % | <b>Air Pressure:</b> 1011 hPa          | <b>Power:</b> 48 VDC |
| <b>Remarks:</b>            |                                |  |                      |

Plot 7.4.39 Emission outside the fundamental test results at mid carrier frequency

CHANNEL SPACING:  
ANTENNA CHAIN:  
Modulation: QPSK

30 MHz  
4  
Modulation: 16QAM







|                     |                         |                                 |               |
|---------------------|-------------------------|---------------------------------|---------------|
| Test specification: |                         | Section 96.41(e), Emission mask |               |
| Test procedure:     |                         | Section 96.41(e)(3)             |               |
| Test mode:          |                         | Verdict: PASS                   |               |
| Date(s):            |                         |                                 |               |
| 14-Dec-21           |                         |                                 |               |
| Temperature: 25 °C  | Relative Humidity: 54 % | Air Pressure: 1011 hPa          | Power: 48 VDC |
| Remarks:            |                         |                                 |               |

Plot 7.4.40 Emission outside the fundamental test results at mid carrier frequency

CHANNEL SPACING:  
ANTENNA CHAIN:  
Modulation: 64QAM

30 MHz  
4  
Modulation: 256QAM







|  |                                |                               |                      |
|--|--------------------------------|-------------------------------|----------------------|
| <b>Test specification:</b> Section 96.41(e), Emission mask |                                |                               |                      |
| <b>Test procedure:</b> Section 96.41(e)(3)                 |                                |                               |                      |
| <b>Test mode:</b> Compliance                               |                                | <b>Verdict:</b> PASS          |                      |
| <b>Date(s):</b> 14-Dec-21                                  |                                |                               |                      |
| <b>Temperature:</b> 25 °C                                  | <b>Relative Humidity:</b> 54 % | <b>Air Pressure:</b> 1011 hPa | <b>Power:</b> 48 VDC |
| <b>Remarks:</b>  |                                |                               |                      |

**Plot 7.4.41 Emission outside the fundamental test results at high carrier frequency**

CHANNEL SPACING:  
ANTENNA CHAIN:  
Modulation: QPSK

30 MHz  
1  
Modulation: 16QAM







|                            |                                |  |                      |
|----------------------------|--------------------------------|--|----------------------|
| <b>Test specification:</b> |                                | <b>Section 96.41(e), Emission mask</b> |                      |
| <b>Test procedure:</b>     |                                | Section 96.41(e)(3)                    |                      |
| <b>Test mode:</b>          |                                | <b>Verdict:</b> PASS                   |                      |
| <b>Date(s):</b>            |                                |  |                      |
| 14-Dec-21                  |                                |  |                      |
| <b>Temperature:</b> 25 °C  | <b>Relative Humidity:</b> 54 % | <b>Air Pressure:</b> 1011 hPa          | <b>Power:</b> 48 VDC |
| <b>Remarks:</b>            |                                |  |                      |

Plot 7.4.42 Emission outside the fundamental test results at high carrier frequency

CHANNEL SPACING:  
ANTENNA CHAIN:  
Modulation: 64QAM

30 MHz  
1  
Modulation: 256QAM







|                     |                         |                                 |               |
|---------------------|-------------------------|---------------------------------|---------------|
| Test specification: |                         | Section 96.41(e), Emission mask |               |
| Test procedure:     |                         | Section 96.41(e)(3)             |               |
| Test mode:          |                         | Verdict: PASS                   |               |
| Date(s):            |                         |                                 |               |
| 14-Dec-21           |                         |                                 |               |
| Temperature: 25 °C  | Relative Humidity: 54 % | Air Pressure: 1011 hPa          | Power: 48 VDC |
| Remarks:            |                         |                                 |               |

Plot 7.4.43 Emission outside the fundamental test results at high carrier frequency

CHANNEL SPACING:  
ANTENNA CHAIN:  
Modulation: QPSK

30 MHz  
2  
Modulation: 16QAM







|                            |                                |  |                      |
|----------------------------|--------------------------------|--|----------------------|
| <b>Test specification:</b> |                                | <b>Section 96.41(e), Emission mask</b> |                      |
| <b>Test procedure:</b>     |                                | Section 96.41(e)(3)                    |                      |
| <b>Test mode:</b>          |                                | <b>Verdict:</b> PASS                   |                      |
| <b>Date(s):</b>            |                                |  |                      |
| 14-Dec-21                  |                                |  |                      |
| <b>Temperature:</b> 25 °C  | <b>Relative Humidity:</b> 54 % | <b>Air Pressure:</b> 1011 hPa          | <b>Power:</b> 48 VDC |
| <b>Remarks:</b>            |                                |  |                      |

Plot 7.4.44 Emission outside the fundamental test results at high carrier frequency

CHANNEL SPACING:  
ANTENNA CHAIN:  
Modulation: 64QAM

30 MHz  
2  
Modulation: 256QAM







|                            |                                |  |                      |
|----------------------------|--------------------------------|--|----------------------|
| <b>Test specification:</b> |                                | <b>Section 96.41(e), Emission mask</b> |                      |
| <b>Test procedure:</b>     |                                | Section 96.41(e)(3)                    |                      |
| <b>Test mode:</b>          |                                | <b>Verdict:</b> PASS                   |                      |
| <b>Date(s):</b>            |                                |  |                      |
| 14-Dec-21                  |                                |  |                      |
| <b>Temperature:</b> 25 °C  | <b>Relative Humidity:</b> 54 % | <b>Air Pressure:</b> 1011 hPa          | <b>Power:</b> 48 VDC |
| <b>Remarks:</b>            |                                |  |                      |

Plot 7.4.45 Emission outside the fundamental test results at high carrier frequency

CHANNEL SPACING:  
ANTENNA CHAIN:  
Modulation: QPSK

30 MHz  
3  
Modulation: 16QAM







|                            |                                |  |                      |
|----------------------------|--------------------------------|--|----------------------|
| <b>Test specification:</b> |                                | <b>Section 96.41(e), Emission mask</b> |                      |
| <b>Test procedure:</b>     |                                | Section 96.41(e)(3)                    |                      |
| <b>Test mode:</b>          |                                | <b>Verdict:</b> PASS                   |                      |
| <b>Date(s):</b>            |                                |  |                      |
| 14-Dec-21                  |                                |  |                      |
| <b>Temperature:</b> 25 °C  | <b>Relative Humidity:</b> 54 % | <b>Air Pressure:</b> 1011 hPa          | <b>Power:</b> 48 VDC |
| <b>Remarks:</b>            |                                |  |                      |

Plot 7.4.46 Emission outside the fundamental test results at high carrier frequency

CHANNEL SPACING:  
ANTENNA CHAIN:  
Modulation: 64QAM

30 MHz  
3  
Modulation: 256QAM









|  |                                |                               |                      |
|--|--------------------------------|-------------------------------|----------------------|
| <b>Test specification:</b> Section 96.41(e), Emission mask |                                |                               |                      |
| <b>Test procedure:</b> Section 96.41(e)(3)                 |                                |                               |                      |
| <b>Test mode:</b> Compliance                               |                                | <b>Verdict:</b> PASS          |                      |
| <b>Date(s):</b> 14-Dec-21                                  |                                |                               |                      |
| <b>Temperature:</b> 25 °C                                  | <b>Relative Humidity:</b> 54 % | <b>Air Pressure:</b> 1011 hPa | <b>Power:</b> 48 VDC |
| <b>Remarks:</b>  |                                |                               |                      |

Plot 7.4.47 Emission outside the fundamental test results at high carrier frequency

CHANNEL SPACING:  
ANTENNA CHAIN:  
Modulation: QPSK

30 MHz  
4  
Modulation: 16QAM



|                     |                         |                                 |               |
|---------------------|-------------------------|---------------------------------|---------------|
| Test specification: |                         | Section 96.41(e), Emission mask |               |
| Test procedure:     |                         | Section 96.41(e)(3)             |               |
| Test mode:          |                         | Verdict: PASS                   |               |
| Date(s):            |                         |                                 |               |
| 14-Dec-21           |                         |                                 |               |
| Temperature: 25 °C  | Relative Humidity: 54 % | Air Pressure: 1011 hPa          | Power: 48 VDC |
| Remarks:            |                         |                                 |               |

Plot 7.4.48 Emission outside the fundamental test results at high carrier frequency

CHANNEL SPACING:  
ANTENNA CHAIN:  
Modulation: 64QAM

30 MHz  
4  
Modulation: 256QAM

