SETUP PHOTOGRAPHS  This document contains 17 photographs			

Photograph No.1
Peak output power, occupied bandwidth and conducted spurious emissions measurement setup



Photograph No.2
Spurious emissions measurement setup in the anechoic chamber below 30 MHz (ProST)



Photograph No.3
Spurious emissions measurement setup in the anechoic chamber below 30 MHz (EasyST)



Photograph No.4
Spurious emissions measurement setup in the anechoic chamber in 30 -1000 MHz (ProST)



Photograph No.5
Spurious emissions measurement setup in the anechoic chamber above 1000 MHz (ProST)



Photograph No.6
Spurious emissions measurement setup in the anechoic chamber above 1000 MHz (EasyST)



Photograph No.7
Radiated emissions measurement setup at the OATS above 1000 MHz (ProST)



Photograph No.8
Setup of substitution ERP measurements of spurious at the OATS



Photograph No.9 Frequency stability measurement setup



Photograph No.10 Frequency stability measurement setup (EasyST)



Photograph No.11 Conducted emissions measurement on AC line setup (ProST)




Photograph No.12 Conducted emissions measurement on AC line setup (ProST)



Photograph No.13 Conducted emissions measurement on AC line setup (EasyST)



Photograph No.14 Conducted emissions measurement on AC line setup (EasyST)



Photograph No.15
Radiated emissions measurement setup in the anechoic chamber (EasyST)



Photograph No.16
Radiated emissions measurement setup in the anechoic chamber (EasyST)



Photograph No.17
Radiated emissions measurement setup in the anechoic chamber (EasyST)

