

## LABEL

The label is affixed on the bottom of the subscriber radio unit as shown below.  
The label material is PVC with a permanent adhesive.

**“ProST 698-746M Ext” bottom panel, label with FCC ID:PIDASMAX700 location**




**“EasyST 698-746M” bottom panel, label with FCC ID:PIDASMAX700 location**



# ProST 698-746M Ext

P/N: 908-02-315 A1

S/N: 48FZYMXXXXXX



H/W MAC: 00A00AXXXXXX  
00A00AXXXXXX

This device complies with Part 15 of the FCC Rules.  
Operation is subject to the condition that  
this device does not cause harmful interference.

**FCC ID:PIDASMAX700**



N15488




## CAUTIONS !

- THIS DEVICE MUST BE INSTALLED BY AN AUTHORIZED TECHNICIAN.
- DO NOT CONNECT OR DISCONNECT ANTENNA, DATA & PWR CONNECTORS WHILE THE UNIT IS UNDER POWER.
- SET MAX Tx POWER UNDER LOCAL REGULATION RESTRICTION (CONSIDER ANTENNA GAIN).

## ATTENTION!

- CET APPAREIL DOIT ETRE INSTALLE PAR UN TECHNICIEN AUTORISE.
- NE BRANCHEZ PAS ET NE DECONNECTEZ PAS LES CONNECTEURS DE DONNEES ET DE COURANT PENDANT QUE L'APPAREIL EST SOUS TENSION.
- FIXEZ LA PUISSANCE DE TRANSMISSION MAXIMALE (Tx MAX) SELON LES RESTRICTIONS DE LA REGLEMENTATION LOCALE (PRENEZ EN COMPTE LE GAIN D'ANTENNE).

POWER INPUT: 10-52VDC , 1A Max



P/N: 908-01-814 A3

S/N: 48EZYMXXXXXX




H/W MAC: 00A00AXXXXXX  
00A00AXXXXXX

# EasyST 698-746M



This device complies with Part 15 of the FCC Rules. Operation is subject to the condition that this device does not cause harmful interference.



**FCC ID:PIDASMAX700**

POWER INPUT: 6VDC , 1.5A  
WARRANTY VOID IF OPENED

