








HERMON LABORATORIES

Test specification: Section 96.41(e), Emission mask			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 19-Feb-23 - 16-Feb-23			
Temperature: 21 °C	Relative Humidity: 54 %	Air Pressure: 1012 hPa	Power: 110 VAC, 50 Hz
Remarks:			

Plot 7.4.5 Emission mask test results at mid carrier frequency

CHANNEL SPACING:
ANTENNA CHAIN:
Modulation: QPSK

10 MHz
1
Modulation: 256QAM











HERMON LABORATORIES

Test specification: Section 96.41(e), Emission mask	
Test procedure: Section 96.41(e)(3)	
Test mode: Compliance	Verdict: PASS
Date(s): 19-Feb-23 - 16-Feb-23	
Temperature: 21 °C	Relative Humidity: 54 %
Air Pressure: 1012 hPa	Power: 110 VAC, 50 Hz
Remarks:	

Plot 7.4.6 Emission mask test results at mid carrier frequency

CHANNEL SPACING:
ANTENNA CHAIN:
Modulation: QPSK

10 MHz
2
Modulation: 256QAM











HERMON LABORATORIES

Test specification: Section 96.41(e), Emission mask			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 19-Feb-23 - 16-Feb-23			
Temperature: 21 °C	Relative Humidity: 54 %	Air Pressure: 1012 hPa	Power: 110 VAC, 50 Hz
Remarks:			

Plot 7.4.7 Emission mask test results at mid carrier frequency

CHANNEL SPACING:
ANTENNA CHAIN:
Modulation: QPSK

10 MHz
3
Modulation: 256QAM











HERMON LABORATORIES

Test specification: Section 96.41(e), Emission mask	
Test procedure: Section 96.41(e)(3)	
Test mode: Compliance	Verdict: PASS
Date(s): 19-Feb-23 - 16-Feb-23	
Temperature: 21 °C	Relative Humidity: 54 %
Air Pressure: 1012 hPa	Power: 110 VAC, 50 Hz
Remarks:	

Plot 7.4.8 Emission mask test results at mid carrier frequency

CHANNEL SPACING:
ANTENNA CHAIN:
Modulation: QPSK

10 MHz
4
Modulation: 256QAM











HERMON LABORATORIES

Test specification: Section 96.41(e), Emission mask			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict:	PASS
Date(s): 19-Feb-23 - 16-Feb-23			
Temperature: 21 °C	Relative Humidity: 54 %	Air Pressure: 1012 hPa	Power: 110 VAC, 50 Hz
Remarks:			

Plot 7.4.9 Emission mask test results at high carrier frequency

CHANNEL SPACING:
ANTENNA CHAIN:
Modulation: QPSK

10 MHz
1
Modulation: 256QAM










HERMON LABORATORIES

Test specification: Section 96.41(e), Emission mask			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 19-Feb-23 - 16-Feb-23			
Temperature: 21 °C	Relative Humidity: 54 %	Air Pressure: 1012 hPa	Power: 110 VAC, 50 Hz
Remarks:			

Plot 7.4.10 Emission mask test results at high carrier frequency

CHANNEL SPACING:
ANTENNA CHAIN:
Modulation: QPSK

10 MHz
2
Modulation: 256QAM





HERMON LABORATORIES

Test specification: Section 96.41(e), Emission mask			
Test procedure: Section 96.41(e)(3)			
Test mode: Compliance		Verdict: PASS	
Date(s): 19-Feb-23 - 16-Feb-23			
Temperature: 21 °C	Relative Humidity: 54 %	Air Pressure: 1012 hPa	Power: 110 VAC, 50 Hz
Remarks:			

Plot 7.4.11 Emission mask test results at high carrier frequency

CHANNEL SPACING:
ANTENNA CHAIN:
Modulation: QPSK

10 MHz
3
Modulation: 256QAM

