APPLICANT: WIDELINK CO., LTD.

FCC ID: PISWWL-1100N

NAME OF TEST: RADIATED SPURIOUS EMISSIONS INTO ADJACENT

RESTRICTED BAND

Emissions that fall in the restricted bands REQUIREMENTS:

(15.205). These emissions must be less than

or equal to 500 uV/m (54 dBuV/m).

TEST PROCEDURE: An in band field strength measurement of the

fundamental emissions using the RBW and

detector function required by C63.4-2000 and FCC rules. The procedure was repeated with an average detector and a plot made. The calculated field strength in the adjacent

restricted band is presented below.

-102.60 dBm - from Plot

+ 29.21 dB - ACF

+ 1.1 dB - Coax Loss

- 72.99 dBm

+107.00


34.71 dBuV

APPLICANT: WIDELINK CO., LTD.

FCCID: PISWWL-1100N

REPORT #: T:\CUS\W\WIDECO\230K1\230K1RPT.DOC

PAGE #: 11



APPLICANT: WIDELINK CO., LTD.

FCC ID: PISWWL-1100N

NAME OF TEST: POWER SPECTRAL DENSITY

RULES PART NUMBER: 15.247(d)

REQUIREMENTS: The peak level measured must be no greater than

+8.0dBm.

DATA: THE PLOT IS ON THE NEXT PAGE.

The level at 2413.182MHz was -24.10dBm.

From Plot: -72.1 dBm +13.0 dB ATT

+35.0 Correction Factor

Calculation: -24.10 dBm

NAME OF TEST: PROCESSING GAIN

RULES PART NUMBER: 15.247(e)

REQUIREMENTS:

DATA: The processing gain information supplied by the manufacturer

is 10.0dB.

See Exhibits 7A-7F and 8A-8C for processing gain test

methods and data.

APPLICANT: WIDELINK CO., LTD.

FCCID: PISWWL-1100N

REPORT #: T:\CUS\W\WIDECO\230K1\230K1RPT.DOC

PAGE #: 13

