




Antenna SPEC----- CW-ANT-001SK(26#)




1

PASSIVE	TRP(dBm)	-1.42	-1.43	-1.41	-1.53	-1.61	-2.13	-2.45	-3.03	-3.45	-3.49	-3.26
	参数\频率(mhz)	2400	2410	2420	2430	2440	2450	2460	2470	2480	2490	2500
	Peak EIRP(dBm)	3.24	3.25	3.37	3.38	3.42	2.96	2.65	2.01	1.51	1.38	1.55
	Directivity	4.66	4.68	4.78	4.91	5.03	5.09	5.1	5.04	4.96	4.87	4.81
	Peak Gain(dBi)	3.24	3.25	3.37	3.38	3.42	2.96	2.65	2.01	1.51	1.38	1.55
	Avg Gain(dBi)	-1.6	-1.6	-1.58	-1.69	-1.77	-2.28	-2.59	-3.16	-3.58	-3.62	-3.4
	Efficiency(dB)	-1.42	-1.43	-1.41	-1.53	-1.61	-2.13	-2.45	-3.03	-3.45	-3.49	-3.26
	Efficiency(%)	72.11	71.94	72.28	70.31	69.02	61.24	56.89	49.77	45.19	44.77	47.21
	NHPRP $\pi/4$ (dBm)	-2.05	-2.07	-2.07	-2.2	-2.3	-2.83	-3.16	-3.75	-4.19	-4.23	-3.99
	NHPRP $\pi/6$ (dBm)	-3.48	-3.52	-3.55	-3.69	-3.81	-4.36	-4.72	-5.32	-5.77	-5.82	-5.57
	Min. EIRP(dBm)	-10.04	-10.22	-10.57	-10.84	-11.72	-13.49	-15.36	-18.1	-20.49	-20.63	-18.95
	Upper Hem. PRP(dBm)	-4.36	-4.38	-4.4	-4.54	-4.68	-5.26	-5.63	-6.24	-6.67	-6.69	-6.42
	Lower Hem. PRP(dBm)	-4.51	-4.5	-4.45	-4.53	-4.57	-5.03	-5.29	-5.84	-6.26	-6.32	-6.13
	Ant. Port Input Pwr.(dBm)	0	0	0	0	0	0	0	0	0	0	0






vm_1_passive_trp(e1)	2500
vm_1_passive_trp(e1)	2490
vm_1_passive_trp(e1)	2480
vm_1_passive_trp(e1)	2470
vm_1_passive_trp(e1)	2460
vm_1_passive_trp(e1)	2450
vm_1_passive_trp(e1)	2440
vm_1_passive_trp(e1)	2430
vm_1_passive_trp(e1)	2420
vm_1_passive_trp(e1)	2410
vm_1_passive_trp(e1)	2400




vm_2_passive_trp(e2)	2500
vm_2_passive_trp(e2)	2490
vm_2_passive_trp(e2)	2480
vm_2_passive_trp(e2)	2470
vm_2_passive_trp(e2)	2460
vm_2_passive_trp(e2)	2450
vm_2_passive_trp(e2)	2440
vm_2_passive_trp(e2)	2430
vm_2_passive_trp(e2)	2420
vm_2_passive_trp(e2)	2410
vm_2_passive_trp(e2)	2400


B: 50°



dBm (max): 2400
dBm (min): -10.4
名称: E1
日期: 2013/07/17
时间: 15:34:58





B: 45°



dBm (max): 2400
dBm (min): -10.4
名称: E2
日期: 2013/07/17
时间: 15:34:58







COPYRIGHT by COOLWAVE COMMUNICATION CO., LTD.

The information appearing in this document is believed to be accurate at the time of publication. However, Coolwave assumes no responsibility arising from the use of the specifications described. The applications mentioned herein are used solely for the purpose of illustration and Coolwave makes no warranty or representation that such applications will be suitable without further modification, nor recommends the use of its products for application that may present a risk to human life due to malfunction or otherwise. Coolwave's products are not authorized for use as critical components in life support devices or systems. Coolwave reserves the right to alter its products without prior notification. For the most up-to-date information, please visit our website at www.coolwaveasia.com