

No.: HM109496

## Test Report

Page 1 of 16

## **ACCREDITED TESTING LABORATORY**

DAR Registration No.: TTI-P-G150/98-00e

## ACCREADITED BY Deutsche Akkreditierungsstelle Technik (DATech) e.v.

## FCC PART 15 SUBPART B TEST REPORT

## TEST REPORT No.: HM109496

Equipment Under Test [EUT]: Model Number: Applicant: FCC ID: 6V DR w / large tire 49MHz RX 80434 Mattel Asia Pacific Sourcing Limited. PIY80434-03A4R

No.: HM109496

Test Report

Page 2 of 16

CONTENT:

	Cover Content Conclusion	Page 1 of 16 Page 2-3 of 16 Page 4 of 16
<u>1.0</u>	General Details	
1.1	Test Laboratory	Page 5 of 16
1.2	Applicant Details Applicant HKSTC Code Number for Applicant Manufacturer	Page 5 of 16
1.3	Equipment Under Test [EUT] Description of EUT operation	Page 6 of 16
1.4	Date of Order	Page 6 of 16
1.5	Submitted Sample	Page 6 of 16
1.6	Test Duration	Page 6 of 16
1.7	Country of Origin	Page 6 of 16
1.8	Additional Information of EUT	Page 7 of 16
<u>2.0</u>	Technical Details	
2.1	Investigations Requested	Page 8 of 16
2.2	Test Standards and Results Summary	Page 8 of 16
<u>3.0</u>	Test Results	
3.1	Emission	Page 9-13 of 16

No.: HM109496

# <u>Appendix A</u>

List of Measurement Equipment

**Test Report** 

Page 14 of 16

Page 3 of 16

### Appendix B

Photographs

Page 15-16 of 16

**Test Report** 

Page 4 of 16

No.: HM109496

#### CONCLUSION

The submitted product was deemed to have <u>COMPLIED</u> with the requirements of Federal Communications Commission [FCC] Rules and Regulations Part 15. The tests were performed in accordance with the standards described above and on Section 2.2 in this Test Report.

Verify by

Patrick Wong for Chief Executive

## **Test Report**

Page 5 of 16

No.: HM109496

#### 1.0 General Details

#### 1.1 Test Laboratory

The Hong Kong Standards and Testing Centre Ltd. EMC Laboratory 10 Dai Wang Street, Taipo Industrial Estate New Territories, Hong Kong

Telephone:	852 2666 1888
Fax:	852 2664 4353

#### 1.2 Applicant Details Applicant

MATTEL ASIA PACIFIC SOURCING LIMITED. 13/F., South Tower, World Finance Centre, Harbour City, TsimShaTsui, Kowloon, Hong Kong.

Telephone:	852 3185 5000
Fax:	852 2735 3578

#### **HKSTC Code Number for Applicant**

#### LUC001

#### Manufacturer

LUNG CHEONG TOYS LIMITED. Lung Cheong Building, 1 Lok Yip Road, On Lok Tsuen, Fanling,N.T., Hong Kong.

Telephone:	852 2677 6699
Fax:	852 2682 2161

**Test Report** 

Page 6 of 16

#### No.: HM109496

#### 1.3 Equipment Under Test [EUT] Description of Sample

Product:6V DR w / large tire 49MHz RXManufacturer:Lung Cheong Toys Limited.Brand Name:N/AModel Number:80434Input Voltage:9Vd.c. ("6F22" size battery x 1)

#### 1.3.1 Description of EUT Operation

The Equipment Under Test (EUT) is a Mattel Asia Pacific Sourcing Ltd., 6V DR w / large tire 49MHz RX

#### 1.4 Date of Order

2002-12-20

#### 1.5 Submitted Sample(s):

1 sample per model

#### 1.6 Test Duration

2002-12-30

#### 1.7 Country of Origin

China


## **Test Report**

## Page 7 of 16

No.: HM109496

#### 1.8 Additional Information of EUT

User Manual Part List Circuit Diagram Printed Circuit Board [PCB] Layout Block diagram FCC DOC Label



Not Available

**Test Report** 

Page 8 of 16

No.: HM109496

### 2.0 Technical Details

#### 2.1 Investigations Requested

Perform ElectroMagnetic Interference measurement in accordance with FCC 47CFR [Codes of Federal Regulations] Part 15 and ANSI C63.4: 2000 for FCC Certification.

#### 2.2 Test Standards and Results Summary Tables

EMISSION Results Summary								
Test Condition	Test Requirement	Test Method	Class /	Τe	est Resul	t		
			Severity	Pass	Failed	N/A		
Radiated Emissions, 30MHz to 1GHz	FCC 47CFR 15.109	ANSI C63.4:2000	Class B	$\boxtimes$				
Conducted Emissions on AC, 0.45MHz to 30MHz	FCC 47CFR 15.107	ANSI C63.4:2000	Class B	$\boxtimes$				

Note: N/A - Not Applicable

**Test Report** 

Page 9 of 16

No.: HM109496

#### 3.0 Test Results

#### 3.1 Emission


#### 3.1.1 Radiated Emissions (30 – 1000MHz)

Test Requirement: Test Method: Test Date: Mode of Operation: FCC 47CFR 15.109 Class B ANSI C63.4:2000 2002-12-30 On mode

#### **Test Method:**

The sample was placed 0.8m above the ground plane on the OATS \*. Measurements in both horizontal and vertical polarities were performed. During the test, each emission was maximized by: having the EUT continuously working, investigate all operating modes, rotated about all 3 axis (X, Y & Z) to obtain worst position, manipulating interconnecting cables, rotating turntable, varying antenna height from 1m to 4m in both horizontal and vertical polarizations. The emissions worst-case are shown in Test Results of the following pages.

\*: OATS [Open Area Test Site] located at HKSTC with a metal ground plane on filed with the FCC pursuant to section 2.948 of the FCC rules, with Registration Number: 90657.



## **Test Report**


No.: HM109496

Limited for Radiated Emissions [FCC 47 CFR 15.109 Class B]:

Frequency Range [MHz]	Quasi-Peak Limits [µV/m]
30-88	100
88-216	150
216-960	200
Above960	500

The emission limits shown in the above table are based on measurement employing a CISPR quasipeak detector and above 1000MHz are based on measurements employing an average detector.

#### **Results: Receiver**



## **Test Report**

No.: HM109496

**Results: Receiver** 

Radiated Emissions Quasi-Peak															
Frequency					Field	Limit @3m	Antenna								
	Lev	el @3m	Factor	S	Strength		Strength		Strength		Strength		strength		Polarity
MHz	dE	3μV/m	dBµV/m	d	BμV/m		μV/m	μV/m							
49.86	۷	1.0	10.0	۷	11.0	۷	3.5	100	Vertical						
99.72	۷	1.0	12.5	۷	13.5	۷	4.7	150	Vertical						
149.58	<	1.0	9.8	۷	10.8	<	3.5	150	Vertical						
199.44	۷	1.0	11.5	۷	12.5	۷	4.2	150	Vertical						
249.30	<	1.0	15.9	۷	16.9	<	7.0	200	Vertical						
299.16	۷	1.0	17.4	۷	18.4	۷	8.3	200	Vertical						
349.02	<	1.0	17.2	۷	18.2	۷	8.1	200	Vertical						
398.88	۷	1.0	18.8	۷	19.8	۷	9.8	200	Vertical						
448.74	<	1.0	19.7	۷	20.7	۷	10.8	200	Vertical						
498.60	<	1.0	20.6	<	21.6	<	12.0	200	Vertical						

\*\* For effective averaging, the bandwidth of the video filter must be smaller than the resolution bandwidth. The higher the ratio of resolution bandwidth to video bandwidth, the greater the averaging will be recorded. .Below setting for HP8572A EMI Receiver.

Calculated measurement uncertainty = 30MHz to 300MHz ±3.7dB 300MHz to 1GHz +3.0dB / -2.7dB

**Test Report** 

Page 12 of 16

No.: HM109496


#### 3.1.1 Conducted Emissions (0.45MHz to 30MHz)

Test Requirement: Test Method:	FCC 47CFR 15.107 ANSI C63.4:2000
Test Date:	2002-12-30
Mode of Operation:	On mode

#### **Test Method:**

The test was performed in accordance with ANSI C63.4: 1992, with the following: an initial measurement was performed in peak and average detection mode on the live line. Any emissions recorded within 30dB of the relevant limit line were re-measured using quasi-peak and average detection on the live and neutral lines with the worst case recorded in the table of results.





**Test Report** 

No.: HM109496

#### Limit for Conducted Emissions (FCC 47 CFR 15.107):

Frequency Range	Quasi-Peak Limits		
[MHz]	[µV/m]		
0.45-30	250		

Limits for Conducted Emissions Test, please refer to limit lines (Quasi-Peak and Average) in the following diagram labelled as (QP and AV).

#### Results: N/A

The EUT is operated by a single source of internal battery power [located in the battery compartment], therefore power line conducted emission was deemed unnecessary.

#### Remarks:

Calculated measurement uncertainty =  $\pm 2.3$ dB -\*- Emission greater than 30dB below limit line.

## **Test Report**

## Page 14 of 16

### No.: HM109496

### Appendix A

#### **Test Equipment Audit**

#### **Radiated Emission**

EQP NO.	DESCRIPTION	MANUFACTURER	MODEL NO.	SERIAL NO.	LAST CAL			
EM007	SPECTRUM ANALYZER	HEWLETT PACKARD	HP85660B	3144A21192	07/09/01			
EM008	SPECTRUM ANALYZER DISPLAY	HEWLETT PACKARD	HP85662A	3144A20514	07/09/01			
EM009	QUASI PEAK ADAPTOR	HEWLETT PACKARD	HP85650A	3303A01702	07/09/01			
EM010	RF PRESELECTOR	HEWLETT PACKARD	HP85685A	3221A01410	07/09/01			
EM011	ATTENNUATOR/SWITCH	HEWLETT PACKARD	HP11713A	2508A10595	07/09/01			
EM012	PRE-AMPLIFIER	HEWLETT PACKARD	HP8449B	3008A00262	07/09/01			
EM013	CONTROLLER (COMPUTER), COLOR MONITOR, KEYBOARD & MOUSE FLOPPY DRIVE	HEWLETT PACKARD HEWLETT PACKARD HEWLETT PACKARD	HP9000 HP A1097C HP9133L	6226A60314 3151J39517 2623A02468	СМ			
EM020	HORN ANTENNA	EMCO	3115	4032	19/07/00			
EM022	LOOP ANTENNA	EMCO	6502	1189-2424	04/08/00			
EM072	SIGNAL GENERATOR	HEWLETT PACKARD	8640B	1948A11892	N/A			
EM083	HKSTC OPEN AREA TEST SITE	HKSTC	N/A	N/A	14/02/02			
EM131	PORTABLE SPECTRUM ANALYSER	HEWLETT PACKARD	8595EM	3710A00155	18/12/01			
EM145	EMI TEST RECEIVER	R&S	ESCS 30	830245/021	22/07/02			
EM194	BICONILOG ANTENNA	EMCO	3142B	1795	14/05/02			
EM195	ANTENNA POSITIONING MAST	EMCO	2075	2368	N/A			
EM196	MULTI-DEVICE CONTROLLER	EMCO	2090	1662	N/A			

#### **Conducted Emission**

EQP NO.	DESCRIPTION	MANUFACTURER	MODEL NO.	SERIAL NO.	LAST CAL
EM078	VARIAC	SHANGHAI VOLTAGE	TDGC-3/0.5	N/A	СМ
EM081	SMALL SCREENED ROOM	MIKO INST HK	N/A	N/A	04/10/01
EM119	LISN	R & S	ESH3-Z5	0831.5518.52	31/08/00
EM127	ISOLATION TRANSFORMER 220 TO 300	WING SUN	N/A	N/A	СМ
EM142	PULES LIMITER	R & S	ESH3Z2	357.8810.52	04/07/01
EM181	EMI TEST RECEIVER	R & S	ESIB7	100072	28/11/01
EM154	SHIELDING ROOM	SIEMENA MATSUSHITA COMPONENTS	N/A	803-740-057- 99A	02/01/02
EM197	LISN	EMCO	4825/2	1193	28/03/02

#### Remarks:

CM Corrective Maintenance

- N/A Not Applicable or Not Available
- TBD To Be Determined

## Date: 2003-01-15 No.: HM109496

# Test Report

Page 15 of 16

Appendix B

Photographs of EUT

Front View of the product




Inner Circuit Top View

Rear View of the product



**Inner Circuit Bottom View** 





Date: 2003-01-15 No.: HM109496

# Test Report

Page 16 of 16

Photographs of EUT

### Measurement of Radiated Emission Test Set Up



End of Document