

Page: 1 of 28

# **FCC Test Report**

Application No.: T31620210136EM

Applicant: MATTEL ASIA PACIFIC SOURCING LIMITED

Address: 13/F., South Tower,

World Finance Centre, Harbour City, Tsimshatsui, Kowloon, Hong Kong.

**Product Information:** 

Product Description: HOTWHEELS AI INTELLIENT RACE SYSTEM - CAR (2.4GHz

TRANSCEIVER)

Model: FBL83R
Assortment No.: FBL83R
Associated Toy number: FBL83T
Age Grading: 8+

**Product Class:** Low Power Communication Device – Transmitter (2.4 GHz)

FCC ID: PIYFBL83-16A5R

Requirement: CFR 47 FCC PART 15 SUBPART C, 2015

Intentional Radiators (Section 15.249)

**Date of Receipt**: 2016-06-0

**Date of Test**: 2016-06-11 to 2016-06-15

Date of Issue: 2016-09-08

Test Result : PASS\*

In the configuration tested, the EUT complied with the requirements for the relevant clauses of Federal Communications Commission Rules as specified above.

Authorized Signature:

CHEN Jian-feng, Jeffrey

The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevants tandards.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government. All test results in this report can be traceable to National or International Standards.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspxand-for electronic format documents">http://www.sgs.com/en/Terms-and-Conditions.aspxand-for electronic format documents</a>, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documenta.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documenta.aspx.</a> Attention is drawn to the limits of adaptive, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exone rate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: T3162021013602 Page: 2 of 28

## **Test Summary**

Test	Test Requirement	Test Method	Result
Conducted Emission (150KHz to 30MHz)	FCC PART 15, SUBPART C: 2015	ANSI C63.10:2013	N/A
Radiated Emission (9kMHz to 1GHz)	FCC PART 15, SUBPART C: 2015	ANSI C63.10:2013	PASS
Radiated Emission above 1 GHz	FCC PART 15, SUBPART C: 2015	ANSI C63.10:2013	PASS
Restricted bands around fundamental frequency (Radiated Emission)	FCC PART 15, SUBPART C: 2015	ANSI C63.10:2013	PASS
20dB bandwidth	FCC PART 15, SUBPART C: 2015	ANSI C63.10:2013	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on requestor accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any hoter of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exoneate paties to a transaction of comments. This document annot be reproduced except in full, without prior written approval of the Company. Any unautho tized alteration, to reprove falsification of the content or appearance of this document is unlawful and o flenders may be prosecuted to the fullest extent of the law.



Report No.: T3162021013602 Page: 3 of 28

## **Contents**

		Page
1	COVER PAGE	1
2	TEST SUMMARY	2
3	CONTENTS	3
4	GENERAL INFORMATION	4
	4.1 GENERAL DESCRIPTION OF EUT	4
	4.2 Details of EUT	
	4.3 CONDITIONS OF EUT	
	4.4 DESCRIPTION OF SUPPORT UNITS	
	4.5STANDARDS APPLICABLE FOR TESTING	
	4.6 TEST LOCATION	
	4.7 TEST FACILITY  4.8 DEVIATION FROM STANDARDS.	
	4.9 ABNORMALITIES FROM STANDARD CONDITIONS	
	4.10 DECLARATION OF FAMILY GROUPING.	
	4.11 Abbreviations	
5	EQUIPMENTS USED DURING TEST	6
6	TEST RESULTS	Q
	6.1 CONDUCTED EMISSIONS MAINS TERMINALS, 150kHz to 30MHz	
	6.2 RADIATED EMISSIONS, 9KHZ TO 1GHZ	
	6.2.1 EUT Operation	
	6.2.3 Measurement Data	
	6.3 RADIATED EMISSIONS ABOVE 1 GHZ	
	6.3.1 EUT Operation	
	6.3.2 Test Setup and Procedure	
	6.3.3 Measurement Data	
	6.4 RESTRICTED BANDS AROUND FUNDAMENTAL FREQUENCY	18
6.5	5 20 DB BANDWIDTH	20
Ρŀ	HOTOGRAPHS	22
	7.1 RADIATD EMISSION TEST SETUP	
	7.1 RADIATD EMISSION 1 EST SETUP	
	7.3 EUT INTERNAL PHOTO	
	/ W EV I INTERNALI INTO	∠∪

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on requestor accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any hoter of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exoneate paties to a transaction of comments. This document annot be reproduced except in full, without prior written approval of the Company. Any unautho tized alteration, to reprove falsification of the content or appearance of this document is unlawful and o flenders may be prosecuted to the fullest extent of the law.



Page: 4 of 28

## 4 General Information

### 4.1 General Description of EUT

Product Description: HOTWHEELS AI INTELLIENT RACE SYSTEM - CAR (2.4GHz

TRANSCEIVER)

Model No.: FBL83R

Serial No.:

#### 4.2 Details of EUT

Power Supply: DC 4.5 (AAA battery x 3)

Operating Frequency 2405-2463MHz

Antenna Type: Unreplaceble internal Integral antenna



Modulation Type: GFSK

Test frequency tested are the lowest channel: 1 channel (2405MHz), middle channel: 2 channel (2433MHz) and highest channel: 3 channel (2463MHz)

Channel configuration method:

- 1. Press the switch on to enter test mode
- 2. Press the button to change the channel from low to high frequecny

#### 4.3 Conditions of EUT

The received sample was under good condition.

#### 4.4 Description of Support Units

1. All field strength measures in this test report were done by the sample which set the frequency with continuous transmission

#### 4.5Standards Applicable for Testing

CFR 47, FCC Part 15, 2015

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documentaspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any hother of this document is advised that information contained hereon reflects her Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exone ate paties to a transaction of comments. This document annot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, to grey or falsification of the contentor appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Un less otherwise stated the results shown in this test report refer only to the sam ple(s) tested and such sam ple(s) are retained for 30 days only.

y **.** 

FCC ID: PIYFBL83-16A5R



Page: 5 of 28

ANSI C63.10:2013

#### 4.6 Test Location

All tests were performed at:

SGS IECC Limited (Member of the SGS Group (SGS SA))

Units 303-305, 3/F., 31 Lok Yip Road, On Lok Tsuen, Fanling, N.T., Hong Kong

Tel: +852 2305 2570 Fax: +852 2756 4480

#### 4.7 Test Facility

Measurement facility located at Fanling (Hong Kong), placed on file with the FCC Pursuant to Section 2.948 of the FCC Rules (FCC Registration No.: 97774).

The test facility is recognized, certified, or accredited by the following organizations:

FCC - CAB Registration No.: 446297

Measurement facility located at Fanling (Hong Kong), accredited as a Conformity Assessment Body (CAB) and was designated by FCC to perform compliance testing on equipment subject to Declaration Of Conformity (DOC) and Certification under Part 15 and 18 of the Commission's Rules.

#### 4.8 Deviation from Standards

None.

#### 4.9 Abnormalities from Standard Conditions

None.

## 4.10 Declaration of Family Grouping

None.

#### 4.11 Abbreviations

N/A: Not Applicable

**EUT: Equipment Under Test** 

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on requestor accessible at <a href="http://www.sgs.com/en/Terms-e-Documents-spx">http://www.sgs.com/en/Terms-e-Documents-spx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any hoter of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exone ate paties to a transaction from exercising all their rights and obligations under the transaction downers. This document annot be exproduced except in full, without prior written approval of the Company. Any unauthorized alteration, to repersonal silication of the contentor appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Un less otherwise stated the results shown in this test report refer only to the sam ple(s) tested and such sam ple(s) are retained for 30 days only.

у.



Page: 6 of 28

## 5 Equipments Used during Test

Conducted Emission				
Equipment	Manufacturer	Model / Serial No.	Cal. Date	Cal. Due Date
Test Receiver	Rohde & Schwarz	ESHS 30 / 839667/002	2015/09/29	2016/09/28
Artificial Mains Network (LISN)	Schwarzbeck	NSLK 8127 / 8127312	2016/04/20	2017/04/19
Impulse Limiter	Rohde & Schwarz	ESH-3-Z2 / 357881052	2015/02/02	2017/02/01

Radiated Emission				
Equipment	Manufacturer	Model / Serial No.	Cal. Date	Cal. Due Date
3m Semi-Anechoic Chamber (pre-test)				
3m / 10m Open Aera Test Site			2015/03/11	2018/03/10
Test Receiver	Rohde & Schwarz	ESCS 30 / 100388	2014/10/17	2016/09/28
Spectrum Analyzer	Rohde & Schwarz	FSP 30 / 101474	2016/06/12	2017/06/11
Loop antenna	Rohde & Schwarz	HFH2-Z2 / 871336/48	2016/01/23	2019/01/22
Antenna 30-1000MHz	Schaffner	CBL6111C / 2791	2014/10/19	2016/10/18
Horn Antenna 1-18GHz	Schwarzbeck	BBHA9120D / 9120D-1070	2016/01/23	2018/01/22
Horn Antenna 15-26.5GHz	Schwarzbeck	BBHA9170 / 9170-492	2014/11/24	2016/11/23
Preamplifier 10MHz – 6GHz	Schwarzbeck	BBV9743 / 9743-052	2016/03/09	2017/03/08
Preamplifier 1-18GHz	Schwarzbeck	BBV9718 / 9718-223	2016/01/23	2017/01/22
Preamplifier 18- 26.5GHz	Schwarzbeck	BBV9719 / 9719-019	2014/11/19	2016/11/18
Coaxial Cable		E167	2015/06/24	2016/06/23
RF Cable	HUBER+SUHNER	E207	2014/11/17	2016/11/16

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on requestor accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indem nification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exoneate paties to a transaction from exercising all their rights and ob ligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, to right extends to the full est extent of the law.



Report No.: T3162021013602 Page: 7 of 28

Antenna Mast System	Schwarzbeck	AM9104 / -		
Turntable with Controller	Drehtisch	DT312 / -	-	

General Use Equipment						
Equipment	Manufacturer	Model / Serial No.	Cal. Date	Cal. Due Date		
Digital Multimeter	Fluke	189 / 83640020	2016/04/20	2017/04/19		
Temperature / Humidity meter	-	E159	2015/10/07	2016/10/06		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on requestor accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any hoter of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exoneate paties to a transaction of comments. This document annot be reproduced except in full, without prior written approval of the Company. Any unautho tized alteration, to reprove falsification of the content or appearance of this document is unlawful and o flenders may be prosecuted to the fullest extent of the law.



Page: 8 of 28

## 6 Test Results

## 6.1 Conducted Emissions Mains Terminals, 150kHz to 30MHz

Test Requirement: FCC Part15 C
Test Method: ANSI C63.10:2013
Test Date: Not Applicable

Remark:

This test is not applicable as the EUT is battery operated.

This document is issued by the Company subject to its General Conditions of Sewice printed overleaf, available on requestor accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. Tecompany's sole responsibility is to its Client and this document does not exoneate parties to a transaction from exercising all their rights and ob ligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unautho fized alteration, to gery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Un less other wise stated the results shown in this testrep ortrefer only to the sam ple(s) tested and such sam ple(s) are retained for 30 days only.

у.



Page: 9 of 28

### 6.2 Radiated Emissions, 9kHz to 1GHz

Test Requirement: FCC Part15 Subpart C Section 15.209 and 15.249(d)

Test Method: ANSI C63.10:2013

Test Date: 2016-06-11

Frequency Range: The lowest frequency generated by EUT, 16MHz to 1GHz

Measurement Distance: 3m

Detector: Peak for pre-scan

(200Hz resolution bandwidth and 1kHz video bandwidth for measurement

between 9kHz - 150kHz)

(9kHz resolution bandwidth and 100kHz video bandwidth for

measurement between 150kHz - 30MHz)

120kHz resolution bandwidth and 1MHz video bandwidth for

measurement between 30MHz to 1GHz)

Quasi-Peak if maximised peak within 6dB of limit

#### Limit:

Frequency range MHz	Quasi-peak limits dB (μV/m)
0.009 - 0.490	-72.4 – 20logF(MHz)
0.490 - 1.705	-12.4 – 20logF(MHz)
1.705 – 30.0	-10.5
30 to 88	40
88 to 216	43.5
216 to 960	46
Above 960	54

Note: 1) At transitional frequencies the lower limit applies.

2) F is the frequency of the spurious emission measured in MHz.

3) Limit from 0.009 – 30 MHz is converted from measuring distance 300m or 30m to 3m with the formulat provided in FCC Part 15, section 15.31(f)(2)

#### 6.2.1 EUT Operation

Operating Environment:

Temperature: 25 °C Humidity: 51 %

EUT Operation: Pre-test with Peak detector with the following mode(s):

1: Transmission in continous transmitting mode

2. Test in lowest, middle and high frequency

Final test with Quasi-Peak detector with the following mode(s):

1: Transmission in continous transmitting mode

2. Test in lowest, middle and high frequency

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documentaspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any hoter of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate paties to a transaction of comments. This document annot be expreduced except in full, without prior written approval of the Company. Any unautho tized alteration, to rejery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Un less other wise stated the results shown in this testrep ortrefer only to the sam ple(s) tested and such sam ple(s) are retained for 30 days only.

у.



Page: 10 of 28

#### 6.2.2 Test Setup and Procedure



- 1. The pre-test of the radiated emissions test was conducted in a semi-anechoic chamber and the final measurement was conducted in the open area test site.
- The EUT was connected to AC power source through a mains power outlet which was bonded to the ground reference plane. The EUT was placed upon a non-metallic table 0.8m above the ground reference plane.
- 3. Loop antennat and Bilog antenna was used for the frequency range from the lowest generated frequency to 30MHz and 30MHz to 1GHz respectively
- 4. Before final measurements of radiated emissions, a pre-scan was performed in the spectrum mode with the peak detector to find out the maximum emissions spectrum plots of the EUT with located frequencies.
- 5. The actual frequencies of maximum emission were confirmed in the final radiated emissions measurement. At each frequency, the EUT was rotated 360°, and the antenna was raised and lowered from 1 to 4 meters for Bilog antenna (Loop antenna is still maintain in 1m hight) in order to determine the maximum disturbance. Measurements were performed for both horizontal and vertical antenna polarization.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documentaspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exoneate paties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approved of the Company. Any unaut thosized alteration, to grey or fall siffication of the content to appearance of this document is unlawful and of fendes may be prosecuted to the full lest extent of the law.



Page: 11 of 28

#### 6.2.3 Measurement Data

An initial pre-scan was performed in the 3m chamber using the spectrum analyser in peak detection mode. The EUT was measured by Bilog antenna with 2 orthogonal polarities and frequencies of peak emissions from the EUT were detected within 6dB of the limit line. Final measurement was conducted in the open area test site with data as follows:

#### Test results:

#### (1) Operation Frequency: 2405MHz (Car)

Frequency (MHz)	Antenna Polarization	Correction Factor (dB/m)	Receiver QP Reading (dBµV)	Emission Level (dBµV/m)	Limit (dBμV/m)	Over Limit (dB)
31.063	V	19.0	3.8	22.8	40.0	-17.2
47.563	Н	12.8	4.2	17.0	40.0	-23.0
78.313	V	9.1	4.8	13.9	40.0	-26.1
115.938	V	11.2	4.7	15.9	43.5	-27.6
282.625	Н	13.8	5.1	18.9	46.0	-27.1
626.688	Н	20.0	4.4	24.4	46.0	-21.6

#### (2) Operation Frequency: 2433MHz (Car)

Frequency (MHz)	Antenna Polarization	Correction Factor (dB/m)	Receiver QP Reading (dBµV)	Emission Level (dBµV/m)	Limit (dBμV/m)	Over Limit (dB)
30.438	V	19.2	4.0	23.2	40.0	-16.8
55.750	Н	10.9	4.3	15.2	40.0	-24.8
93.438	V	9.7	4.9	14.6	43.5	-28.9
141.875	Н	11.7	5.8	17.5	43.5	-26.0
281.875	V	13.7	5.2	18.9	46.0	-27.1
696.063	V	20.8	4.1	24.9	46.0	-21.1

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on requestor accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any hoter of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate paties to a transaction of comments. This document annot be reproduced except in full, without prior written approval of the Company. Any unautho fized alteration, to no eye or falsification of the content or appearance of this document is unlawful and offendes may be prosecuted to the fullest extent of the law.



Page: 12 of 28

#### (3) Operation Frequency: 2463MHz (Car)

Frequency (MHz)	Antenna Polarization	Correction Factor (dB/m)	Receiver QP Reading (dBµV)	Emission Level (dBµV/m)	Limit (dBμV/m)	Over Limit (dB)
31.813	V	18.7	4.2	22.9	40.0	-17.1
58.688	V	10.3	4.6	14.9	40.0	-25.1
104.438	V	10.3	5.1	15.4	43.5	-28.1
156.188	Н	11.1	4.7	15.8	43.5	-27.7
316.188	V	14.1	5.1	19.2	46.0	-26.8
712.438	Н	20.9	4.1	25.0	46.0	-21.0

#### Note:

- 1) All readings are Quasi-Peak values.
- 2) Correction Factor = Antenna Factor + Cable Loss.
- 3) The above results were the worst case results with the EUT positioned in all 3 axis during the test. The EUT was positioned vertically and horizontally on the table for vertical and horizontal measurement respectively.
- 4) Other emissions more than 20dB below the limit are not shown on the above table and only worst six emissions below 1GHz are listed.

This document is issued by the Company subject to its General Conditions of Sevice printed overleaf, available on requestor accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/ferms-an



Page: 13 of 28

#### 6.3 Radiated Emissions above 1 GHz

Test Requirement: FCC Part15 Subpart C Section 15.209 & 15.249(a) & (d)

Test Method: ANSI C63.10
Test Date: 2016-06-14
Frequency Range: 1GHz – 26GHz

Measurement Distance: 3m

Detector: Peak for pre-scan (1MHz resolution bandwidth, 1MHz video bandwidth)

Average and Peak detector for final test

Limit:

Fundamental Frequency:

Frequency range MHz	Limits (Peak) dB (μV/m)	Limits (Average) dB (μV/m)
2400 to 2483.5	114	94

#### Spurious Emission:

Frequency range	Limits (Peak)	Limits (Average)
MHz	dΒ (μV/m)	dΒ (μV/m)
Over 1000	74	54

#### 6.3.1 EUT Operation

Operating Environment:

Temperature: 25 °C Humidity: 51 %

EUT Operation: Pre-test with Peak detector with the following mode(s):

1: Transmission in continous transmitting mode

2. Test in lowest, middle and high frequency

Final test with Peak and Avearge detector with the following mode(s):

1: Transmission in continous transmitting mode


2. Test in lowest, middle and high frequency

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documentaspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any hoter of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate paties to a transaction of comments. This document annot be expreduced except in full, without prior written approval of the Company. Any unautho tized alteration, to rejery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 14 of 28

#### 6.3.2 Test Setup and Procedure



- 1. The pre-test of the radiated emissions test was conducted in a semi-anechoic chamber and the final measurement was conducted in the open area test site.
- 2. The EUT was connected to AC power source through a mains power outlet which was bonded to the ground reference plane. The EUT was placed upon a non-metallic table 1.5m above the ground reference plane.
- 3. Horn antenna was used for the frequency over 1GHz
- 4. Before final measurements of radiated emissions, a pre-scan was performed in the spectrum mode with the peak detector to find out the maximum emissions spectrum plots of the EUT with located frequencies.
- 5. The actual frequencies of maximum emission were confirmed in the final radiated emissions measurement. At each frequency, the EUT was rotated 360°, and the antenna was raised and lowered from 1 to 4 meters in order to determine the maximum disturbance. Measurements were performed for both horizontal and vertical antenna polarization.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic form at documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documentaspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exoneate paties to a transaction from exercising all their rights and ob ligations under the transaction documents. This document cannot be eproduced except in full, without prior written approved of the Company. Any unaut tho ized alteration, to grey or fails flication of the content or appearance of this document is unlawful and of fendes may be prosecuted to the full lest excent of the law.




Page: 15 of 28

#### 6.3.3 Measurement Data

An initial pre-scan was performed in the 3m chamber using the spectrum analyser in peak detection mode. The EUT was measured with 2 orthogonal polarities and frequencies of average emissions from the EUT were measured as follows:

Emission at the fundemental frequency for the pulse modulated device was measured with the peak detector function of the test receiver and was properly adjusted for the duty cycle correction factor as pulse desensitization to calculate the average emission value.

#### <u>Time Domain Plots (Fundamental frequency of Transmitter)</u>:



According to above plot, the duty cycle of the this device is 100%, plused operation according to C63.10 clause 7.5 is not employed and the average correction calculation is not applied on this report.

Hence, the average measurement is used below setting:

Dectector = peak

RBW = ≥1MHz

VBW = ≥1Hz

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on requestor accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a

Un less otherwise stated the results shown in this test report refer only to the sam ple(s) tested and such sam ple(s) are retained for 30 days only.

y **.** 



Page: 16 of 28

#### Test results:

#### (1) Fundmental Frequency (Car)

Frequency	Antenna	Emission Level (dBμV/m)		Limit (dBμV/m)		Remark
(MHz)	Polarization	Peak	Average	Peak	Average	Hemark
2405.0	Н	80.22	79.16	114	94	Pass
2405.0	V	85.74	79.34	114	94	Pass
2433.0	Н	80.66	79.35	114	94	Pass
2433.0	V	86.02	85.24	114	94	Pass
2463.0	Н	80.37	79.42	114	94	Pass
2463.0	V	85.68	84.97	114	94	Pass

#### (1) Spurious Emission

Operation Frequency: 2405.0 MHz (Car)

Frequency	Antenna	Emission Level (dBμV/m)		Limit (dBμV/m)		Remark
(MHz)	Polarization	Peak	Average	Peak	Average	Homan
4810.000	V	51.50	30.91	74	54	Pass
6612.000	Н	44.90	29.92	74	54	Pass
7215.000	V	46.30	30.56	74	54	Pass
8609.000	V	48.90	34.10	74	54	Pass
9620.000	Н	47.00	32.74	74	54	Pass
12025.000	Н	50.90	35.56	74	54	Pass

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on requestor accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any hoter of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exoneate paties to a transaction of comments. This document annot be reproduced except in full, without prior written approval of the Company. Any unautho tized alteration, to reprove falsification of the content or appearance of this document is unlawful and o flenders may be prosecuted to the fullest extent of the law.



Page: 17 of 28

#### Operation Frequency: 2433.0 MHz (Car)

Frequency	Antenna	Emission Level (dBμV/m)		Limit (dBμV/m)		Remark
(MHz)	Polarization	Peak	Average	Peak	Average	Homan
4866.000	V	51.60	50.84	74	54	Pass
6479.000	V	44.90	30.21	74	54	Pass
7299.000	V	47.70	39.95	74	54	Pass
9732.000	Н	52.30	44.70	74	54	Pass
10435.000	Н	52.00	36.69	74	54	Pass
12165.000	Н	50.80	35.73	74	54	Pass

#### Operation Frequency: 2463.0 MHz (Car)

Frequency	Antenna	Emission Level (dBμV/m)		Limit (dBμV/m)		Remark
(MHz)	Polarization	Peak	Average	Peak	Average	rioman
4927.000	V	50.30	46.60	74	54	Pass
5969.000	V	43.60	28.06	74	54	Pass
7389.000	Н	47.00	33.57	74	54	Pass
8643.000	Н	49.50	34.63	74	54	Pass
9852.000	Н	55.30	51.44	74	54	Pass
12315.000	Н	52.30	42.59	74	54	Pass

#### Note:

- The above results were the worst case results with the EUT positioned in all 3 axis during the test. The EUT was positioned vertically and horizontally on the table for vertical and horizontal measurement respectively.
- 2) Other emissions more than 20dB below the limit are not shown on the above table and only worst six emissions below 1GHz are listed.

This document is issued by the Company subject to its General Conditions of Sevice printed overleaf, available on requestor accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/ferms-an



Page: 18 of 28

### 6.4 Restricted bands around fundamental frequency

Test Requirement: FCC Part15 Subpart C Section 15.215, 15.249(d)

Test Method: ANSI C63.10

Measurement Distance: 3m

Detector: (1MHz resolution bandwidth, 3MHz video bandwidth)

Average and Peak detector

Limit: Emissions radiated outside of the specified frequency bands, except for

harmonics, shall be attenuated by at least 50 dB below the level of the fundamental or to the general field strength limits listed in RSS-Gen,

whichever is less stringent.

	54.0 Average V		
Above 1GHz	74.0	Peak Value	

Test Date: 2016-06-15

EUT Operation: 1: Transmission with GFSK

Result: Pass

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documentaspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any hoter of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate paties to a transaction of comments. This document annot be expreduced except in full, without prior written approval of the Company. Any unautho tized alteration, to rejery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 19 of 28

Test results: (Worst case: Transmissin with GFSK)

Operation frequency: 2405.0 MHz

Frequency	Antenna	Emission Level (dBµV/m)		Limit (dBμV/m)		Remark
(MHz)	Polarization	Peak	Average	Peak	Average	Tiomani
2390.0	V	37.50	22.19	74	54	Pass

Operation frequency: 2463.0 MHz

Frequency	Antenna	Emission Level (dBμV/m)		Limit (dBµV/m)		Remark
(MHz)	Polarization	Peak	Average	Peak	Average	rioman
2483.5	V	37.44	21.80	74	54	Pass

According to above bandedge measurement, emissions radiated outside of the specified frequency bands, (2400-2483.5)MHz except for harmonics, are below general field strength limits under 15.209 It is deemed to comply with section 15.215 and 15.249(d)

This document is issued by the Company subject to its General Conditions of Sewice printed overleaf, available on requestor accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. Tecompany's sole responsibility is to its Client and this document does not exoneate parties to a transaction from exercising all their rights and ob ligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unautho fized alteration, to gery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 20 of 28

## 6.5 20 dB Bandwidth

Test Requirement: FCC Part15 Subpart C Section 15.215

Test Method: ANSI C63.10:2013


Test Date: 2016-06-15

EUT Operation: 1: Transmission with GFSK

Result: Pass

**Test Plot**: (Worst case: Transmission with GFSK)

Operation frequency: 2405.0 MHz



According to above plot, 20dB bandwidth falls in assigned band (2400-2483.5)MHz. It is deemed to comply with section 15.215


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documentaspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any hoter of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate paties to a transaction of comments. This document annot be exproduced except in full, without prior written approval of the Company. Any unautho tized alteration, to no error alsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Un less otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

у.



Page: 21 of 28





According to above plot, 20dB bandwidth falls in assigned band (2400-2483.5)MHz. It is deemed to comply with section 15.215


This document is issued by the Company subject to its General Conditions of Sewice printed overleaf, available on requestor accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. Tecompany's sole responsibility is to its Client and this document does not exoneate parties to a transaction from exercising all their rights and ob ligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unautho fized alteration, to gery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Report No.: T3162021013602 Page: 22 of 28

## **Photographs**

## 7.1 Radiatd Emission Test Setup







Report No.: T3162021013602 Page: 23 of 28



This document is issued by the Company subject to its General Conditions of Sewice printed overleaf, available on requestor accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exoneate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, to right extent of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: T3162021013602 Page: 24 of 28

#### 7.2 EUT Constructional Details







Report No.: T3162021013602 Page: 25 of 28



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on requestor accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any hoter of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exoneate paties to a transaction of comments. This document annot be reproduced except in full, without prior written approval of the Company. Any unautho tized alteration, to reprove falsification of the content or appearance of this document is unlawful and o flenders may be prosecuted to the fullest extent of the law.



Page: 26 of 28

#### 7.3 EUT Internal Photo






This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on requestor accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any hoter of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exoneate paties to a transaction of comments. This document annot be reproduced except in full, without prior written approval of the Company. Any unautho tized alteration, to reprove falsification of the content or appearance of this document is unlawful and o flenders may be prosecuted to the fullest extent of the law.



Page: 27 of 28






This document is issued by the Company subject to its General Conditions of Sewice printed overleaf, available on requestor accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exoneate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, to right extent of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: T3162021013602 Page: 28 of 28



- END OF REPORT --

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on requestor accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any hoter of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exoneate paties to a transaction of comments. This document annot be reproduced except in full, without prior written approval of the Company. Any unautho tized alteration, to reprove falsification of the content or appearance of this document is unlawful and o flenders may be prosecuted to the fullest extent of the law.