


INTERTEK TESTING SERVICES

Worst Case: Playing Mode
 Load: Antenna
 PC's AC Mains



RBW 9 kHz
MT 1 s
Att 10 dB AUTO PREAMP OFF



HK09031403-2 (C14032A1)

Date: 22.APR.2009 18:46:29

INTERTEK TESTING SERVICES

Worst Case: Playing Mode
 Load: Antenna
 PC's AC Mains

EDIT PEAK LIST (Final Measurement Results)				
Trace1:	CF15MQP			
Trace2:	CF15MAV			
Trace3:	---			
	TRACE	FREQUENCY	LEVEL dBμV	DELTA LIMIT dB
1	Quasi Peak	199.5 kHz	44.56 N gnd	-19.06
2	Average	199.5 kHz	43.00 N gnd	-10.62
1	Quasi Peak	397.5 kHz	39.67 N gnd	-18.23
2	Average	397.5 kHz	35.74 N gnd	-12.15
1	Quasi Peak	492 kHz	37.21 N gnd	-18.92
2	Average	492 kHz	36.69 N gnd	-9.44
2	Average	591 kHz	35.16 N gnd	-10.83
1	Quasi Peak	595.5 kHz	36.67 N gnd	-19.33
2	Average	789 kHz	31.78 N gnd	-14.21
2	Average	1.482 MHz	29.08 L1 gnd	-16.91
2	Average	1.581 MHz	30.80 N gnd	-15.20
1	Quasi Peak	2.175 MHz	39.86 N gnd	-16.13
2	Average	2.175 MHz	34.34 N gnd	-11.65
2	Average	10.212 MHz	28.96 L1 gnd	-21.03
1	Quasi Peak	10.6035 MHz	43.19 N gnd	-16.80
1	Quasi Peak	13.5645 MHz *	69.49 N gnd	9.49
2	Average	13.5645 MHz *	60.54 N gnd	10.54
1	Quasi Peak	20.796 MHz	39.30 L1 gnd	-20.69
2	Average	20.913 MHz	32.12 L1 gnd	-17.87
1	Quasi Peak	21.5835 MHz	37.19 L1 gnd	-22.80

HK09031403-2 (C14032A1)

Date: 22.APR.2009 18:46:06

* With the permanent antenna, compliance with the section 15.207 limit within the transmitter's fundamental emission band could be excluded.

INTERTEK TESTING SERVICES

Worst Case: Playing Mode
 Load: Antenna
 PC's AC Mains


EDIT PEAK LIST (Final Measurement Results)			
TRACE	FREQUENCY	LEVEL dB μ V	DELTA LIMIT dB
Trace1:	CF15MQP		
Trace2:	CF15MAV		
Trace3:	---		
2 Average	25.0035 MHz	32.32 L1 gnd	-17.67

HK09031403-2 (C14032A1)

Date: 22.APR.2009 18:46:21

INTERTEK TESTING SERVICES

Worst Case: Playing Mode
 Load: Dummy Load 47 ohms
 PC's AC Mains



HK09031403-2 (C14032A2)

Date: 22.APR.2009 18:56:41

INTERTEK TESTING SERVICES

Worst Case: Playing Mode
 Load: Dummy Load 47 ohms
 PC's AC Mains

EDIT PEAK LIST (Final Measurement Results)

Trace1:	CF15MQP			
Trace2:	CF15MAV			
Trace3:	---			
	TRACE	FREQUENCY	LEVEL dB μ V	DELTA LIMIT dB
1	Quasi Peak	199.5 kHz	44.70 N gnd	-18.92
2	Average	199.5 kHz	43.18 N gnd	-10.44
1	Quasi Peak	397.5 kHz	39.91 N gnd	-17.98
2	Average	397.5 kHz	36.17 N gnd	-11.73
1	Quasi Peak	492 kHz	37.36 N gnd	-18.76
2	Average	492 kHz	36.85 N gnd	-9.28
1	Quasi Peak	591 kHz	38.53 N gnd	-17.46
2	Average	591 kHz	35.67 N gnd	-10.32
2	Average	789 kHz	31.93 N gnd	-14.06
2	Average	1.4775 MHz	29.28 L1 gnd	-16.71
2	Average	1.5765 MHz	31.15 N gnd	-14.84
1	Quasi Peak	2.1075 MHz	30.78 N gnd	-25.21
1	Quasi Peak	2.175 MHz	39.42 N gnd	-16.57
2	Average	2.175 MHz	33.88 N gnd	-12.12
2	Average	10.077 MHz	29.45 L1 gnd	-20.54
1	Quasi Peak	10.6035 MHz	42.98 N gnd	-17.01
1	Quasi Peak	11.1165 MHz	43.93 N gnd	-16.06
1	Quasi Peak	21.0075 MHz	40.25 L1 gnd	-19.74
2	Average	21.3045 MHz	32.60 L1 gnd	-17.39
1	Quasi Peak	21.5925 MHz	38.79 L1 gnd	-21.20

HK09031403-2 (C14032A2)

Date: 22.APR.2009 18:56:14

INTERTEK TESTING SERVICES

Worst Case: Playing Mode
 Load: Dummy Load 47 ohms
 PC's AC Mains

EDIT PEAK LIST (Final Measurement Results)			
TRACE	FREQUENCY	LEVEL dB μ V	DELTA LIMIT dB
Trace1:	CF15MQP		
Trace2:	CF15MAV		
Trace3:	---		
2 Average	24.999 MHz	34.41 L1 gnd	-15.59

HK09031403-2 (C14032A2)

Date: 22.APR.2009 18:56:32
