


Raymarine UK Limited

Base Station

Label Drawing and Location

FCC ID PJ5BASE

IC: 4069B-BASE



ERIAL: CLEAR POLYCARBONATE (LEXAN FILM 8A35) 250 MICRONS THICK.
ISH: VELVET / POLISHED.
ERSURFACE PRINTED, SELF ADHESIVE BACKED (REF. 3M 468MP HIGH PERFORMANCE).
OUR SPECIFICATIONS:KGROUND - BLACK SERICOL INK MG001(RAYMARINE APPROVED)
LEGENDS - WHITE SERICOL INK MG025 (RAYMARINE APPROVED)
LOUR MATCHED TO PANTONE WHITE - RAYMARINE APPROVED)
EL SURFACE AREA TO BE COMPLETELY CLEAR OF SCRATCHES, BLEMISHES & FINGER MARKS.
CHED OUT PROFILE EDGES TO BE BURR FREE.
ER TO ARTWORK 3032-807 ISSUE B FOR PRINTING DETAILS.
S DRAWING SUPPLIED IN ELECTRONIC FORMAT AS 3029523B.CGM IS THE 'MASTER DOCUMENT'
DATA IS AVAILABLE ON REQUEST, MUST BE VERIFIED TO MASTER SUPPLIED.

FILE TO BE TOOLED FROM EXISTING PART 3029-481.

												MARK IN CIRCLE.		AJC/GIP	
											Α	FIRST	ISSUE	ORIGINAL	
/PART No	PARTS LIS	DESCRIPTION ST	1								ISS	DESCRIPTI	ION OF CHANGE	DATE	
arine	THE INFORMATION	TOLERANCE	S UNLESS	OTHERWISE STATED	DRAWN TO) BS308 ⊕ ∈	∃ DO NOT	SCALE - I	F IN D	OUBT ASK	TITLE	E	0.7.1.7.1.01.1		
MARD_	CONTAINED HEREIN SHALL NOT BE	. X	±0,50 ±0,25 ±0,10	MACHINING: 1,6/ SURFACE	MATERIAL	E NOTES				DR'N: G.I.P.		LABEL, REAR, BASE	STATION		
	REPRODUCED WITHOUT THE PRIOR WRITTEN	.XX .XXX ANGLES	±0,05	SHARP INTERNAL CORNERS TO HAVE RADIUS 0,4 MAX		I NOTES				DATE:22.11.04	DRAW	ING No.	\	lΑ	Н
ADINE LTD	PERMISSION OF	(EXCL DR.	AFT)	DEBURR ALL EDGES	FINISH					CK'D:		5())	1 - 575	7	
ARINE LTD	RAYMARINE LTD	DIMENSION	S IN MM	SCALE: 1:1	SEE	E NOTES				APP'D:	SHT 1	1 OF 1 0 0 2 0			
	2			3		4	[[5		6		7	8		
				1											

ARTWORK UPISSUED TO B, TO ADD EXCLAIMATION 08.12.04



Base Station: FCC and IC Label location