



## **Raymarine Limited**


### **4kW, Open Array Radars**


FCC ID: PJ5MTX5-S3

ID Label Drawings

USED ON: 4357-001


FCC ID: PJ5MTX5-S3  
 CANADA:  
**CE01910** 

ITEM No	DRG/PART No	QTY	DESCRIPTION
PARTS LIST			
 ©2001 RAYMARINE LTD		THE INFORMATION CONTAINED HEREIN SHALL NOT BE REPRODUCED WITHOUT THE PRIOR WRITTEN PERMISSION OF RAYMARINE LTD	
TOLERANCES UNLESS OTHERWISE STATED X ±0,50 .X ±0,25 .XX ±0,10 .XXX ±0,05 ANGLES ±1° (EXCL DRAFT) DIMENSIONS IN MM		MACHINING: 1,6/ SURFACE SHARP INTERNAL CORNERS TO HAVE RADIUS 0,4 MAX DEBURR ALL EDGES SCALE: 2:1	

DRAWN TO BS308  DO NOT SCALE - IF IN DOUBT ASK MATERIAL 3029-185 FINISH N/A	DR*N: L.D.Y DATE: 20.09.02 CK'D: SM APP'D: SM
--	--

A	FIRST ISSUE	ORIGINAL
ISS	DESCRIPTION OF CHANGE	DATE
TITLE 4KW, 8PW PEDESTAL RATING PLATE LABEL		
DRAWING No. 3029-408		A
SHT 1 OF 1		3

USED ON:



NOTE 1.

- RATING PLATE LABEL TO BE POSITIONED AT REAR RIGHT HAND SIDE, ON LOWER RADIUS, AS SHOWN ABOVE.
- RATING PLATE LABEL 3029-408 IS FOR THE 4KW PEDESTALS.  
3029-283 IS FOR THE 10KW PEDESTALS.

ITEM No	DRG/PART No	QTY	DESCRIPTION
PARTS LIST			
1		2	



THE INFORMATION CONTAINED HEREIN SHALL NOT BE REPRODUCED WITHOUT THE PRIOR WRITTEN PERMISSION OF RAYMARINE LTD

TOLERANCES UNLESS OTHERWISE STATED	OTHERWISE STATED
x ±0,50	MACHINING: 1,6
.x ±0,25	SURFACE
.xx ±0,10	SHARP INTERNAL CORNERS TO HAVE RADIUS 0,4 MAX
.xxx ±0,05	DEBURR ALL EDGES
ANGLES ±1° (EXCL DRAFT)	SCALE: 1:5

DRAWN TO BS308	DO NOT SCALE - IF IN DOUBT ASK
MATERIAL	DR'N: L.D.Y
FINISH	DATE: 20.09.02
FROZEN DATE/ISSUE/BY:	CK'D: S.M
Not Frozen	APP'D: S.M

A	FIRST ISSUE	ORIGINAL
ISS	DESCRIPTION OF CHANGE	DATE
TITLE		
PEDESTAL OUTLINE		
DRAWING No.		
SK00647		
SHT 1 OF 1		