



Raymarine UK Limited


S100 Controller

Label Drawing and Location

FCC ID PJ5S100

IC: 4069B-S100



USED ON:




NOTES :-

1. MATERIAL : CLEAR POLYCARBONATE (LEXAN FILM 8A35) 250 MICRONS THICK.
2. FINISH : VELVET / POLISHED.
3. UNDERSURFACE PRINTED, SELF ADHESIVE BACKED (REF. 3M 468MP HIGH PERFORMANCE).
4. COLOUR SPECIFICATIONS :-
 BACKGROUND - BLACK SERICOL INK MG001 (RAYMARINE APPROVED)
 ALL LEGENDS - WHITE SERICOL INK MG025 (RAYMARINE APPROVED)
 (COLOUR MATCHED TO PANTONE WHITE - RAYMARINE APPROVED)
5. LABEL SURFACE AREA TO BE COMPLETELY CLEAR OF SCRATCHES, BLEMISHES & FINGER MARKS.
6. PUNCHED OUT PROFILE EDGES TO BE BURR FREE.
7. REFER TO ARTWORK 3032-796 ISSUE B FOR PRINTING DETAILS.
8. THIS DRAWING, SUPPLIED IN ELECTRONIC FORMAT AS 3029518c.cgm IS THE 'MASTER' DOCUMENT. DXF DATA AVAILABLE ON REQUEST MUST BE VERIFIED TO MASTER SUPPLIED.

C	ARTWORK UPISSUED TO B. DRAWING CHANGED PICTORIALY TO SHOW ARTWORK DETAILS.	19.11.04 AJC/GIP
B	LABEL INCREASED IN SIZE BY 0,3mm IN BOTH DIRECTIONS TO ACCOMODATE ERROR IN BACKCOVER MOULDING.	23.08.04 AJC/GIP
A	FIRST ISSUE	ORIGINAL
ISS	DESCRIPTION OF CHANGE	DATE

ITEM No	DRG/PART No	QTY	DESCRIPTION
PARTS LIST			
		THE INFORMATION CONTAINED HEREIN SHALL NOT BE REPRODUCED WITHOUT THE PRIOR WRITTEN PERMISSION OF RAYMARINE LTD	
		©2001 RAYMARINE LTD	

TOLERANCES UNLESS OTHERWISE STATED X ±0,50 .X ±0,25 .XX ±0,10 .XXX ±0,05 ANGLES ±1° (EXCL DRAFT) DIMENSIONS IN MM		MACHINING: 1,6 SURFACE SHARP INTERNAL CORNERS TO HAVE RADIUS 0,4 MAX DEBURR ALL EDGES SCALE: 5:1	
DRAWN TO BS308  DO NOT SCALE - IF IN DOUBT ASK		MATERIAL SEE NOTES	
FINISH SEE NOTES		DR'N: A.J.C DATE: 27.07.04 CK'D: APP'D:	

TITLE LABEL, REAR, RF FOB, D593	
DRAWING No. 3029-518	
SHT 1 OF 1	



S100 Controller: FCC and IC label location