



**Raymarine UK Limited**


**Smart Controller**

Label Drawing and Location

FCC ID PJ5SMART

IC: 4069B-SMART


USED ON: XXXX-XXX



NOTES :-

1. MATERIAL : CLEAR POLYCARBONATE (LEXAN FILM 8B35) 125 MICRONS THICK.
2. FINISH : VELVET / POLISHED.
3. UNDERSURFACE PRINTED, SELF ADHESIVE BACKED (REF. 3M 468MP HIGH PERFORMANCE).
4. COLOUR SPECIFICATIONS :-  
 BACKGROUND - BLACK SERICOL INK MG001(RAYMARINE APPROVED)  
 ALL LEGENDS - GLOSS WHITE SERICOL INK UX021(RAYMARINE APPROVED)  
 (COLOUR MATCHED TO PANTONE WHITE - RAYMARINE APPROVED)
5. LABEL SURFACE AREA TO BE COMPLETELY CLEAR OF SCRATCHES, BLEMISHES & FINGER MARKS.
6. PUNCHED OUT PROFILE EDGES TO BE BURR FREE.
7. REFER TO ARTWORK 3032-793 ISSUE B FOR PRINTING DETAILS.
8. THIS DRAWING SUPPLIED IN ELECTRONIC FORMAT AS 3029517B.CGM IS THE 'MASTER DOCUMENT'  
 DXF DATA IS AVAILABLE ON REQUEST, MUST BE VERIFIED TO MASTER SUPPLIED.
9. PROFILE TO BE TOOLED FROM EXISTING PART 3029-481.

B	MATERIAL WAS 175 MICRONS THICK INK WAS WHITE SERICOL INK MG025	14.12.04 G.I.P.
A	FIRST ISSUE	ORIGINAL
ISS	DESCRIPTION OF CHANGE	DATE

ITEM No	DRG/PART No	QTY	DESCRIPTION
PARTS LIST			
		THE INFORMATION CONTAINED HEREIN SHALL NOT BE REPRODUCED WITHOUT THE PRIOR WRITTEN PERMISSION OF RAYMARINE LTD	
©2001 RAYMARINE LTD		TOLERANCES UNLESS OTHERWISE STATED X ±0,50 MACHINING: 1,6 .X ±0,25 SURFACE ∇ .XX ±0,10 SHARP INTERNAL CORNERS TO HAVE RADIUS 0,4 MAX .XXX ±0,05 DEBURR ALL EDGES ANGLES ±1° (EXCL DRAFT) DIMENSIONS IN MM SCALE: 1:1	

DRAWN TO BS308 ☉ ≡ DO NOT SCALE - IF IN DOUBT ASK	
MATERIAL	SEE NOTES
FINISH	SEE NOTES
DR*N: G.I.P.	DATE: 29.07.04
CK'D:	
APP'D:	

TITLE	
LABEL, REAR, SMART CONTROLLER	
DRAWING No.	3029-517
SHT 1 OF 1	A 3



Smart Controller: FCC and IC label location