

---

August 21, 2003  
Federal Communications Commission  
Equipment Approval Services  
7435 Oakland Mills Road  
Columbia, MD 21046

**SUBJECT : ImageQuest Co., Ltd.**  
**FCC ID: PJIL17A0D080**  
**Class II Permissive Change**  
**Orig. Grant Date: March 12, 2003**

Gentlemen:

Transmitted herewith, on behalf of ImageQuest Co., Ltd. is an application for a Class II Permissive Change Certification of the following 17-inch LCD Monitor:


**FCC ID : PJIL17A0D080**  
**Model/Type : L70S/L17A0D080**

The device is identical to the previously certified monitor except for the following:

1. Original LCD Panel  
(Manufacture : AU Optronics Model NO : M170EN05)
2. Alternate LCD Panel  
(Manufacture : Hyundai Display Technology.INC  
Model No. : HT17E12-200)

Attached is the applicant's Cover Letter, External/Internal Photos, Test Set-Up Photos, FCC ID & Label Location, User Manual, Schematic and Test Report.

Should you have any questions or comments concerning the above, please contact the undersigned.



KI SOO KIM  
EMC MAMAGER

cc: Mr. HEE JUNG KIM ----- R & D CENTER / MANAGER

---

---

• **Solution for EMI**

**We, ImageQuest CO.,LTD. , announce that all modifications will be incorporated into each unit sold in the U.S.**

- 1. Attach a gasket on the Main Frame to contact a LCD panel**
- 2. Attach a copper foil between Main Frame and LCD panel**
- 3. Apply a ferrite Core to the OSD board signal cable**

**(Please refer to next page of the photographs for Solution for EMI)**

**ImageQuest CO.,LTD.**


**2003.8.20**

**R & D CENTER / MANAGER  
HEE JUNG KIM**




---

**1. Attach a gasket on the Main Frame to contact a LCD panel**



**2. Attach a copper foil between Main Frame and LCD panel**



**4. Apply a ferrite Core to the OSD board signal cable**

