
























































































































































Appendix B. AC Conducted Emission Test Results





Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15C RSS247-QP LISN-060105-NEUTRAL NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.159	44.06	-21.46	65.52	33.60	0.03	10.43	QP
2	0.159	24.96	-30.56	55.52	14.50	0.03	10.43	Average
3	0.172	48.26	-16.60	64.86	37.79	0.04	10.43	QP
4	0.172	31.66	-23.20	54.86	21.19	0.04	10.43	Average
5	0.213	44.64	-18.46	63.10	34.20	0.03	10.41	QP
6	0.213	29.74	-23.36	53.10	19.30	0.03	10.41	Average
7 *	0.230	51.51	-10.93	62.44	41.10	0.01	10.40	QP
8	0.230	31.31	-21.13	52.44	20.90	0.01	10.40	Average
9	0.327	44.88	-14.65	59.53	34.61	-0.06	10.33	QP
10	0.327	27.18	-22.35	49.53	16.91	-0.06	10.33	Average
11	0.461	36.77	-19.90	56.67	26.61	-0.08	10.24	QP
12	0.461	28.47	-18.20	46.67	18.31	-0.08	10.24	Average

Note:

1. Level(dBuV) = Read Level(dBuV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBuV) – Limit Line(dBuV)



Appendix C. Radiated Spurious Emission

Test Engineer :	Carry Xu	Relative Humidity :	41~42%
		Temperature :	22~23°C

Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	CDD 1S3T	802.11b	01	2412	1Mbps	-	-
Mode 2	2400-2483.5	CDD 1S3T	802.11b	06	2437	1Mbps	-	-
Mode 3	2400-2483.5	CDD 1S3T	802.11b	11	2462	1Mbps	-	-
Mode 4	2400-2483.5	CDD 1S3T	802.11g	01	2412	6Mbps	-	-
Mode 5	2400-2483.5	CDD 1S3T	802.11g	06	2437	6Mbps	-	-
Mode 6	2400-2483.5	CDD 1S3T	802.11g	08	2447	6Mbps	-	-
Mode 7	2400-2483.5	CDD 1S3T	802.11g	09	2452	6Mbps	-	-
Mode 8	2400-2483.5	CDD 1S3T	802.11g	10	2457	6Mbps	-	-
Mode 9	2400-2483.5	CDD 1S3T	802.11g	11	2462	6Mbps	-	-
Mode 10	2400-2483.5	CDD 1S3T	802.11ax HE20	01	2412	MCS0	-	-
Mode 11	2400-2483.5	CDD 1S3T	802.11ax HE20	02	2417	MCS0	-	-



Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 12	2400-2483.5	CDD 1S3T	802.11ax HE20	03	2422	MCS0	-	-
Mode 13	2400-2483.5	CDD 1S3T	802.11ax HE20	04	2427	MCS0	-	-
Mode 14	2400-2483.5	CDD 1S3T	802.11ax HE20	05	2432	MCS0	-	-
Mode 15	2400-2483.5	CDD 1S3T	802.11ax HE20	06	2437	MCS0	-	-
Mode 16	2400-2483.5	CDD 1S3T	802.11ax HE20	07	2442	MCS0	-	-
Mode 17	2400-2483.5	CDD 1S3T	802.11ax HE20	08	2447	MCS0	-	-
Mode 18	2400-2483.5	CDD 1S3T	802.11ax HE20	09	2452	MCS0	-	-
Mode 19	2400-2483.5	CDD 1S3T	802.11ax HE20	10	2457	MCS0	-	-
Mode 20	2400-2483.5	CDD 1S3T	802.11ax HE20	11	2462	MCS0	-	-
Mode 21	2400-2483.5	CDD 1S3T	802.11ax HE40	03	2422	MCS0	-	-
Mode 22	2400-2483.5	CDD 1S3T	802.11ax HE40	06	2437	MCS0	-	-



Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 23	2400-2483.5	CDD 1S3T	802.11ax HE40	09	2452	MCS0	-	-
Mode 24	2400-2483.5	CDD 1S3T	802.11g	07	2442	6Mbps	-	-

Remark: For Radiated Test Cases, The tests were performance with Adapter.



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11b	01	2389.17	53.59	54.00	-0.41	V	AVERAGE	Pass	Band Edge
	802.11b	01	7236.00	50.80	74.00	-23.20	H	Peak	Pass	Harmonic
2	802.11b	06	2385.51	47.58	54.00	-6.42	V	AVERAGE	Pass	Band Edge
	802.11b	06	9748.00	52.86	54.00	-1.14	H	AVERAGE	Pass	Harmonic
3	802.11b	11	2483.50	52.90	54.00	-1.10	H	AVERAGE	Pass	Band Edge
	802.11b	11	7386.00	53.43	54.00	-0.57	H	Average	Pass	Harmonic
4	802.11g	01	2387.16	51.00	54.00	-3.00	V	AVERAGE	Pass	Band Edge
	802.11g	01	7236.00	53.08	54.00	-0.92	H	AVERAGE	Pass	Harmonic
5	802.11g	06	2484.16	51.45	54.00	-2.55	V	AVERAGE	Pass	Band Edge
	802.11g	06	9748.00	50.79	74.00	-23.21	V	PEAK	Pass	Harmonic
6	802.11g	8	2483.57	52.15	54.00	-1.85	V	AVERAGE	Pass	Band Edge



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
6	802.11g	8	-	-	-	-	-	-	-	Harmonic
7	802.11g	9	2485.38	52.30	54.00	-1.70	V	AVERAGE	Pass	Band Edge
	802.11g	9	-	-	-	-	-	-	-	Harmonic
8	802.11g	10	2486.57	53.61	54.00	-0.39	V	AVERAGE	Pass	Band Edge
	802.11g	10	-	-	-	-	-	-	-	Harmonic
9	802.11g	11	2483.57	71.80	74.00	-2.20	V	PEAK	Pass	Band Edge
	802.11g	11	9848.00	45.24	74.00	-28.76	V	PEAK	Pass	Harmonic
10	802.11ax HE20	01	2388.98	53.02	54.00	-0.98	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	01	4824.00	43.02	74.00	-30.98	H	PEAK	Pass	Harmonic
11	802.11ax HE20	02	2389.24	53.69	54.00	-0.31	V	AVERAGE	Pass	Band Edge
	802.11ax HE20	02	-	-	-	-	-	-	-	Harmonic



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
12	802.11ax HE20	03	2388.07	53.35	54.00	-0.65	V	AVERAGE	Pass	Band Edge
	802.11ax HE20	03	-	-	-	-	-	-	-	Harmonic
13	802.11ax HE20	04	2389.99	52.65	54.00	-1.35	V	AVERAGE	Pass	Band Edge
	802.11ax HE20	04	-	-	-	-	-	-	-	Harmonic
14	802.11ax HE20	05	2388.72	51.92	54.00	-2.08	V	AVERAGE	Pass	Band Edge
	802.11ax HE20	05	-	-	-	-	-	-	-	Harmonic
15	802.11ax HE20	06	2389.95	51.53	54.00	-2.47	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	06	4874.00	44.22	74.00	-29.78	H	PEAK	Pass	Harmonic
16	802.11ax HE20	07	2483.68	52.44	54.00	-1.56	V	AVERAGE	Pass	Band Edge
	802.11ax HE20	07	-	-	-	-	-	-	-	Harmonic
17	802.11ax HE20	08	2487.06	53.06	54.00	-0.94	V	AVERAGE	Pass	Band Edge







Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
17	802.11ax HE20	08	-	-	-	-	-	-	-	Harmonic
18	802.11ax HE20	09	2485.62	52.52	54.00	-1.48	V	AVERAGE	Pass	Band Edge
	802.11ax HE20	09	-	-	-	-	-	-	-	Harmonic
19	802.11ax HE20	10	2484.02	52.79	54.00	-1.21	V	AVERAGE	Pass	Band Edge
	802.11ax HE20	10	-	-	-	-	-	-	-	Harmonic
20	802.11ax HE20	11	2485.16	53.04	54.00	-0.96	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	11	7386.00	44.10	74.00	-29.90	V	PEAK	Pass	Harmonic
21	802.11ax HE40	03	2386.56	52.37	54.00	-1.63	V	AVERAGE	Pass	Band Edge
	802.11ax HE40	03	4844.00	44.05	74.00	-29.95	H	PEAK	Pass	Harmonic
22	802.11ax HE40	06	2389.95	50.19	54.00	-3.81	V	AVERAGE	Pass	Band Edge
	802.11ax HE40	06	4874.00	43.95	74.00	-30.05	H	PEAK	Pass	Harmonic





Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
23	802.11ax HE40	09	2485.58	52.71	54.00	-1.29	V	AVERAGE	Pass	Band Edge
	802.11ax HE40	09	4904.00	44.13	74.00	-29.87	H	PEAK	Pass	Harmonic
24	802.11g	07	2483.50	51.98	54.00	-2.02	V	AVERAGE	Pass	Band Edge
	802.11g	07	-	-	-	-	-	-	-	Harmonic



Mode	1																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																		
ANT	CDD 1S3T																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.99</td><td>58.93</td><td>74.00</td><td>-15.07</td><td>49.09</td><td>32.44</td><td>7.11</td><td>35.71</td><td>6.00</td><td>100</td><td>54</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.99	58.93	74.00	-15.07	49.09	32.44	7.11	35.71	6.00	100	54	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>109.61</td><td>74.00</td><td>35.61</td><td>99.69</td><td>32.48</td><td>7.15</td><td>35.71</td><td>6.00</td><td>100</td><td>54</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	109.61	74.00	35.61	99.69	32.48	7.15	35.71	6.00	100	54
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.99	58.93	74.00	-15.07	49.09	32.44	7.11	35.71	6.00	100	54	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	109.61	74.00	35.61	99.69	32.48	7.15	35.71	6.00	100	54	Peak																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2382.48</td><td>50.29</td><td>54.00</td><td>-3.71</td><td>40.48</td><td>32.43</td><td>7.10</td><td>35.72</td><td>6.00</td><td>100</td><td>54</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2382.48	50.29	54.00	-3.71	40.48	32.43	7.10	35.72	6.00	100	54	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>104.92</td><td>54.00</td><td>50.92</td><td>95.00</td><td>32.48</td><td>7.15</td><td>35.71</td><td>6.00</td><td>100</td><td>54</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	104.92	54.00	50.92	95.00	32.48	7.15	35.71	6.00	100	54
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2382.48	50.29	54.00	-3.71	40.48	32.43	7.10	35.72	6.00	100	54	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	104.92	54.00	50.92	95.00	32.48	7.15	35.71	6.00	100	54	Average																																																																																							







Mode	1																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																		
ANT	CDD 1S3T																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.63</td><td>63.79</td><td>74.00</td><td>-10.21</td><td>53.95</td><td>32.44</td><td>7.11</td><td>35.71</td><td>6.00</td><td>186</td><td>258</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.63	63.79	74.00	-10.21	53.95	32.44	7.11	35.71	6.00	186	258	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>118.52</td><td>74.00</td><td>44.52</td><td>108.60</td><td>32.48</td><td>7.15</td><td>35.71</td><td>6.00</td><td>186</td><td>258</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	118.52	74.00	44.52	108.60	32.48	7.15	35.71	6.00	186	258
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.63	63.79	74.00	-10.21	53.95	32.44	7.11	35.71	6.00	186	258	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	118.52	74.00	44.52	108.60	32.48	7.15	35.71	6.00	186	258	Peak																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.17</td><td>53.59</td><td>54.00</td><td>-0.41</td><td>43.75</td><td>32.44</td><td>7.11</td><td>35.71</td><td>6.00</td><td>186</td><td>258</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.17	53.59	54.00	-0.41	43.75	32.44	7.11	35.71	6.00	186	258	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2411.07</td><td>110.14</td><td>54.00</td><td>56.14</td><td>100.22</td><td>32.48</td><td>7.15</td><td>35.71</td><td>6.00</td><td>186</td><td>258</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2411.07	110.14	54.00	56.14	100.22	32.48	7.15	35.71	6.00	186	258
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.17	53.59	54.00	-0.41	43.75	32.44	7.11	35.71	6.00	186	258	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2411.07	110.14	54.00	56.14	100.22	32.48	7.15	35.71	6.00	186	258	Average																																																																																							





Mode	1																																																																																																																																																																																																											
	Harmonic																																																																																																																																																																																																											
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																																																																																																																											
ANT	CDD 1S3T																																																																																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																																																																																					
Peak Avg																																																																																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4000.00</td><td>53.92</td><td>74.00</td><td>-20.08</td><td>74.18</td><td>33.90</td><td>9.52</td><td>63.68</td><td>0.00</td><td>207</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>4000.00</td><td>52.65</td><td>54.00</td><td>-1.35</td><td>72.91</td><td>33.90</td><td>9.52</td><td>63.68</td><td>0.00</td><td>207</td><td>360</td><td>Average</td></tr><tr><td>3</td><td>4824.00</td><td>41.73</td><td>74.00</td><td>-32.27</td><td>60.26</td><td>34.63</td><td>10.32</td><td>63.48</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>4</td><td>7236.00</td><td>50.00</td><td>74.00</td><td>-23.20</td><td>65.73</td><td>35.90</td><td>12.00</td><td>63.63</td><td>0.00</td><td>300</td><td>227</td><td>Peak</td></tr><tr><td>5</td><td>9648.00</td><td>49.98</td><td>74.00</td><td>-24.02</td><td>59.98</td><td>37.45</td><td>14.73</td><td>62.18</td><td>0.00</td><td>100</td><td>263</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	4000.00	53.92	74.00	-20.08	74.18	33.90	9.52	63.68	0.00	207	360	Peak	2	4000.00	52.65	54.00	-1.35	72.91	33.90	9.52	63.68	0.00	207	360	Average	3	4824.00	41.73	74.00	-32.27	60.26	34.63	10.32	63.48	0.00	---	---	PEAK	4	7236.00	50.00	74.00	-23.20	65.73	35.90	12.00	63.63	0.00	300	227	Peak	5	9648.00	49.98	74.00	-24.02	59.98	37.45	14.73	62.18	0.00	100	263	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4000.00</td><td>49.42</td><td>74.00</td><td>-24.58</td><td>69.68</td><td>33.90</td><td>9.52</td><td>63.68</td><td>0.00</td><td>100</td><td>342</td><td>Peak</td></tr><tr><td>2</td><td>4824.00</td><td>42.33</td><td>74.00</td><td>-31.67</td><td>60.86</td><td>34.63</td><td>10.32</td><td>63.48</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>7237.00</td><td>49.84</td><td>74.00</td><td>-24.16</td><td>64.77</td><td>35.90</td><td>12.00</td><td>63.63</td><td>0.00</td><td>300</td><td>14</td><td>Peak</td></tr><tr><td>4</td><td>9648.00</td><td>47.15</td><td>74.00</td><td>-26.85</td><td>57.15</td><td>37.45</td><td>14.73</td><td>62.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	4000.00	49.42	74.00	-24.58	69.68	33.90	9.52	63.68	0.00	100	342	Peak	2	4824.00	42.33	74.00	-31.67	60.86	34.63	10.32	63.48	0.00	---	---	PEAK	3	7237.00	49.84	74.00	-24.16	64.77	35.90	12.00	63.63	0.00	300	14	Peak	4	9648.00	47.15	74.00	-26.85	57.15	37.45	14.73	62.18	0.00	---	---
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																		
1	4000.00	53.92	74.00	-20.08	74.18	33.90	9.52	63.68	0.00	207	360	Peak																																																																																																																																																																																																
2	4000.00	52.65	54.00	-1.35	72.91	33.90	9.52	63.68	0.00	207	360	Average																																																																																																																																																																																																
3	4824.00	41.73	74.00	-32.27	60.26	34.63	10.32	63.48	0.00	---	---	PEAK																																																																																																																																																																																																
4	7236.00	50.00	74.00	-23.20	65.73	35.90	12.00	63.63	0.00	300	227	Peak																																																																																																																																																																																																
5	9648.00	49.98	74.00	-24.02	59.98	37.45	14.73	62.18	0.00	100	263	Peak																																																																																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																		
1	4000.00	49.42	74.00	-24.58	69.68	33.90	9.52	63.68	0.00	100	342	Peak																																																																																																																																																																																																
2	4824.00	42.33	74.00	-31.67	60.86	34.63	10.32	63.48	0.00	---	---	PEAK																																																																																																																																																																																																
3	7237.00	49.84	74.00	-24.16	64.77	35.90	12.00	63.63	0.00	300	14	Peak																																																																																																																																																																																																
4	9648.00	47.15	74.00	-26.85	57.15	37.45	14.73	62.18	0.00	---	---	PEAK																																																																																																																																																																																																







Mode	2																																																																																	
	Band Edge - L																																																																																	
	2400-2483.5_802.11b_CH06_2437MHz																																																																																	
ANT	CDD 1S3T																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 2389.32</td><td>55.78</td><td>74.00</td><td>-18.22</td><td>45.94</td><td>32.44</td><td>7.11</td><td>35.71</td><td>6.00</td><td>155 238 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 2389.32	55.78	74.00	-18.22	45.94	32.44	7.11	35.71	6.00	155 238 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 2437.00</td><td>109.23</td><td>74.00</td><td>35.23</td><td>99.22</td><td>32.51</td><td>7.20</td><td>35.70</td><td>6.00</td><td>155 238 Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 2437.00	109.23	74.00	35.23	99.22	32.51	7.20	35.70	6.00	155 238 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																									
1 2389.32	55.78	74.00	-18.22	45.94	32.44	7.11	35.71	6.00	155 238 PEAK																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																									
1 2437.00	109.23	74.00	35.23	99.22	32.51	7.20	35.70	6.00	155 238 Peak																																																																									
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 2388.30</td><td>45.22</td><td>54.00</td><td>-8.78</td><td>35.38</td><td>32.44</td><td>7.11</td><td>35.71</td><td>6.00</td><td>155 238 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 2388.30	45.22	54.00	-8.78	35.38	32.44	7.11	35.71	6.00	155 238 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 2437.00</td><td>105.07</td><td>54.00</td><td>51.07</td><td>95.06</td><td>32.51</td><td>7.20</td><td>35.70</td><td>6.00</td><td>155 238 Average</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 2437.00	105.07	54.00	51.07	95.06	32.51	7.20	35.70	6.00	155 238 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																									
1 2388.30	45.22	54.00	-8.78	35.38	32.44	7.11	35.71	6.00	155 238 AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																									
1 2437.00	105.07	54.00	51.07	95.06	32.51	7.20	35.70	6.00	155 238 Average																																																																									





Mode	2																																																							
	Band Edge - R																																																							
	2400-2483.5_802.11b_CH06_2437MHz																																																							
ANT	CDD 1S3T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.42</td><td>56.78</td><td>74.00</td><td>-17.22</td><td>46.60</td><td>32.58</td><td>7.29</td><td>35.69</td><td>6.00</td><td>155</td><td>238</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.42	56.78	74.00	-17.22	46.60	32.58	7.29	35.69	6.00	155	238	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2485.42	56.78	74.00	-17.22	46.60	32.58	7.29	35.69	6.00	155	238	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.84</td><td>45.78</td><td>54.00</td><td>-8.22</td><td>35.60</td><td>32.58</td><td>7.29</td><td>35.69</td><td>6.00</td><td>155</td><td>238</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.84	45.78	54.00	-8.22	35.60	32.58	7.29	35.69	6.00	155	238	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2483.84	45.78	54.00	-8.22	35.60	32.58	7.29	35.69	6.00	155	238	AVERAGE																																												





Mode	2																																																						
	Band Edge - L																																																						
	2400-2483.5_802.11b_CH06_2437MHz																																																						
ANT	CDD 1S3T																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2385.25</td><td>58.32</td><td>74.00</td><td>-15.68</td><td>48.48</td><td>32.44</td><td>7.11</td><td>35.71</td><td>6.00</td><td>265</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2385.25	58.32	74.00	-15.68	48.48	32.44	7.11	35.71	6.00	265	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2385.25	58.32	74.00	-15.68	48.48	32.44	7.11	35.71	6.00	265	360	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>116.28</td><td>74.00</td><td>42.28</td><td>106.27</td><td>32.51</td><td>7.20</td><td>35.70</td><td>6.00</td><td>265</td><td>360</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	116.28	74.00	42.28	106.27	32.51	7.20	35.70	6.00	265	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2437.00	116.28	74.00	42.28	106.27	32.51	7.20	35.70	6.00	265	360	Peak																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2385.51</td><td>47.58</td><td>54.00</td><td>-6.42</td><td>37.74</td><td>32.44</td><td>7.11</td><td>35.71</td><td>6.00</td><td>265</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2385.51	47.58	54.00	-6.42	37.74	32.44	7.11	35.71	6.00	265	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2385.51	47.58	54.00	-6.42	37.74	32.44	7.11	35.71	6.00	265	360	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>108.06</td><td>54.00</td><td>54.06</td><td>98.05</td><td>32.51</td><td>7.20</td><td>35.70</td><td>6.00</td><td>265</td><td>360</td><td>Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	108.06	54.00	54.06	98.05	32.51	7.20	35.70	6.00	265	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2437.00	108.06	54.00	54.06	98.05	32.51	7.20	35.70	6.00	265	360	Average																																											







Mode	2																																																							
	Band Edge - R																																																							
	2400-2483.5_802.11b_CH06_2437MHz																																																							
ANT	CDD 1S3T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.41</td><td>59.30</td><td>74.00</td><td>-14.70</td><td>49.12</td><td>32.58</td><td>7.29</td><td>35.69</td><td>6.00</td><td>265</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.41	59.30	74.00	-14.70	49.12	32.58	7.29	35.69	6.00	265	360	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2484.41	59.30	74.00	-14.70	49.12	32.58	7.29	35.69	6.00	265	360	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.02</td><td>47.48</td><td>54.00</td><td>-6.52</td><td>37.30</td><td>32.58</td><td>7.29</td><td>35.69</td><td>6.00</td><td>265</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.02	47.48	54.00	-6.52	37.30	32.58	7.29	35.69	6.00	265	360	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2484.02	47.48	54.00	-6.52	37.30	32.58	7.29	35.69	6.00	265	360	AVERAGE																																												







Mode	2																																																																																																																																																																																																			
	Harmonic																																																																																																																																																																																																			
	2400-2483.5_802.11b_CH06_2437MHz																																																																																																																																																																																																			
ANT	CDD 1S3T																																																																																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																																																																																													
Peak Avg																																																																																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 4000.00</td><td>52.96</td><td>74.00</td><td>-21.04</td><td>73.22</td><td>33.90</td><td>9.52</td><td>63.68</td><td>0.00</td><td>174</td><td>272</td><td>Peak</td></tr><tr><td>2 4000.00</td><td>52.84</td><td>54.00</td><td>-1.16</td><td>73.10</td><td>33.90</td><td>9.52</td><td>63.68</td><td>0.00</td><td>174</td><td>272</td><td>Average</td></tr><tr><td>3 4874.00</td><td>44.02</td><td>74.00</td><td>-29.98</td><td>62.52</td><td>34.60</td><td>10.38</td><td>63.48</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>4 7311.00</td><td>47.56</td><td>74.00</td><td>-26.44</td><td>62.51</td><td>35.90</td><td>12.82</td><td>63.67</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>5 9748.00</td><td>55.09</td><td>74.00</td><td>-18.91</td><td>64.80</td><td>37.56</td><td>14.95</td><td>62.22</td><td>0.00</td><td>174</td><td>272</td><td>PEAK</td></tr><tr><td>6 9748.00</td><td>52.86</td><td>54.00</td><td>-1.14</td><td>62.57</td><td>37.56</td><td>14.95</td><td>62.22</td><td>0.00</td><td>174</td><td>272</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 4000.00	52.96	74.00	-21.04	73.22	33.90	9.52	63.68	0.00	174	272	Peak	2 4000.00	52.84	54.00	-1.16	73.10	33.90	9.52	63.68	0.00	174	272	Average	3 4874.00	44.02	74.00	-29.98	62.52	34.60	10.38	63.48	0.00	---	---	PEAK	4 7311.00	47.56	74.00	-26.44	62.51	35.90	12.82	63.67	0.00	---	---	PEAK	5 9748.00	55.09	74.00	-18.91	64.80	37.56	14.95	62.22	0.00	174	272	PEAK	6 9748.00	52.86	54.00	-1.14	62.57	37.56	14.95	62.22	0.00	174	272	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 4000.00</td><td>50.42</td><td>74.00</td><td>-23.58</td><td>70.68</td><td>33.90</td><td>9.52</td><td>63.68</td><td>0.00</td><td>150</td><td>0</td><td>Peak</td></tr><tr><td>2 4874.00</td><td>44.48</td><td>74.00</td><td>-29.52</td><td>62.98</td><td>34.60</td><td>10.38</td><td>63.48</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3 7311.00</td><td>46.00</td><td>74.00</td><td>-28.00</td><td>60.95</td><td>35.90</td><td>12.82</td><td>63.67</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>4 9748.00</td><td>48.59</td><td>74.00</td><td>-25.41</td><td>58.30</td><td>37.56</td><td>14.95</td><td>62.22</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 4000.00	50.42	74.00	-23.58	70.68	33.90	9.52	63.68	0.00	150	0	Peak	2 4874.00	44.48	74.00	-29.52	62.98	34.60	10.38	63.48	0.00	---	---	PEAK	3 7311.00	46.00	74.00	-28.00	60.95	35.90	12.82	63.67	0.00	---	---	PEAK	4 9748.00	48.59	74.00	-25.41	58.30	37.56	14.95	62.22	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																										
1 4000.00	52.96	74.00	-21.04	73.22	33.90	9.52	63.68	0.00	174	272	Peak																																																																																																																																																																																									
2 4000.00	52.84	54.00	-1.16	73.10	33.90	9.52	63.68	0.00	174	272	Average																																																																																																																																																																																									
3 4874.00	44.02	74.00	-29.98	62.52	34.60	10.38	63.48	0.00	---	---	PEAK																																																																																																																																																																																									
4 7311.00	47.56	74.00	-26.44	62.51	35.90	12.82	63.67	0.00	---	---	PEAK																																																																																																																																																																																									
5 9748.00	55.09	74.00	-18.91	64.80	37.56	14.95	62.22	0.00	174	272	PEAK																																																																																																																																																																																									
6 9748.00	52.86	54.00	-1.14	62.57	37.56	14.95	62.22	0.00	174	272	AVERAGE																																																																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																										
1 4000.00	50.42	74.00	-23.58	70.68	33.90	9.52	63.68	0.00	150	0	Peak																																																																																																																																																																																									
2 4874.00	44.48	74.00	-29.52	62.98	34.60	10.38	63.48	0.00	---	---	PEAK																																																																																																																																																																																									
3 7311.00	46.00	74.00	-28.00	60.95	35.90	12.82	63.67	0.00	---	---	PEAK																																																																																																																																																																																									
4 9748.00	48.59	74.00	-25.41	58.30	37.56	14.95	62.22	0.00	---	---	PEAK																																																																																																																																																																																									



Mode	3																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																			
ANT	CDD 1S3T																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.92</td><td>60.28</td><td>74.00</td><td>-13.72</td><td>50.10</td><td>32.58</td><td>7.29</td><td>35.69</td><td>6.00</td><td>161</td><td>115</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.92	60.28	74.00	-13.72	50.10	32.58	7.29	35.69	6.00	161	115	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>113.46</td><td>74.00</td><td>39.46</td><td>103.36</td><td>32.55</td><td>7.25</td><td>35.70</td><td>6.00</td><td>161</td><td>115</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	113.46	74.00	39.46	103.36	32.55	7.25	35.70	6.00	161	115	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2485.92	60.28	74.00	-13.72	50.10	32.58	7.29	35.69	6.00	161	115	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2462.00	113.46	74.00	39.46	103.36	32.55	7.25	35.70	6.00	161	115	Peak																																																																																								
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>52.90</td><td>54.00</td><td>-1.10</td><td>42.72</td><td>32.58</td><td>7.29</td><td>35.69</td><td>6.00</td><td>161</td><td>115</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	52.90	54.00	-1.10	42.72	32.58	7.29	35.69	6.00	161	115	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>109.14</td><td>54.00</td><td>55.14</td><td>99.04</td><td>32.55</td><td>7.25</td><td>35.70</td><td>6.00</td><td>161</td><td>115</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	109.14	54.00	55.14	99.04	32.55	7.25	35.70	6.00	161	115	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.50	52.90	54.00	-1.10	42.72	32.58	7.29	35.69	6.00	161	115	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2462.00	109.14	54.00	55.14	99.04	32.55	7.25	35.70	6.00	161	115	Average																																																																																								



Mode	3																																																																																									
	Band Edge																																																																																									
	2400-2483.5_802.11b_CH11_2462MHz																																																																																									
ANT	CDD 1S3T																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.55</td><td>60.88</td><td>74.00</td><td>-13.12</td><td>50.70</td><td>32.58</td><td>7.29</td><td>35.69</td><td>6.00</td><td>321</td><td>53</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.55	60.88	74.00	-13.12	50.70	32.58	7.29	35.69	6.00	321	53	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>118.15</td><td>74.00</td><td>44.15</td><td>108.05</td><td>32.55</td><td>7.25</td><td>35.70</td><td>6.00</td><td>321</td><td>53</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	118.15	74.00	44.15	108.05	32.55	7.25	35.70	6.00	321	53	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2484.55	60.88	74.00	-13.12	50.70	32.58	7.29	35.69	6.00	321	53	PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2462.00	118.15	74.00	44.15	108.05	32.55	7.25	35.70	6.00	321	53	Peak																																																																														
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.50</td><td>52.39</td><td>54.00</td><td>-1.61</td><td>42.21</td><td>32.58</td><td>7.29</td><td>35.69</td><td>6.00</td><td>321</td><td>53</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	52.39	54.00	-1.61	42.21	32.58	7.29	35.69	6.00	321	53	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>110.60</td><td>54.00</td><td>56.60</td><td>100.50</td><td>32.55</td><td>7.25</td><td>35.70</td><td>6.00</td><td>321</td><td>53</td><td>Average</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	110.60	54.00	56.60	100.50	32.55	7.25	35.70	6.00	321	53	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2483.50	52.39	54.00	-1.61	42.21	32.58	7.29	35.69	6.00	321	53	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2462.00	110.60	54.00	56.60	100.50	32.55	7.25	35.70	6.00	321	53	Average																																																																														