










Mode	9																																																																																																								
	Harmonic																																																																																																								
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																																																																																								
ANT	CDD 1S4T																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 10420.00</td><td>45.63</td><td>68.30</td><td>-22.67</td><td>54.08</td><td>38.09</td><td>15.59</td><td>62.13</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 10420.00	45.63	68.30	-22.67	54.08	38.09	15.59	62.13	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 10420.00</td><td>44.04</td><td>68.30</td><td>-24.26</td><td>52.49</td><td>38.09</td><td>15.59</td><td>62.13</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 10420.00	44.04	68.30	-24.26	52.49	38.09	15.59	62.13	0.00	---	---
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 10420.00	45.63	68.30	-22.67	54.08	38.09	15.59	62.13	0.00	---	---	PEAK																																																																																														
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 10420.00	44.04	68.30	-24.26	52.49	38.09	15.59	62.13	0.00	---	---	PEAK																																																																																														





Mode	10																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																						
ANT	CDD 1S4T																																																																																																																						
Pol.	Horizontal										Fundamental																																																																																																												
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit Freq</th><th>Limit Level</th><th>Limit Line</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5640.89</td><td>52.94</td><td>68.30</td><td>-15.36</td><td>42.64</td><td>35.06</td><td>11.23</td><td>35.99</td><td>0.00</td><td>100</td><td>312 PEAK</td></tr><tr><td>2</td><td>5650.46</td><td>50.86</td><td>68.64</td><td>-17.78</td><td>40.52</td><td>35.08</td><td>11.24</td><td>35.98</td><td>0.00</td><td>100</td><td>312 PEAK</td></tr><tr><td>3</td><td>5702.66</td><td>54.20</td><td>106.05</td><td>-51.85</td><td>43.75</td><td>35.13</td><td>11.28</td><td>35.96</td><td>0.00</td><td>100</td><td>312 PEAK</td></tr><tr><td>4</td><td>5720.93</td><td>56.64</td><td>113.02</td><td>-56.38</td><td>46.13</td><td>35.16</td><td>11.30</td><td>35.95</td><td>0.00</td><td>100</td><td>312 PEAK</td></tr></tbody></table>											Limit Freq	Limit Level	Limit Line	Read Level	Ant Factor	Cable Loss	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5640.89	52.94	68.30	-15.36	42.64	35.06	11.23	35.99	0.00	100	312 PEAK	2	5650.46	50.86	68.64	-17.78	40.52	35.08	11.24	35.98	0.00	100	312 PEAK	3	5702.66	54.20	106.05	-51.85	43.75	35.13	11.28	35.96	0.00	100	312 PEAK	4	5720.93	56.64	113.02	-56.38	46.13	35.16	11.30	35.95	0.00	100	312 PEAK	<table><thead><tr><th></th><th>Limit Freq</th><th>Limit Level</th><th>Limit Line</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>110.16</td><td>122.30</td><td>-12.14</td><td>99.58</td><td>35.19</td><td>11.33</td><td>35.94</td><td>0.00</td><td>100</td><td>312 PEAK</td></tr></tbody></table>		Limit Freq	Limit Level	Limit Line	Read Level	Ant Factor	Cable Loss	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	110.16	122.30	-12.14	99.58	35.19	11.33	35.94	0.00	100	312 PEAK
		Limit Freq	Limit Level	Limit Line	Read Level	Ant Factor	Cable Loss	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5640.89	52.94	68.30	-15.36	42.64	35.06	11.23	35.99	0.00	100	312 PEAK																																																																																																												
2	5650.46	50.86	68.64	-17.78	40.52	35.08	11.24	35.98	0.00	100	312 PEAK																																																																																																												
3	5702.66	54.20	106.05	-51.85	43.75	35.13	11.28	35.96	0.00	100	312 PEAK																																																																																																												
4	5720.93	56.64	113.02	-56.38	46.13	35.16	11.30	35.95	0.00	100	312 PEAK																																																																																																												
	Limit Freq	Limit Level	Limit Line	Read Level	Ant Factor	Cable Loss	Preamp	Aux	APos	TPos	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5745.00	110.16	122.30	-12.14	99.58	35.19	11.33	35.94	0.00	100	312 PEAK																																																																																																												
Avg	Blank																																																																																																																						
											<table><thead><tr><th></th><th>Limit Freq</th><th>Limit Level</th><th>Limit Line</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>102.73</td><td>122.30</td><td>-19.57</td><td>92.15</td><td>35.19</td><td>11.33</td><td>35.94</td><td>0.00</td><td>100</td><td>312 AVERAGE</td></tr></tbody></table>		Limit Freq	Limit Level	Limit Line	Read Level	Ant Factor	Cable Loss	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	102.73	122.30	-19.57	92.15	35.19	11.33	35.94	0.00	100	312 AVERAGE																																																																								
		Limit Freq	Limit Level	Limit Line	Read Level	Ant Factor	Cable Loss	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5745.00	102.73	122.30	-19.57	92.15	35.19	11.33	35.94	0.00	100	312 AVERAGE																																																																																																												






	10																																																																																													
Mode	Band Edge																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																													
ANT	CDD 1S4T																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5634.37</td><td>52.72</td><td>68.30</td><td>-15.58</td><td>42.43</td><td>35.06</td><td>11.22</td><td>35.99</td><td>0.00</td><td>116</td><td>134</td><td>PEAK</td></tr><tr><td>2</td><td>5650.90</td><td>52.89</td><td>68.97</td><td>-16.08</td><td>42.55</td><td>35.08</td><td>11.24</td><td>35.98</td><td>0.00</td><td>116</td><td>134</td><td>PEAK</td></tr><tr><td>3</td><td>5704.40</td><td>55.20</td><td>106.53</td><td>-51.33</td><td>44.74</td><td>35.14</td><td>11.28</td><td>35.96</td><td>0.00</td><td>116</td><td>134</td><td>PEAK</td></tr><tr><td>4</td><td>5720.21</td><td>54.47</td><td>111.37</td><td>-56.90</td><td>43.97</td><td>35.15</td><td>11.30</td><td>35.95</td><td>0.00</td><td>116</td><td>134</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5634.37	52.72	68.30	-15.58	42.43	35.06	11.22	35.99	0.00	116	134	PEAK	2	5650.90	52.89	68.97	-16.08	42.55	35.08	11.24	35.98	0.00	116	134	PEAK	3	5704.40	55.20	106.53	-51.33	44.74	35.14	11.28	35.96	0.00	116	134	PEAK	4	5720.21	54.47	111.37	-56.90	43.97	35.15	11.30	35.95	0.00	116	134
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5634.37	52.72	68.30	-15.58	42.43	35.06	11.22	35.99	0.00	116	134	PEAK																																																																																		
2	5650.90	52.89	68.97	-16.08	42.55	35.08	11.24	35.98	0.00	116	134	PEAK																																																																																		
3	5704.40	55.20	106.53	-51.33	44.74	35.14	11.28	35.96	0.00	116	134	PEAK																																																																																		
4	5720.21	54.47	111.37	-56.90	43.97	35.15	11.30	35.95	0.00	116	134	PEAK																																																																																		
Avg	Blank																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4000.00</td><td>47.78</td><td>54.00</td><td>-6.22</td><td>40.17</td><td>33.90</td><td>9.52</td><td>35.81</td><td>0.00</td><td>116</td><td>134</td><td>Average</td></tr><tr><td>2</td><td>5146.00</td><td>52.90</td><td>54.00</td><td>-1.10</td><td>43.92</td><td>34.62</td><td>10.62</td><td>36.26</td><td>0.00</td><td>128</td><td>156</td><td>Average</td></tr><tr><td>3</td><td>5745.00</td><td>103.82</td><td>122.30</td><td>-18.48</td><td>93.24</td><td>35.19</td><td>11.33</td><td>35.94</td><td>0.00</td><td>116</td><td>134</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4000.00	47.78	54.00	-6.22	40.17	33.90	9.52	35.81	0.00	116	134	Average	2	5146.00	52.90	54.00	-1.10	43.92	34.62	10.62	36.26	0.00	128	156	Average	3	5745.00	103.82	122.30	-18.48	93.24	35.19	11.33	35.94	0.00	116	134	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	4000.00	47.78	54.00	-6.22	40.17	33.90	9.52	35.81	0.00	116	134	Average																																																																																		
2	5146.00	52.90	54.00	-1.10	43.92	34.62	10.62	36.26	0.00	128	156	Average																																																																																		
3	5745.00	103.82	122.30	-18.48	93.24	35.19	11.33	35.94	0.00	116	134	AVERAGE																																																																																		




Mode	10																																																																																																						
	Harmonic																																																																																																						
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																						
ANT	CDD 1S4T																																																																																																						
Pol.	Horizontal					Vertical																																																																																																	
Peak Avg																																																																																																							
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11490.00</td><td>44.51</td><td>74.00</td><td>-29.49</td><td>52.00</td><td>38.84</td><td>16.15</td><td>62.48</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11490.00	44.51	74.00	-29.49	52.00	38.84	16.15	62.48	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11490.00</td><td>44.29</td><td>74.00</td><td>-29.71</td><td>51.78</td><td>38.84</td><td>16.15</td><td>62.48</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11490.00	44.29	74.00	-29.71	51.78	38.84	16.15	62.48	0.00	---	---
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1 11490.00	44.51	74.00	-29.49	52.00	38.84	16.15	62.48	0.00	---	---	PEAK																																																																																												
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1 11490.00	44.29	74.00	-29.71	51.78	38.84	16.15	62.48	0.00	---	---	PEAK																																																																																												






		11																																																																																													
Mode		Band Edge - L																																																																																													
		U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																													
ANT		CDD 1S4T																																																																																													
Pol.		Horizontal																																																																																													
Peak																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5630.90</td><td>53.61</td><td>68.30</td><td>-14.69</td><td>43.33</td><td>35.05</td><td>11.22</td><td>35.99</td><td>0.00</td><td>101</td><td>310 PEAK</td></tr><tr><td>2</td><td>5650.51</td><td>50.73</td><td>68.68</td><td>-17.95</td><td>40.39</td><td>35.08</td><td>11.24</td><td>35.98</td><td>0.00</td><td>101</td><td>310 PEAK</td></tr><tr><td>3</td><td>5702.86</td><td>53.68</td><td>106.10</td><td>-52.42</td><td>43.23</td><td>35.13</td><td>11.28</td><td>35.96</td><td>0.00</td><td>101</td><td>310 PEAK</td></tr><tr><td>4</td><td>5720.44</td><td>51.00</td><td>111.89</td><td>-60.89</td><td>40.50</td><td>35.15</td><td>11.30</td><td>35.95</td><td>0.00</td><td>101</td><td>310 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5630.90	53.61	68.30	-14.69	43.33	35.05	11.22	35.99	0.00	101	310 PEAK	2	5650.51	50.73	68.68	-17.95	40.39	35.08	11.24	35.98	0.00	101	310 PEAK	3	5702.86	53.68	106.10	-52.42	43.23	35.13	11.28	35.96	0.00	101	310 PEAK	4	5720.44	51.00	111.89	-60.89	40.50	35.15	11.30	35.95	0.00	101
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5630.90	53.61	68.30	-14.69	43.33	35.05	11.22	35.99	0.00	101	310 PEAK																																																																																				
2	5650.51	50.73	68.68	-17.95	40.39	35.08	11.24	35.98	0.00	101	310 PEAK																																																																																				
3	5702.86	53.68	106.10	-52.42	43.23	35.13	11.28	35.96	0.00	101	310 PEAK																																																																																				
4	5720.44	51.00	111.89	-60.89	40.50	35.15	11.30	35.95	0.00	101	310 PEAK																																																																																				
Fundamental																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>113.36</td><td>122.30</td><td>-8.94</td><td>102.66</td><td>35.24</td><td>11.38</td><td>35.92</td><td>0.00</td><td>101</td><td>310 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5785.00	113.36	122.30	-8.94	102.66	35.24	11.38	35.92	0.00	101	310 PEAK																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5785.00	113.36	122.30	-8.94	102.66	35.24	11.38	35.92	0.00	101	310 PEAK																																																																																				
Avg	Blank																																																																																														
																																																																																															
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4000.00</td><td>40.50</td><td>54.00</td><td>-13.50</td><td>32.89</td><td>33.90</td><td>9.52</td><td>35.81</td><td>0.00</td><td>101</td><td>310 Average</td></tr><tr><td>2</td><td>5164.00</td><td>43.69</td><td>68.30</td><td>-24.61</td><td>34.68</td><td>34.63</td><td>10.63</td><td>36.25</td><td>0.00</td><td>101</td><td>310 Average</td></tr><tr><td>3</td><td>5785.00</td><td>103.92</td><td>122.30</td><td>-18.38</td><td>93.22</td><td>35.24</td><td>11.38</td><td>35.92</td><td>0.00</td><td>101</td><td>310 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4000.00	40.50	54.00	-13.50	32.89	33.90	9.52	35.81	0.00	101	310 Average	2	5164.00	43.69	68.30	-24.61	34.68	34.63	10.63	36.25	0.00	101	310 Average	3	5785.00	103.92	122.30	-18.38	93.22	35.24	11.38	35.92	0.00	101	310 AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	4000.00	40.50	54.00	-13.50	32.89	33.90	9.52	35.81	0.00	101	310 Average																																																																																				
2	5164.00	43.69	68.30	-24.61	34.68	34.63	10.63	36.25	0.00	101	310 Average																																																																																				
3	5785.00	103.92	122.30	-18.38	93.22	35.24	11.38	35.92	0.00	101	310 AVERAGE																																																																																				




Mode	11																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																													
ANT	CDD 1S4T																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.96</td><td>50.84</td><td>110.99</td><td>-60.15</td><td>39.96</td><td>35.32</td><td>11.43</td><td>35.87</td><td>0.00</td><td>101</td><td>310</td><td>PEAK</td></tr><tr><td>2</td><td>5874.27</td><td>52.03</td><td>105.51</td><td>-53.48</td><td>41.10</td><td>35.35</td><td>11.44</td><td>35.86</td><td>0.00</td><td>101</td><td>310</td><td>PEAK</td></tr><tr><td>3</td><td>5924.26</td><td>52.43</td><td>68.85</td><td>-16.42</td><td>41.37</td><td>35.41</td><td>11.47</td><td>35.82</td><td>0.00</td><td>101</td><td>310</td><td>PEAK</td></tr><tr><td>4</td><td>5947.36</td><td>52.29</td><td>68.30</td><td>-16.01</td><td>41.17</td><td>35.44</td><td>11.49</td><td>35.81</td><td>0.00</td><td>101</td><td>310</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.96	50.84	110.99	-60.15	39.96	35.32	11.43	35.87	0.00	101	310	PEAK	2	5874.27	52.03	105.51	-53.48	41.10	35.35	11.44	35.86	0.00	101	310	PEAK	3	5924.26	52.43	68.85	-16.42	41.37	35.41	11.47	35.82	0.00	101	310	PEAK	4	5947.36	52.29	68.30	-16.01	41.17	35.44	11.49	35.81	0.00	101	310	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.96	50.84	110.99	-60.15	39.96	35.32	11.43	35.87	0.00	101	310	PEAK																																																																																		
2	5874.27	52.03	105.51	-53.48	41.10	35.35	11.44	35.86	0.00	101	310	PEAK																																																																																		
3	5924.26	52.43	68.85	-16.42	41.37	35.41	11.47	35.82	0.00	101	310	PEAK																																																																																		
4	5947.36	52.29	68.30	-16.01	41.17	35.44	11.49	35.81	0.00	101	310	PEAK																																																																																		





	11																																																																																																																																																			
Mode	Band Edge - L																																																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																																			
ANT	CDD 1S4T																																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																																													
Peak																																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5632.38</td><td>54.44</td><td>68.30</td><td>-13.86</td><td>44.15</td><td>35.06</td><td>11.22</td><td>35.99</td><td>0.00</td><td>118</td><td>130 PEAK</td></tr><tr><td>2</td><td>5650.14</td><td>51.08</td><td>68.40</td><td>-17.32</td><td>40.74</td><td>35.08</td><td>11.24</td><td>35.98</td><td>0.00</td><td>118</td><td>130 PEAK</td></tr><tr><td>3</td><td>5700.64</td><td>53.53</td><td>105.48</td><td>-51.95</td><td>43.08</td><td>35.13</td><td>11.28</td><td>35.96</td><td>0.00</td><td>118</td><td>130 PEAK</td></tr><tr><td>4</td><td>5720.07</td><td>52.44</td><td>111.05</td><td>-58.61</td><td>41.94</td><td>35.15</td><td>11.30</td><td>35.95</td><td>0.00</td><td>118</td><td>130 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5632.38	54.44	68.30	-13.86	44.15	35.06	11.22	35.99	0.00	118	130 PEAK	2	5650.14	51.08	68.40	-17.32	40.74	35.08	11.24	35.98	0.00	118	130 PEAK	3	5700.64	53.53	105.48	-51.95	43.08	35.13	11.28	35.96	0.00	118	130 PEAK	4	5720.07	52.44	111.05	-58.61	41.94	35.15	11.30	35.95	0.00	118	130 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5194.00</td><td>67.48</td><td>68.30</td><td>-0.82</td><td>58.41</td><td>34.66</td><td>10.64</td><td>36.23</td><td>0.00</td><td>127</td><td>159 Peak</td></tr><tr><td>2</td><td>5785.00</td><td>113.77</td><td>122.30</td><td>-8.53</td><td>103.09</td><td>35.23</td><td>11.37</td><td>35.92</td><td>0.00</td><td>118</td><td>130 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5194.00	67.48	68.30	-0.82	58.41	34.66	10.64	36.23	0.00	127	159 Peak	2	5785.00	113.77	122.30	-8.53	103.09	35.23	11.37	35.92	0.00	118
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																										
1	5632.38	54.44	68.30	-13.86	44.15	35.06	11.22	35.99	0.00	118	130 PEAK																																																																																																																																									
2	5650.14	51.08	68.40	-17.32	40.74	35.08	11.24	35.98	0.00	118	130 PEAK																																																																																																																																									
3	5700.64	53.53	105.48	-51.95	43.08	35.13	11.28	35.96	0.00	118	130 PEAK																																																																																																																																									
4	5720.07	52.44	111.05	-58.61	41.94	35.15	11.30	35.95	0.00	118	130 PEAK																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																										
1	5194.00	67.48	68.30	-0.82	58.41	34.66	10.64	36.23	0.00	127	159 Peak																																																																																																																																									
2	5785.00	113.77	122.30	-8.53	103.09	35.23	11.37	35.92	0.00	118	130 PEAK																																																																																																																																									
Avg	Blank																																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4000.00</td><td>46.14</td><td>54.00</td><td>-7.86</td><td>38.53</td><td>33.90</td><td>9.52</td><td>35.81</td><td>0.00</td><td>118</td><td>130 Average</td></tr><tr><td>2</td><td>5176.00</td><td>55.35</td><td>68.30</td><td>-12.95</td><td>46.32</td><td>34.64</td><td>10.63</td><td>36.24</td><td>0.00</td><td>118</td><td>130 Average</td></tr><tr><td>3</td><td>5785.00</td><td>105.70</td><td>122.30</td><td>-16.60</td><td>95.02</td><td>35.23</td><td>11.37</td><td>35.92</td><td>0.00</td><td>118</td><td>130 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4000.00	46.14	54.00	-7.86	38.53	33.90	9.52	35.81	0.00	118	130 Average	2	5176.00	55.35	68.30	-12.95	46.32	34.64	10.63	36.24	0.00	118	130 Average	3	5785.00	105.70	122.30	-16.60	95.02	35.23	11.37	35.92	0.00	118	130 AVERAGE																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																										
1	4000.00	46.14	54.00	-7.86	38.53	33.90	9.52	35.81	0.00	118	130 Average																																																																																																																																									
2	5176.00	55.35	68.30	-12.95	46.32	34.64	10.63	36.24	0.00	118	130 Average																																																																																																																																									
3	5785.00	105.70	122.30	-16.60	95.02	35.23	11.37	35.92	0.00	118	130 AVERAGE																																																																																																																																									






Mode	11																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																													
ANT	CDD 1S4T																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.47</td><td>53.21</td><td>112.12</td><td>-58.91</td><td>42.33</td><td>35.32</td><td>11.43</td><td>35.87</td><td>0.00</td><td>118</td><td>130</td><td>PEAK</td></tr><tr><td>2</td><td>5871.96</td><td>52.61</td><td>106.15</td><td>-53.54</td><td>41.69</td><td>35.34</td><td>11.44</td><td>35.86</td><td>0.00</td><td>118</td><td>130</td><td>PEAK</td></tr><tr><td>3</td><td>5923.77</td><td>51.77</td><td>69.21</td><td>-17.44</td><td>40.71</td><td>35.41</td><td>11.47</td><td>35.82</td><td>0.00</td><td>118</td><td>130</td><td>PEAK</td></tr><tr><td>4</td><td>5934.00</td><td>52.69</td><td>68.30</td><td>-15.61</td><td>41.61</td><td>35.42</td><td>11.48</td><td>35.82</td><td>0.00</td><td>118</td><td>130</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.47	53.21	112.12	-58.91	42.33	35.32	11.43	35.87	0.00	118	130	PEAK	2	5871.96	52.61	106.15	-53.54	41.69	35.34	11.44	35.86	0.00	118	130	PEAK	3	5923.77	51.77	69.21	-17.44	40.71	35.41	11.47	35.82	0.00	118	130	PEAK	4	5934.00	52.69	68.30	-15.61	41.61	35.42	11.48	35.82	0.00	118	130	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.47	53.21	112.12	-58.91	42.33	35.32	11.43	35.87	0.00	118	130	PEAK																																																																																		
2	5871.96	52.61	106.15	-53.54	41.69	35.34	11.44	35.86	0.00	118	130	PEAK																																																																																		
3	5923.77	51.77	69.21	-17.44	40.71	35.41	11.47	35.82	0.00	118	130	PEAK																																																																																		
4	5934.00	52.69	68.30	-15.61	41.61	35.42	11.48	35.82	0.00	118	130	PEAK																																																																																		






Mode	11																																																																									
	Harmonic																																																																									
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																									
ANT	CDD 1S4T																																																																									
Pol.	Horizontal						Vertical																																																																			
Peak Avg																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11570.00</td><td>44.88</td><td>74.00</td><td>-29.12</td><td>52.25</td><td>38.90</td><td>16.18</td><td>62.45</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>12812.40</td><td>56.70</td><td>68.30</td><td>-11.60</td><td>64.06</td><td>39.28</td><td>17.08</td><td>63.72</td><td>0.00</td><td>100</td><td>301</td><td>Peak</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	44.88	74.00	-29.12	52.25	38.90	16.18	62.45	0.00	---	---	PEAK	2	12812.40	56.70	68.30	-11.60	64.06	39.28	17.08	63.72	0.00	100	301	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																															
1	11570.00	44.88	74.00	-29.12	52.25	38.90	16.18	62.45	0.00	---	---	PEAK																																																														
2	12812.40	56.70	68.30	-11.60	64.06	39.28	17.08	63.72	0.00	100	301	Peak																																																														
																																																																										
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11570.00</td><td>44.80</td><td>74.00</td><td>-29.20</td><td>52.17</td><td>38.90</td><td>16.18</td><td>62.45</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>12757.40</td><td>58.99</td><td>68.30</td><td>-9.31</td><td>66.29</td><td>39.28</td><td>17.04</td><td>63.62</td><td>0.00</td><td>100</td><td>71</td><td>Peak</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	44.80	74.00	-29.20	52.17	38.90	16.18	62.45	0.00	---	---	PEAK	2	12757.40	58.99	68.30	-9.31	66.29	39.28	17.04	63.62	0.00	100	71	Peak	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																															
1	11570.00	44.80	74.00	-29.20	52.17	38.90	16.18	62.45	0.00	---	---	PEAK																																																														
2	12757.40	58.99	68.30	-9.31	66.29	39.28	17.04	63.62	0.00	100	71	Peak																																																														





Mode	12																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																								
ANT	CDD 1S4T																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5854.88</td><td>52.45</td><td>111.18</td><td>-58.73</td><td>41.57</td><td>35.32</td><td>11.43</td><td>35.87</td><td>0.00</td><td>100</td><td>193</td><td>PEAK</td></tr><tr><td>2 5874.50</td><td>53.82</td><td>105.44</td><td>-51.62</td><td>42.89</td><td>35.35</td><td>11.44</td><td>35.86</td><td>0.00</td><td>100</td><td>193</td><td>PEAK</td></tr><tr><td>3 5924.88</td><td>51.00</td><td>68.39</td><td>-17.39</td><td>39.94</td><td>35.41</td><td>11.47</td><td>35.82</td><td>0.00</td><td>100</td><td>193</td><td>PEAK</td></tr><tr><td>4 5937.38</td><td>53.16</td><td>68.30</td><td>-15.14</td><td>42.07</td><td>35.42</td><td>11.48</td><td>35.81</td><td>0.00</td><td>100</td><td>193</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5854.88	52.45	111.18	-58.73	41.57	35.32	11.43	35.87	0.00	100	193	PEAK	2 5874.50	53.82	105.44	-51.62	42.89	35.35	11.44	35.86	0.00	100	193	PEAK	3 5924.88	51.00	68.39	-17.39	39.94	35.41	11.47	35.82	0.00	100	193	PEAK	4 5937.38	53.16	68.30	-15.14	42.07	35.42	11.48	35.81	0.00	100	193	PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5194.00</td><td>67.31</td><td>68.30</td><td>-0.99</td><td>58.24</td><td>34.66</td><td>10.64</td><td>36.23</td><td>0.00</td><td>194</td><td>120</td><td>Peak</td></tr><tr><td>2 5825.00</td><td>111.31</td><td>122.30</td><td>-10.99</td><td>100.51</td><td>35.28</td><td>11.41</td><td>35.89</td><td>0.00</td><td>100</td><td>193</td><td>PEAK</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5194.00	67.31	68.30	-0.99	58.24	34.66	10.64	36.23	0.00	194	120	Peak	2 5825.00	111.31	122.30	-10.99	100.51	35.28	11.41	35.89	0.00	100	193	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																	
1 5854.88	52.45	111.18	-58.73	41.57	35.32	11.43	35.87	0.00	100	193	PEAK																																																																																																																														
2 5874.50	53.82	105.44	-51.62	42.89	35.35	11.44	35.86	0.00	100	193	PEAK																																																																																																																														
3 5924.88	51.00	68.39	-17.39	39.94	35.41	11.47	35.82	0.00	100	193	PEAK																																																																																																																														
4 5937.38	53.16	68.30	-15.14	42.07	35.42	11.48	35.81	0.00	100	193	PEAK																																																																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																	
1 5194.00	67.31	68.30	-0.99	58.24	34.66	10.64	36.23	0.00	194	120	Peak																																																																																																																														
2 5825.00	111.31	122.30	-10.99	100.51	35.28	11.41	35.89	0.00	100	193	PEAK																																																																																																																														
Avg	Blank						 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 4000.00</td><td>48.86</td><td>54.00</td><td>-5.14</td><td>41.25</td><td>33.90</td><td>9.52</td><td>35.81</td><td>0.00</td><td>100</td><td>193</td><td>Average</td></tr><tr><td>2 5825.00</td><td>103.25</td><td>122.30</td><td>-19.05</td><td>92.45</td><td>35.28</td><td>11.41</td><td>35.89</td><td>0.00</td><td>100</td><td>193</td><td>AVERAGE</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 4000.00	48.86	54.00	-5.14	41.25	33.90	9.52	35.81	0.00	100	193	Average	2 5825.00	103.25	122.30	-19.05	92.45	35.28	11.41	35.89	0.00	100	193	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																	
1 4000.00	48.86	54.00	-5.14	41.25	33.90	9.52	35.81	0.00	100	193	Average																																																																																																																														
2 5825.00	103.25	122.30	-19.05	92.45	35.28	11.41	35.89	0.00	100	193	AVERAGE																																																																																																																														






Mode	12																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																									
ANT	CDD 1S4T																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.75</td><td>53.49</td><td>111.47</td><td>-57.98</td><td>42.61</td><td>35.32</td><td>11.43</td><td>35.87</td><td>0.00</td><td>111</td><td>80</td><td>PEAK</td></tr><tr><td>2</td><td>5873.38</td><td>55.48</td><td>105.75</td><td>-50.27</td><td>44.55</td><td>35.35</td><td>11.44</td><td>35.86</td><td>0.00</td><td>111</td><td>80</td><td>PEAK</td></tr><tr><td>3</td><td>5923.50</td><td>53.39</td><td>69.41</td><td>-16.02</td><td>42.33</td><td>35.41</td><td>11.47</td><td>35.82</td><td>0.00</td><td>111</td><td>80</td><td>PEAK</td></tr><tr><td>4</td><td>5926.00</td><td>53.71</td><td>68.30</td><td>-14.59</td><td>42.64</td><td>35.41</td><td>11.48</td><td>35.82</td><td>0.00</td><td>111</td><td>80</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.75	53.49	111.47	-57.98	42.61	35.32	11.43	35.87	0.00	111	80	PEAK	2	5873.38	55.48	105.75	-50.27	44.55	35.35	11.44	35.86	0.00	111	80	PEAK	3	5923.50	53.39	69.41	-16.02	42.33	35.41	11.47	35.82	0.00	111	80	PEAK	4	5926.00	53.71	68.30	-14.59	42.64	35.41	11.48	35.82	0.00	111	80	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>113.84</td><td>122.30</td><td>-8.46</td><td>103.04</td><td>35.28</td><td>11.41</td><td>35.89</td><td>0.00</td><td>111</td><td>80</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	113.84	122.30	-8.46	103.04	35.28	11.41	35.89	0.00	111	80
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5854.75	53.49	111.47	-57.98	42.61	35.32	11.43	35.87	0.00	111	80	PEAK																																																																																																																														
2	5873.38	55.48	105.75	-50.27	44.55	35.35	11.44	35.86	0.00	111	80	PEAK																																																																																																																														
3	5923.50	53.39	69.41	-16.02	42.33	35.41	11.47	35.82	0.00	111	80	PEAK																																																																																																																														
4	5926.00	53.71	68.30	-14.59	42.64	35.41	11.48	35.82	0.00	111	80	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	113.84	122.30	-8.46	103.04	35.28	11.41	35.89	0.00	111	80	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>104.57</td><td>122.30</td><td>-17.73</td><td>93.77</td><td>35.28</td><td>11.41</td><td>35.89</td><td>0.00</td><td>111</td><td>80</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	104.57	122.30	-17.73	93.77	35.28	11.41	35.89	0.00	111	80	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	104.57	122.30	-17.73	93.77	35.28	11.41	35.89	0.00	111	80	AVERAGE																																																																																																																														





Mode	12																																																																																																							
	Harmonic																																																																																																							
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																							
ANT	CDD 1S4T																																																																																																							
Pol.	Horizontal						Vertical																																																																																																	
Peak Avg																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11650.00</td><td>45.02</td><td>74.00</td><td>-28.98</td><td>52.26</td><td>38.96</td><td>16.23</td><td>62.43</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11650.00	45.02	74.00	-28.98	52.26	38.96	16.23	62.43	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11650.00</td><td>44.39</td><td>74.00</td><td>-29.61</td><td>51.63</td><td>38.96</td><td>16.23</td><td>62.43</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11650.00	44.39	74.00	-29.61	51.63	38.96	16.23	62.43	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	11650.00	45.02	74.00	-28.98	52.26	38.96	16.23	62.43	0.00	---	---	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	11650.00	44.39	74.00	-29.61	51.63	38.96	16.23	62.43	0.00	---	---	PEAK																																																																																												





		13																																																																																											
Mode	Band Edge																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz																																																																																												
ANT	CDD 1S4T																																																																																												
Pol.	Horizontal																																																																																												
Peak																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5637.99</td><td>54.47</td><td>68.30</td><td>-13.83</td><td>44.18</td><td>35.06</td><td>11.22</td><td>35.99</td><td>0.00</td><td>100</td><td>313</td><td>PEAK</td></tr><tr><td>2</td><td>5650.03</td><td>52.06</td><td>68.32</td><td>-16.26</td><td>41.72</td><td>35.08</td><td>11.24</td><td>35.98</td><td>0.00</td><td>100</td><td>313</td><td>PEAK</td></tr><tr><td>3</td><td>5704.26</td><td>58.31</td><td>106.49</td><td>-48.18</td><td>47.85</td><td>35.14</td><td>11.28</td><td>35.96</td><td>0.00</td><td>100</td><td>313</td><td>PEAK</td></tr><tr><td>4</td><td>5720.06</td><td>56.96</td><td>111.04</td><td>-54.08</td><td>46.46</td><td>35.15</td><td>11.30</td><td>35.95</td><td>0.00</td><td>100</td><td>313</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5637.99	54.47	68.30	-13.83	44.18	35.06	11.22	35.99	0.00	100	313	PEAK	2	5650.03	52.06	68.32	-16.26	41.72	35.08	11.24	35.98	0.00	100	313	PEAK	3	5704.26	58.31	106.49	-48.18	47.85	35.14	11.28	35.96	0.00	100	313	PEAK	4	5720.06	56.96	111.04	-54.08	46.46	35.15	11.30	35.95	0.00	100	313
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5637.99	54.47	68.30	-13.83	44.18	35.06	11.22	35.99	0.00	100	313	PEAK																																																																																	
2	5650.03	52.06	68.32	-16.26	41.72	35.08	11.24	35.98	0.00	100	313	PEAK																																																																																	
3	5704.26	58.31	106.49	-48.18	47.85	35.14	11.28	35.96	0.00	100	313	PEAK																																																																																	
4	5720.06	56.96	111.04	-54.08	46.46	35.15	11.30	35.95	0.00	100	313	PEAK																																																																																	
Fundamental																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5110.00</td><td>58.83</td><td>74.00</td><td>-15.17</td><td>49.92</td><td>34.59</td><td>10.60</td><td>36.28</td><td>0.00</td><td>100</td><td>313</td><td>Peak</td></tr><tr><td>2</td><td>5745.00</td><td>114.11</td><td>122.30</td><td>-8.19</td><td>103.53</td><td>35.19</td><td>11.33</td><td>35.94</td><td>0.00</td><td>100</td><td>313</td><td>PEAK</td></tr><tr><td>3</td><td>6346.00</td><td>58.50</td><td>68.30</td><td>-9.80</td><td>46.51</td><td>35.71</td><td>11.82</td><td>35.54</td><td>0.00</td><td>100</td><td>313</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5110.00	58.83	74.00	-15.17	49.92	34.59	10.60	36.28	0.00	100	313	Peak	2	5745.00	114.11	122.30	-8.19	103.53	35.19	11.33	35.94	0.00	100	313	PEAK	3	6346.00	58.50	68.30	-9.80	46.51	35.71	11.82	35.54	0.00	100	313	Peak												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5110.00	58.83	74.00	-15.17	49.92	34.59	10.60	36.28	0.00	100	313	Peak																																																																																	
2	5745.00	114.11	122.30	-8.19	103.53	35.19	11.33	35.94	0.00	100	313	PEAK																																																																																	
3	6346.00	58.50	68.30	-9.80	46.51	35.71	11.82	35.54	0.00	100	313	Peak																																																																																	
Avg	Blank																																																																																												
																																																																																													
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4000.00</td><td>40.02</td><td>54.00</td><td>-13.98</td><td>32.41</td><td>33.90</td><td>9.52</td><td>35.81</td><td>0.00</td><td>100</td><td>313</td><td>Average</td></tr><tr><td>2</td><td>5116.00</td><td>43.76</td><td>54.00</td><td>-10.24</td><td>34.84</td><td>34.59</td><td>10.61</td><td>36.28</td><td>0.00</td><td>100</td><td>313</td><td>Average</td></tr><tr><td>3</td><td>5745.00</td><td>104.45</td><td>122.30</td><td>-17.85</td><td>93.89</td><td>35.18</td><td>11.32</td><td>35.94</td><td>0.00</td><td>100</td><td>313</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4000.00	40.02	54.00	-13.98	32.41	33.90	9.52	35.81	0.00	100	313	Average	2	5116.00	43.76	54.00	-10.24	34.84	34.59	10.61	36.28	0.00	100	313	Average	3	5745.00	104.45	122.30	-17.85	93.89	35.18	11.32	35.94	0.00	100	313	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	4000.00	40.02	54.00	-13.98	32.41	33.90	9.52	35.81	0.00	100	313	Average																																																																																	
2	5116.00	43.76	54.00	-10.24	34.84	34.59	10.61	36.28	0.00	100	313	Average																																																																																	
3	5745.00	104.45	122.30	-17.85	93.89	35.18	11.32	35.94	0.00	100	313	AVERAGE																																																																																	






	13																																																																																												
Mode	Band Edge																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz																																																																																												
ANT	CDD 1S4T																																																																																												
Pol.	Vertical						Fundamental																																																																																						
Peak																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5627.55</td><td>53.89</td><td>68.30</td><td>-14.41</td><td>43.63</td><td>35.05</td><td>11.21</td><td>36.00</td><td>0.00</td><td>100</td><td>87</td><td>PEAK</td></tr><tr><td>2</td><td>5650.90</td><td>51.98</td><td>68.97</td><td>-16.99</td><td>41.64</td><td>35.08</td><td>11.24</td><td>35.98</td><td>0.00</td><td>100</td><td>87</td><td>PEAK</td></tr><tr><td>3</td><td>5701.79</td><td>55.73</td><td>105.80</td><td>-50.07</td><td>45.28</td><td>35.13</td><td>11.28</td><td>35.96</td><td>0.00</td><td>100</td><td>87</td><td>PEAK</td></tr><tr><td>4</td><td>5720.21</td><td>56.82</td><td>111.37</td><td>-54.55</td><td>46.32</td><td>35.15</td><td>11.30</td><td>35.95</td><td>0.00</td><td>100</td><td>87</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5627.55	53.89	68.30	-14.41	43.63	35.05	11.21	36.00	0.00	100	87	PEAK	2	5650.90	51.98	68.97	-16.99	41.64	35.08	11.24	35.98	0.00	100	87	PEAK	3	5701.79	55.73	105.80	-50.07	45.28	35.13	11.28	35.96	0.00	100	87	PEAK	4	5720.21	56.82	111.37	-54.55	46.32	35.15	11.30	35.95	0.00	100	87
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5627.55	53.89	68.30	-14.41	43.63	35.05	11.21	36.00	0.00	100	87	PEAK																																																																																	
2	5650.90	51.98	68.97	-16.99	41.64	35.08	11.24	35.98	0.00	100	87	PEAK																																																																																	
3	5701.79	55.73	105.80	-50.07	45.28	35.13	11.28	35.96	0.00	100	87	PEAK																																																																																	
4	5720.21	56.82	111.37	-54.55	46.32	35.15	11.30	35.95	0.00	100	87	PEAK																																																																																	
Avg																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4000.00</td><td>40.23</td><td>54.00</td><td>-13.77</td><td>32.62</td><td>33.90</td><td>9.52</td><td>35.81</td><td>0.00</td><td>100</td><td>87</td><td>Average</td></tr><tr><td>2</td><td>5146.00</td><td>49.72</td><td>54.00</td><td>-4.28</td><td>40.74</td><td>34.62</td><td>10.62</td><td>36.26</td><td>0.00</td><td>100</td><td>87</td><td>Average</td></tr><tr><td>3</td><td>5745.00</td><td>103.95</td><td>122.30</td><td>-18.35</td><td>93.39</td><td>35.18</td><td>11.32</td><td>35.94</td><td>0.00</td><td>100</td><td>87</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4000.00	40.23	54.00	-13.77	32.62	33.90	9.52	35.81	0.00	100	87	Average	2	5146.00	49.72	54.00	-4.28	40.74	34.62	10.62	36.26	0.00	100	87	Average	3	5745.00	103.95	122.30	-18.35	93.39	35.18	11.32	35.94	0.00	100	87	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	4000.00	40.23	54.00	-13.77	32.62	33.90	9.52	35.81	0.00	100	87	Average																																																																																	
2	5146.00	49.72	54.00	-4.28	40.74	34.62	10.62	36.26	0.00	100	87	Average																																																																																	
3	5745.00	103.95	122.30	-18.35	93.39	35.18	11.32	35.94	0.00	100	87	AVERAGE																																																																																	




Mode	13																																																																																																																																									
	Harmonic																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz																																																																																																																																									
ANT	CDD 1S4T																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																			
Peak Avg																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>45.32</td><td>74.00</td><td>-28.68</td><td>52.81</td><td>38.84</td><td>16.15</td><td>62.48</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>12735.40</td><td>47.06</td><td>68.30</td><td>-21.24</td><td>54.35</td><td>39.27</td><td>17.02</td><td>63.58</td><td>0.00</td><td>100</td><td>180</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	45.32	74.00	-28.68	52.81	38.84	16.15	62.48	0.00	---	---	PEAK	2	12735.40	47.06	68.30	-21.24	54.35	39.27	17.02	63.58	0.00	100	180	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>44.70</td><td>74.00</td><td>-29.30</td><td>52.19</td><td>38.84</td><td>16.15</td><td>62.48</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>12672.33</td><td>60.93</td><td>74.00</td><td>-13.07</td><td>68.18</td><td>39.27</td><td>16.96</td><td>63.48</td><td>0.00</td><td>300</td><td>7</td><td>Peak</td></tr><tr><td>3</td><td>12672.33</td><td>52.90</td><td>54.00</td><td>-1.10</td><td>60.15</td><td>39.27</td><td>16.96</td><td>63.48</td><td>0.00</td><td>300</td><td>7</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	44.70	74.00	-29.30	52.19	38.84	16.15	62.48	0.00	---	---	PEAK	2	12672.33	60.93	74.00	-13.07	68.18	39.27	16.96	63.48	0.00	300	7	Peak	3	12672.33	52.90	54.00	-1.10	60.15	39.27	16.96	63.48	0.00	300	7
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	11490.00	45.32	74.00	-28.68	52.81	38.84	16.15	62.48	0.00	---	---	PEAK																																																																																																																														
2	12735.40	47.06	68.30	-21.24	54.35	39.27	17.02	63.58	0.00	100	180	Peak																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	11490.00	44.70	74.00	-29.30	52.19	38.84	16.15	62.48	0.00	---	---	PEAK																																																																																																																														
2	12672.33	60.93	74.00	-13.07	68.18	39.27	16.96	63.48	0.00	300	7	Peak																																																																																																																														
3	12672.33	52.90	54.00	-1.10	60.15	39.27	16.96	63.48	0.00	300	7	Average																																																																																																																														






Mode	14																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz																																																																																																																																								
ANT	CDD 1S4T																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5617.95</td><td>49.68</td><td>68.30</td><td>-18.62</td><td>39.43</td><td>35.04</td><td>11.21</td><td>36.00</td><td>0.00</td><td>129</td><td>40</td><td>PEAK</td></tr><tr><td>2 5651.25</td><td>49.34</td><td>69.23</td><td>-19.89</td><td>39.00</td><td>35.08</td><td>11.24</td><td>35.98</td><td>0.00</td><td>129</td><td>40</td><td>PEAK</td></tr><tr><td>3 5704.34</td><td>50.88</td><td>106.52</td><td>-55.64</td><td>40.42</td><td>35.14</td><td>11.28</td><td>35.96</td><td>0.00</td><td>129</td><td>40</td><td>PEAK</td></tr><tr><td>4 5720.62</td><td>49.14</td><td>112.31</td><td>-63.17</td><td>38.64</td><td>35.15</td><td>11.30</td><td>35.95</td><td>0.00</td><td>129</td><td>40</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5617.95	49.68	68.30	-18.62	39.43	35.04	11.21	36.00	0.00	129	40	PEAK	2 5651.25	49.34	69.23	-19.89	39.00	35.08	11.24	35.98	0.00	129	40	PEAK	3 5704.34	50.88	106.52	-55.64	40.42	35.14	11.28	35.96	0.00	129	40	PEAK	4 5720.62	49.14	112.31	-63.17	38.64	35.15	11.30	35.95	0.00	129	40	PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5164.00</td><td>65.72</td><td>68.30</td><td>-2.58</td><td>56.71</td><td>34.63</td><td>10.63</td><td>36.25</td><td>0.00</td><td>129</td><td>40</td><td>Peak</td></tr><tr><td>2 5785.00</td><td>108.78</td><td>122.30</td><td>-13.52</td><td>98.08</td><td>35.24</td><td>11.38</td><td>35.92</td><td>0.00</td><td>129</td><td>40</td><td>PEAK</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5164.00	65.72	68.30	-2.58	56.71	34.63	10.63	36.25	0.00	129	40	Peak	2 5785.00	108.78	122.30	-13.52	98.08	35.24	11.38	35.92	0.00	129	40	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																	
1 5617.95	49.68	68.30	-18.62	39.43	35.04	11.21	36.00	0.00	129	40	PEAK																																																																																																																														
2 5651.25	49.34	69.23	-19.89	39.00	35.08	11.24	35.98	0.00	129	40	PEAK																																																																																																																														
3 5704.34	50.88	106.52	-55.64	40.42	35.14	11.28	35.96	0.00	129	40	PEAK																																																																																																																														
4 5720.62	49.14	112.31	-63.17	38.64	35.15	11.30	35.95	0.00	129	40	PEAK																																																																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																	
1 5164.00	65.72	68.30	-2.58	56.71	34.63	10.63	36.25	0.00	129	40	Peak																																																																																																																														
2 5785.00	108.78	122.30	-13.52	98.08	35.24	11.38	35.92	0.00	129	40	PEAK																																																																																																																														
Avg	Blank						 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5785.00</td><td>100.29</td><td>122.30</td><td>-22.01</td><td>89.59</td><td>35.24</td><td>11.38</td><td>35.92</td><td>0.00</td><td>129</td><td>40</td><td>AVERAGE</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5785.00	100.29	122.30	-22.01	89.59	35.24	11.38	35.92	0.00	129	40	AVERAGE																																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																	
1 5785.00	100.29	122.30	-22.01	89.59	35.24	11.38	35.92	0.00	129	40	AVERAGE																																																																																																																														




Mode	14																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz																																																																																														
ANT	CDD 1S4T																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.96</td><td>49.95</td><td>110.99</td><td>-61.04</td><td>39.07</td><td>35.32</td><td>11.43</td><td>35.87</td><td>0.00</td><td>129</td><td>40</td><td>PEAK</td></tr><tr><td>2</td><td>5874.43</td><td>52.64</td><td>105.46</td><td>-52.82</td><td>41.71</td><td>35.35</td><td>11.44</td><td>35.86</td><td>0.00</td><td>129</td><td>40</td><td>PEAK</td></tr><tr><td>3</td><td>5920.96</td><td>52.01</td><td>71.28</td><td>-19.27</td><td>40.96</td><td>35.41</td><td>11.47</td><td>35.83</td><td>0.00</td><td>129</td><td>40</td><td>PEAK</td></tr><tr><td>4</td><td>5942.08</td><td>52.70</td><td>68.30</td><td>-15.60</td><td>41.59</td><td>35.43</td><td>11.49</td><td>35.81</td><td>0.00</td><td>129</td><td>40</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.96	49.95	110.99	-61.04	39.07	35.32	11.43	35.87	0.00	129	40	PEAK	2	5874.43	52.64	105.46	-52.82	41.71	35.35	11.44	35.86	0.00	129	40	PEAK	3	5920.96	52.01	71.28	-19.27	40.96	35.41	11.47	35.83	0.00	129	40	PEAK	4	5942.08	52.70	68.30	-15.60	41.59	35.43	11.49	35.81	0.00	129	40	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5854.96	49.95	110.99	-61.04	39.07	35.32	11.43	35.87	0.00	129	40	PEAK																																																																																			
2	5874.43	52.64	105.46	-52.82	41.71	35.35	11.44	35.86	0.00	129	40	PEAK																																																																																			
3	5920.96	52.01	71.28	-19.27	40.96	35.41	11.47	35.83	0.00	129	40	PEAK																																																																																			
4	5942.08	52.70	68.30	-15.60	41.59	35.43	11.49	35.81	0.00	129	40	PEAK																																																																																			





		14																																																																																																																															
Mode		Band Edge - L																																																																																																																															
		U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz																																																																																																																															
ANT		CDD 1S4T																																																																																																																															
Pol.	Vertical					Fundamental																																																																																																																											
Peak																																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1</td><td>5624.24</td><td>52.60</td><td>68.30</td><td>-15.70</td><td>42.34</td><td>35.05</td><td>11.21</td><td>36.00</td><td>0.00 100 81 PEAK</td></tr><tr><td>2</td><td>5650.14</td><td>52.03</td><td>68.40</td><td>-16.37</td><td>41.69</td><td>35.08</td><td>11.24</td><td>35.98</td><td>0.00 100 81 PEAK</td></tr><tr><td>3</td><td>5701.01</td><td>53.86</td><td>105.58</td><td>-51.72</td><td>43.41</td><td>35.13</td><td>11.28</td><td>35.96</td><td>0.00 100 81 PEAK</td></tr><tr><td>4</td><td>5720.81</td><td>53.72</td><td>112.74</td><td>-59.02</td><td>43.22</td><td>35.15</td><td>11.30</td><td>35.95</td><td>0.00 100 81 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	5624.24	52.60	68.30	-15.70	42.34	35.05	11.21	36.00	0.00 100 81 PEAK	2	5650.14	52.03	68.40	-16.37	41.69	35.08	11.24	35.98	0.00 100 81 PEAK	3	5701.01	53.86	105.58	-51.72	43.41	35.13	11.28	35.96	0.00 100 81 PEAK	4	5720.81	53.72	112.74	-59.02	43.22	35.15	11.30	35.95	0.00 100 81 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1</td><td>5182.00</td><td>67.84</td><td>68.30</td><td>-0.46</td><td>58.00</td><td>34.65</td><td>10.63</td><td>36.24</td><td>0.00 100 81 Peak</td></tr><tr><td>2</td><td>5785.00</td><td>113.89</td><td>122.30</td><td>-8.41</td><td>103.19</td><td>35.24</td><td>11.38</td><td>35.92</td><td>0.00 100 81 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	5182.00	67.84	68.30	-0.46	58.00	34.65	10.63	36.24	0.00 100 81 Peak	2	5785.00	113.89	122.30	-8.41	103.19	35.24	11.38	35.92
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																								
1	5624.24	52.60	68.30	-15.70	42.34	35.05	11.21	36.00	0.00 100 81 PEAK																																																																																																																								
2	5650.14	52.03	68.40	-16.37	41.69	35.08	11.24	35.98	0.00 100 81 PEAK																																																																																																																								
3	5701.01	53.86	105.58	-51.72	43.41	35.13	11.28	35.96	0.00 100 81 PEAK																																																																																																																								
4	5720.81	53.72	112.74	-59.02	43.22	35.15	11.30	35.95	0.00 100 81 PEAK																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																								
1	5182.00	67.84	68.30	-0.46	58.00	34.65	10.63	36.24	0.00 100 81 Peak																																																																																																																								
2	5785.00	113.89	122.30	-8.41	103.19	35.24	11.38	35.92	0.00 100 81 PEAK																																																																																																																								
Avg	Blank																																																																																																																																
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1</td><td>5182.00</td><td>50.15</td><td>68.30</td><td>-18.15</td><td>41.11</td><td>34.65</td><td>10.63</td><td>36.24</td><td>0.00 100 81 Average</td></tr><tr><td>2</td><td>5785.00</td><td>105.46</td><td>122.30</td><td>-16.84</td><td>94.76</td><td>35.24</td><td>11.38</td><td>35.92</td><td>0.00 100 81 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	5182.00	50.15	68.30	-18.15	41.11	34.65	10.63	36.24	0.00 100 81 Average	2	5785.00	105.46	122.30	-16.84	94.76	35.24	11.38	35.92	0.00 100 81 AVERAGE																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																								
1	5182.00	50.15	68.30	-18.15	41.11	34.65	10.63	36.24	0.00 100 81 Average																																																																																																																								
2	5785.00	105.46	122.30	-16.84	94.76	35.24	11.38	35.92	0.00 100 81 AVERAGE																																																																																																																								






Mode	14																																																																																			
	Band Edge - R																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz																																																																																			
ANT	CDD 1S4T																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>53.73</td><td>111.37</td><td>-57.64</td><td>42.85</td><td>35.32</td><td>11.43</td><td>35.87</td><td>0.00</td><td>100</td><td>81</td><td>PEAK</td></tr><tr><td>2</td><td>5873.44</td><td>53.73</td><td>105.74</td><td>-52.01</td><td>42.80</td><td>35.35</td><td>11.44</td><td>35.86</td><td>0.00</td><td>100</td><td>81</td><td>PEAK</td></tr><tr><td>3</td><td>5923.77</td><td>52.21</td><td>69.21</td><td>-17.00</td><td>41.15</td><td>35.41</td><td>11.47</td><td>35.82</td><td>0.00</td><td>100</td><td>81</td><td>PEAK</td></tr><tr><td>4</td><td>5936.80</td><td>52.91</td><td>68.30</td><td>-15.39</td><td>41.82</td><td>35.42</td><td>11.48</td><td>35.81</td><td>0.00</td><td>100</td><td>81</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	53.73	111.37	-57.64	42.85	35.32	11.43	35.87	0.00	100	81	PEAK	2	5873.44	53.73	105.74	-52.01	42.80	35.35	11.44	35.86	0.00	100	81	PEAK	3	5923.77	52.21	69.21	-17.00	41.15	35.41	11.47	35.82	0.00	100	81	PEAK	4	5936.80	52.91	68.30	-15.39	41.82	35.42	11.48	35.81	0.00	100	81	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.80	53.73	111.37	-57.64	42.85	35.32	11.43	35.87	0.00	100	81	PEAK																																																																								
2	5873.44	53.73	105.74	-52.01	42.80	35.35	11.44	35.86	0.00	100	81	PEAK																																																																								
3	5923.77	52.21	69.21	-17.00	41.15	35.41	11.47	35.82	0.00	100	81	PEAK																																																																								
4	5936.80	52.91	68.30	-15.39	41.82	35.42	11.48	35.81	0.00	100	81	PEAK																																																																								






Mode	14																																																								
	Harmonic																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz																																																								
ANT	CDD 1S4T																																																								
Pol.	Horizontal						Vertical																																																		
Peak Avg																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11570.00</td><td>44.34</td><td>74.00</td><td>-29.66</td><td>51.71</td><td>38.90</td><td>16.18</td><td>62.45</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11570.00	44.34	74.00	-29.66	51.71	38.90	16.18	62.45	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11570.00	44.34	74.00	-29.66	51.71	38.90	16.18	62.45	0.00	---	---	PEAK																																													
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11570.00</td><td>44.45</td><td>74.00</td><td>-29.55</td><td>51.82</td><td>38.90</td><td>16.18</td><td>62.45</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11570.00	44.45	74.00	-29.55	51.82	38.90	16.18	62.45	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	11570.00	44.45	74.00	-29.55	51.82	38.90	16.18	62.45	0.00	---	---	PEAK																																													





	15																																																																																																																																																									
Mode	Band Edge - L																																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz																																																																																																																																																									
ANT	CDD 1S4T																																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																																			
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.63</td><td>53.65</td><td>111.75</td><td>-58.10</td><td>42.77</td><td>35.32</td><td>11.43</td><td>35.87</td><td>0.00</td><td>255</td><td>16 PEAK</td></tr><tr><td>2 5873.38</td><td>52.08</td><td>105.75</td><td>-53.67</td><td>41.15</td><td>35.35</td><td>11.44</td><td>35.86</td><td>0.00</td><td>255</td><td>16 PEAK</td></tr><tr><td>3 5923.88</td><td>50.76</td><td>69.13</td><td>-18.37</td><td>39.70</td><td>35.41</td><td>11.47</td><td>35.82</td><td>0.00</td><td>255</td><td>16 PEAK</td></tr><tr><td>4 5941.75</td><td>52.98</td><td>68.30</td><td>-15.32</td><td>41.87</td><td>35.43</td><td>11.49</td><td>35.81</td><td>0.00</td><td>255</td><td>16 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.63	53.65	111.75	-58.10	42.77	35.32	11.43	35.87	0.00	255	16 PEAK	2 5873.38	52.08	105.75	-53.67	41.15	35.35	11.44	35.86	0.00	255	16 PEAK	3 5923.88	50.76	69.13	-18.37	39.70	35.41	11.47	35.82	0.00	255	16 PEAK	4 5941.75	52.98	68.30	-15.32	41.87	35.43	11.49	35.81	0.00	255	16 PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5200.00</td><td>60.30</td><td>68.30</td><td>-8.00</td><td>51.23</td><td>34.66</td><td>10.64</td><td>36.23</td><td>0.00</td><td>255</td><td>16 Peak</td></tr><tr><td>2 5825.00</td><td>110.57</td><td>122.30</td><td>-11.73</td><td>99.76</td><td>35.29</td><td>11.41</td><td>35.89</td><td>0.00</td><td>255</td><td>16 PEAK</td></tr><tr><td>3 6424.00</td><td>58.07</td><td>68.30</td><td>-10.23</td><td>45.89</td><td>35.75</td><td>11.91</td><td>35.48</td><td>0.00</td><td>255</td><td>16 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5200.00	60.30	68.30	-8.00	51.23	34.66	10.64	36.23	0.00	255	16 Peak	2 5825.00	110.57	122.30	-11.73	99.76	35.29	11.41	35.89	0.00	255	16 PEAK	3 6424.00	58.07	68.30	-10.23	45.89	35.75	11.91	35.48	0.00	255	16 Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																
1 5854.63	53.65	111.75	-58.10	42.77	35.32	11.43	35.87	0.00	255	16 PEAK																																																																																																																																																
2 5873.38	52.08	105.75	-53.67	41.15	35.35	11.44	35.86	0.00	255	16 PEAK																																																																																																																																																
3 5923.88	50.76	69.13	-18.37	39.70	35.41	11.47	35.82	0.00	255	16 PEAK																																																																																																																																																
4 5941.75	52.98	68.30	-15.32	41.87	35.43	11.49	35.81	0.00	255	16 PEAK																																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																
1 5200.00	60.30	68.30	-8.00	51.23	34.66	10.64	36.23	0.00	255	16 Peak																																																																																																																																																
2 5825.00	110.57	122.30	-11.73	99.76	35.29	11.41	35.89	0.00	255	16 PEAK																																																																																																																																																
3 6424.00	58.07	68.30	-10.23	45.89	35.75	11.91	35.48	0.00	255	16 Peak																																																																																																																																																
Avg	Blank						 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>102.00</td><td>122.30</td><td>-20.30</td><td>91.23</td><td>35.27</td><td>11.40</td><td>35.90</td><td>0.00</td><td>255</td><td>16 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	102.00	122.30	-20.30	91.23	35.27	11.40	35.90	0.00	255	16 AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																
1 5825.00	102.00	122.30	-20.30	91.23	35.27	11.40	35.90	0.00	255	16 AVERAGE																																																																																																																																																






	15																																																																																																																																																								
Mode	Band Edge - L																																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz																																																																																																																																																								
ANT	CDD 1S4T																																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																																		
Peak																																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.88</td><td>57.70</td><td>111.18</td><td>-53.48</td><td>46.82</td><td>35.32</td><td>11.43</td><td>35.87</td><td>0.00</td><td>100</td><td>78 PEAK</td></tr><tr><td>2 5873.63</td><td>56.22</td><td>105.68</td><td>-49.46</td><td>45.29</td><td>35.35</td><td>11.44</td><td>35.86</td><td>0.00</td><td>100</td><td>78 PEAK</td></tr><tr><td>3 5924.63</td><td>55.01</td><td>68.58</td><td>-13.57</td><td>43.95</td><td>35.41</td><td>11.47</td><td>35.82</td><td>0.00</td><td>100</td><td>78 PEAK</td></tr><tr><td>4 5948.75</td><td>54.54</td><td>68.30</td><td>-13.76</td><td>43.44</td><td>35.43</td><td>11.48</td><td>35.81</td><td>0.00</td><td>100</td><td>78 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.88	57.70	111.18	-53.48	46.82	35.32	11.43	35.87	0.00	100	78 PEAK	2 5873.63	56.22	105.68	-49.46	45.29	35.35	11.44	35.86	0.00	100	78 PEAK	3 5924.63	55.01	68.58	-13.57	43.95	35.41	11.47	35.82	0.00	100	78 PEAK	4 5948.75	54.54	68.30	-13.76	43.44	35.43	11.48	35.81	0.00	100	78 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5206.00</td><td>67.65</td><td>68.30</td><td>-0.65</td><td>58.57</td><td>34.66</td><td>10.65</td><td>36.23</td><td>0.00</td><td>100</td><td>78 Peak</td></tr><tr><td>2 5825.00</td><td>116.38</td><td>122.30</td><td>-5.92</td><td>105.61</td><td>35.27</td><td>11.40</td><td>35.90</td><td>0.00</td><td>100</td><td>78 PEAK</td></tr><tr><td>3 6448.00</td><td>61.43</td><td>68.30</td><td>-6.87</td><td>49.18</td><td>35.77</td><td>11.95</td><td>35.47</td><td>0.00</td><td>100</td><td>78 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5206.00	67.65	68.30	-0.65	58.57	34.66	10.65	36.23	0.00	100	78 Peak	2 5825.00	116.38	122.30	-5.92	105.61	35.27	11.40	35.90	0.00	100	78 PEAK	3 6448.00	61.43	68.30	-6.87	49.18	35.77	11.95	35.47	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																															
1 5854.88	57.70	111.18	-53.48	46.82	35.32	11.43	35.87	0.00	100	78 PEAK																																																																																																																																															
2 5873.63	56.22	105.68	-49.46	45.29	35.35	11.44	35.86	0.00	100	78 PEAK																																																																																																																																															
3 5924.63	55.01	68.58	-13.57	43.95	35.41	11.47	35.82	0.00	100	78 PEAK																																																																																																																																															
4 5948.75	54.54	68.30	-13.76	43.44	35.43	11.48	35.81	0.00	100	78 PEAK																																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																															
1 5206.00	67.65	68.30	-0.65	58.57	34.66	10.65	36.23	0.00	100	78 Peak																																																																																																																																															
2 5825.00	116.38	122.30	-5.92	105.61	35.27	11.40	35.90	0.00	100	78 PEAK																																																																																																																																															
3 6448.00	61.43	68.30	-6.87	49.18	35.77	11.95	35.47	0.00	100	78 Peak																																																																																																																																															
Avg	Blank																																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>105.79</td><td>122.30</td><td>-16.51</td><td>95.02</td><td>35.27</td><td>11.40</td><td>35.90</td><td>0.00</td><td>100</td><td>78 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	105.79	122.30	-16.51	95.02	35.27	11.40	35.90	0.00	100	78 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																															
1 5825.00	105.79	122.30	-16.51	95.02	35.27	11.40	35.90	0.00	100	78 AVERAGE																																																																																																																																															




Mode	15																																																								
	Harmonic																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz																																																								
ANT	CDD 1S4T																																																								
Pol.	Horizontal											Vertical																																													
Peak Avg	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>45.61</td><td>74.00</td><td>-28.39</td><td>52.85</td><td>38.96</td><td>16.23</td><td>62.43</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	45.61	74.00	-28.39	52.85	38.96	16.23	62.43	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11650.00	45.61	74.00	-28.39	52.85	38.96	16.23	62.43	0.00	---	---	PEAK																																													
 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>44.41</td><td>74.00</td><td>-29.59</td><td>51.65</td><td>38.96</td><td>16.23</td><td>62.43</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	44.41	74.00	-29.59	51.65	38.96	16.23	62.43	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11650.00	44.41	74.00	-29.59	51.65	38.96	16.23	62.43	0.00	---	---	PEAK																																													






Mode	16																																																																																																																																																																				
	Band Edge - L																																																																																																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																																																																																																				
ANT	CDD 1S4T																																																																																																																																																																				
Pol.	Horizontal						Fundamental																																																																																																																																																														
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 5755 MHz. The plot shows a rising red line for 5G BAND 4 and a blue line for the measured signal with peaks 1, 2, 3, and 4 marked. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5647.74</td><td>50.89</td><td>68.30</td><td>-17.41</td><td>40.58</td><td>35.07</td><td>11.23</td><td>35.99</td><td>0.00</td><td>110</td><td>146</td><td>PEAK</td></tr><tr><td>2</td><td>5650.53</td><td>49.63</td><td>68.69</td><td>-19.06</td><td>39.29</td><td>35.08</td><td>11.24</td><td>35.98</td><td>0.00</td><td>110</td><td>146</td><td>PEAK</td></tr><tr><td>3</td><td>5700.13</td><td>50.85</td><td>105.34</td><td>-54.49</td><td>40.40</td><td>35.13</td><td>11.28</td><td>35.96</td><td>0.00</td><td>110</td><td>146</td><td>PEAK</td></tr><tr><td>4</td><td>5720.28</td><td>51.71</td><td>111.54</td><td>-59.83</td><td>41.21</td><td>35.15</td><td>11.30</td><td>35.95</td><td>0.00</td><td>110</td><td>146</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5647.74	50.89	68.30	-17.41	40.58	35.07	11.23	35.99	0.00	110	146	PEAK	2	5650.53	49.63	68.69	-19.06	39.29	35.08	11.24	35.98	0.00	110	146	PEAK	3	5700.13	50.85	105.34	-54.49	40.40	35.13	11.28	35.96	0.00	110	146	PEAK	4	5720.28	51.71	111.54	-59.83	41.21	35.15	11.30	35.95	0.00	110	146	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red line for 5G BAND 4 and a blue line for the measured signal with peaks 1, 2, and 3 marked. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5116.00</td><td>58.28</td><td>74.00</td><td>-15.72</td><td>49.36</td><td>34.59</td><td>10.61</td><td>36.28</td><td>0.00</td><td>110</td><td>146</td><td>Peak</td></tr><tr><td>2</td><td>5755.00</td><td>101.04</td><td>122.30</td><td>-21.26</td><td>90.39</td><td>35.21</td><td>11.36</td><td>35.92</td><td>0.00</td><td>110</td><td>146</td><td>PEAK</td></tr><tr><td>3</td><td>6376.00</td><td>60.37</td><td>68.30</td><td>-7.93</td><td>48.31</td><td>35.73</td><td>11.85</td><td>35.52</td><td>0.00</td><td>110</td><td>146</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5116.00	58.28	74.00	-15.72	49.36	34.59	10.61	36.28	0.00	110	146	Peak	2	5755.00	101.04	122.30	-21.26	90.39	35.21	11.36	35.92	0.00	110	146	PEAK	3	6376.00	60.37	68.30	-7.93	48.31	35.73	11.85	35.52	0.00	110	146	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																											
1	5647.74	50.89	68.30	-17.41	40.58	35.07	11.23	35.99	0.00	110	146	PEAK																																																																																																																																																									
2	5650.53	49.63	68.69	-19.06	39.29	35.08	11.24	35.98	0.00	110	146	PEAK																																																																																																																																																									
3	5700.13	50.85	105.34	-54.49	40.40	35.13	11.28	35.96	0.00	110	146	PEAK																																																																																																																																																									
4	5720.28	51.71	111.54	-59.83	41.21	35.15	11.30	35.95	0.00	110	146	PEAK																																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																											
1	5116.00	58.28	74.00	-15.72	49.36	34.59	10.61	36.28	0.00	110	146	Peak																																																																																																																																																									
2	5755.00	101.04	122.30	-21.26	90.39	35.21	11.36	35.92	0.00	110	146	PEAK																																																																																																																																																									
3	6376.00	60.37	68.30	-7.93	48.31	35.73	11.85	35.52	0.00	110	146	Peak																																																																																																																																																									
Avg							 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red line for 5G BAND4 (AVG) and a blue line for the measured signal with peaks 1, 2, and 3 marked. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4000.00</td><td>46.35</td><td>54.00</td><td>-7.65</td><td>38.74</td><td>33.90</td><td>9.52</td><td>35.81</td><td>0.00</td><td>110</td><td>146</td><td>Average</td></tr><tr><td>2</td><td>5146.00</td><td>43.77</td><td>54.00</td><td>-10.23</td><td>34.79</td><td>34.62</td><td>10.62</td><td>36.26</td><td>0.00</td><td>110</td><td>146</td><td>Average</td></tr><tr><td>3</td><td>5755.00</td><td>90.07</td><td>122.30</td><td>-32.23</td><td>79.49</td><td>35.19</td><td>11.33</td><td>35.94</td><td>0.00</td><td>110</td><td>146</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4000.00	46.35	54.00	-7.65	38.74	33.90	9.52	35.81	0.00	110	146	Average	2	5146.00	43.77	54.00	-10.23	34.79	34.62	10.62	36.26	0.00	110	146	Average	3	5755.00	90.07	122.30	-32.23	79.49	35.19	11.33	35.94	0.00	110	146	AVERAGE	Blank																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																											
1	4000.00	46.35	54.00	-7.65	38.74	33.90	9.52	35.81	0.00	110	146	Average																																																																																																																																																									
2	5146.00	43.77	54.00	-10.23	34.79	34.62	10.62	36.26	0.00	110	146	Average																																																																																																																																																									
3	5755.00	90.07	122.30	-32.23	79.49	35.19	11.33	35.94	0.00	110	146	AVERAGE																																																																																																																																																									




Mode	16																																																																							
	Band Edge - R																																																																							
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																							
ANT	CDD 1S4T																																																																							
Pol.	Horizontal	Fundamental																																																																						
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5854.45</td><td>48.36</td><td>112.15</td><td>-63.79</td><td>37.48</td><td>35.32</td><td>11.43</td><td>35.87</td><td>0.00</td><td>110 146 PEAK</td></tr><tr><td>2 5874.93</td><td>49.66</td><td>105.32</td><td>-55.66</td><td>38.73</td><td>35.35</td><td>11.44</td><td>35.86</td><td>0.00</td><td>110 146 PEAK</td></tr><tr><td>3 5924.65</td><td>50.23</td><td>68.56</td><td>-18.33</td><td>39.17</td><td>35.41</td><td>11.47</td><td>35.82</td><td>0.00</td><td>110 146 PEAK</td></tr><tr><td>4 5926.21</td><td>50.59</td><td>68.30</td><td>-17.71</td><td>39.52</td><td>35.41</td><td>11.48</td><td>35.82</td><td>0.00</td><td>110 146 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5854.45	48.36	112.15	-63.79	37.48	35.32	11.43	35.87	0.00	110 146 PEAK	2 5874.93	49.66	105.32	-55.66	38.73	35.35	11.44	35.86	0.00	110 146 PEAK	3 5924.65	50.23	68.56	-18.33	39.17	35.41	11.47	35.82	0.00	110 146 PEAK	4 5926.21	50.59	68.30	-17.71	39.52	35.41	11.48	35.82	0.00	110 146 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																															
1 5854.45	48.36	112.15	-63.79	37.48	35.32	11.43	35.87	0.00	110 146 PEAK																																																															
2 5874.93	49.66	105.32	-55.66	38.73	35.35	11.44	35.86	0.00	110 146 PEAK																																																															
3 5924.65	50.23	68.56	-18.33	39.17	35.41	11.47	35.82	0.00	110 146 PEAK																																																															
4 5926.21	50.59	68.30	-17.71	39.52	35.41	11.48	35.82	0.00	110 146 PEAK																																																															





Mode	16																																																																																																																																														
	Band Edge - L																																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																																																																														
ANT	CDD 1S4T																																																																																																																																														
Pol.	Vertical						Fundamental																																																																																																																																								
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5638.60</td><td>51.41</td><td>68.30</td><td>-16.89</td><td>41.12</td><td>35.06</td><td>11.22</td><td>35.99</td><td>0.00</td><td>102</td><td>131 PEAK</td></tr><tr><td>2 5651.77</td><td>51.04</td><td>69.62</td><td>-18.58</td><td>40.70</td><td>35.08</td><td>11.24</td><td>35.98</td><td>0.00</td><td>102</td><td>131 PEAK</td></tr><tr><td>3 5704.94</td><td>52.32</td><td>106.68</td><td>-54.36</td><td>41.85</td><td>35.14</td><td>11.29</td><td>35.96</td><td>0.00</td><td>102</td><td>131 PEAK</td></tr><tr><td>4 5720.28</td><td>51.80</td><td>111.54</td><td>-59.74</td><td>41.30</td><td>35.15</td><td>11.30</td><td>35.95</td><td>0.00</td><td>102</td><td>131 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5638.60	51.41	68.30	-16.89	41.12	35.06	11.22	35.99	0.00	102	131 PEAK	2 5651.77	51.04	69.62	-18.58	40.70	35.08	11.24	35.98	0.00	102	131 PEAK	3 5704.94	52.32	106.68	-54.36	41.85	35.14	11.29	35.96	0.00	102	131 PEAK	4 5720.28	51.80	111.54	-59.74	41.30	35.15	11.30	35.95	0.00	102	131 PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5152.00</td><td>67.55</td><td>68.30</td><td>-0.75</td><td>58.57</td><td>34.62</td><td>10.62</td><td>36.26</td><td>0.00</td><td>181</td><td>121 Peak</td></tr><tr><td>2 5755.00</td><td>103.14</td><td>122.30</td><td>-19.16</td><td>92.53</td><td>35.20</td><td>11.34</td><td>35.93</td><td>0.00</td><td>102</td><td>131 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5152.00	67.55	68.30	-0.75	58.57	34.62	10.62	36.26	0.00	181	121 Peak	2 5755.00	103.14	122.30	-19.16	92.53	35.20	11.34	35.93	0.00	102	131 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1 5638.60	51.41	68.30	-16.89	41.12	35.06	11.22	35.99	0.00	102	131 PEAK																																																																																																																																					
2 5651.77	51.04	69.62	-18.58	40.70	35.08	11.24	35.98	0.00	102	131 PEAK																																																																																																																																					
3 5704.94	52.32	106.68	-54.36	41.85	35.14	11.29	35.96	0.00	102	131 PEAK																																																																																																																																					
4 5720.28	51.80	111.54	-59.74	41.30	35.15	11.30	35.95	0.00	102	131 PEAK																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1 5152.00	67.55	68.30	-0.75	58.57	34.62	10.62	36.26	0.00	181	121 Peak																																																																																																																																					
2 5755.00	103.14	122.30	-19.16	92.53	35.20	11.34	35.93	0.00	102	131 PEAK																																																																																																																																					
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 4000.00</td><td>46.68</td><td>54.00</td><td>-7.32</td><td>39.07</td><td>33.90</td><td>9.52</td><td>35.81</td><td>0.00</td><td>102</td><td>131 Average</td></tr><tr><td>2 5140.00</td><td>47.02</td><td>54.00</td><td>-6.98</td><td>38.06</td><td>34.61</td><td>10.62</td><td>36.27</td><td>0.00</td><td>102</td><td>131 Average</td></tr><tr><td>3 5755.00</td><td>93.45</td><td>122.30</td><td>-28.85</td><td>82.84</td><td>35.20</td><td>11.34</td><td>35.93</td><td>0.00</td><td>102</td><td>131 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 4000.00	46.68	54.00	-7.32	39.07	33.90	9.52	35.81	0.00	102	131 Average	2 5140.00	47.02	54.00	-6.98	38.06	34.61	10.62	36.27	0.00	102	131 Average	3 5755.00	93.45	122.30	-28.85	82.84	35.20	11.34	35.93	0.00	102	131 AVERAGE	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 4000.00</td><td>46.68</td><td>54.00</td><td>-7.32</td><td>39.07</td><td>33.90</td><td>9.52</td><td>35.81</td><td>0.00</td><td>102</td><td>131 Average</td></tr><tr><td>2 5140.00</td><td>47.02</td><td>54.00</td><td>-6.98</td><td>38.06</td><td>34.61</td><td>10.62</td><td>36.27</td><td>0.00</td><td>102</td><td>131 Average</td></tr><tr><td>3 5755.00</td><td>93.45</td><td>122.30</td><td>-28.85</td><td>82.84</td><td>35.20</td><td>11.34</td><td>35.93</td><td>0.00</td><td>102</td><td>131 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 4000.00	46.68	54.00	-7.32	39.07	33.90	9.52	35.81	0.00	102	131 Average	2 5140.00	47.02	54.00	-6.98	38.06	34.61	10.62	36.27	0.00	102	131 Average	3 5755.00	93.45	122.30	-28.85	82.84	35.20	11.34	35.93	0.00	102	131 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1 4000.00	46.68	54.00	-7.32	39.07	33.90	9.52	35.81	0.00	102	131 Average																																																																																																																																					
2 5140.00	47.02	54.00	-6.98	38.06	34.61	10.62	36.27	0.00	102	131 Average																																																																																																																																					
3 5755.00	93.45	122.30	-28.85	82.84	35.20	11.34	35.93	0.00	102	131 AVERAGE																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1 4000.00	46.68	54.00	-7.32	39.07	33.90	9.52	35.81	0.00	102	131 Average																																																																																																																																					
2 5140.00	47.02	54.00	-6.98	38.06	34.61	10.62	36.27	0.00	102	131 Average																																																																																																																																					
3 5755.00	93.45	122.30	-28.85	82.84	35.20	11.34	35.93	0.00	102	131 AVERAGE																																																																																																																																					



Mode	16																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																													
ANT	CDD 1S4T																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.45</td><td>49.20</td><td>112.15</td><td>-62.95</td><td>38.32</td><td>35.32</td><td>11.43</td><td>35.87</td><td>0.00</td><td>102</td><td>131</td><td>PEAK</td></tr><tr><td>2</td><td>5874.93</td><td>50.64</td><td>105.32</td><td>-54.68</td><td>39.71</td><td>35.35</td><td>11.44</td><td>35.86</td><td>0.00</td><td>102</td><td>131</td><td>PEAK</td></tr><tr><td>3</td><td>5924.46</td><td>49.59</td><td>68.70</td><td>-19.11</td><td>38.53</td><td>35.41</td><td>11.47</td><td>35.82</td><td>0.00</td><td>102</td><td>131</td><td>PEAK</td></tr><tr><td>4</td><td>5938.89</td><td>50.71</td><td>68.30</td><td>-17.59</td><td>39.61</td><td>35.43</td><td>11.48</td><td>35.81</td><td>0.00</td><td>102</td><td>131</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.45	49.20	112.15	-62.95	38.32	35.32	11.43	35.87	0.00	102	131	PEAK	2	5874.93	50.64	105.32	-54.68	39.71	35.35	11.44	35.86	0.00	102	131	PEAK	3	5924.46	49.59	68.70	-19.11	38.53	35.41	11.47	35.82	0.00	102	131	PEAK	4	5938.89	50.71	68.30	-17.59	39.61	35.43	11.48	35.81	0.00	102	131	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.45	49.20	112.15	-62.95	38.32	35.32	11.43	35.87	0.00	102	131	PEAK																																																																																		
2	5874.93	50.64	105.32	-54.68	39.71	35.35	11.44	35.86	0.00	102	131	PEAK																																																																																		
3	5924.46	49.59	68.70	-19.11	38.53	35.41	11.47	35.82	0.00	102	131	PEAK																																																																																		
4	5938.89	50.71	68.30	-17.59	39.61	35.43	11.48	35.81	0.00	102	131	PEAK																																																																																		




Mode	16																																																																																																																	
	Harmonic																																																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																																																	
ANT	CDD 1S4T																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																											
Peak Avg																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>44.43</td><td>74.00</td><td>-29.57</td><td>51.88</td><td>38.86</td><td>16.16</td><td>62.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	44.43	74.00	-29.57	51.88	38.86	16.16	62.47	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>44.60</td><td>74.00</td><td>-29.40</td><td>52.05</td><td>38.86</td><td>16.16</td><td>62.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>12726.60</td><td>52.56</td><td>68.30</td><td>-15.74</td><td>59.85</td><td>39.27</td><td>17.01</td><td>63.57</td><td>0.00</td><td>100</td><td>212</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	44.60	74.00	-29.40	52.05	38.86	16.16	62.47	0.00	---	---	PEAK	2	12726.60	52.56	68.30	-15.74	59.85	39.27	17.01	63.57	0.00	100	212
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	11510.00	44.43	74.00	-29.57	51.88	38.86	16.16	62.47	0.00	---	---	PEAK																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	11510.00	44.60	74.00	-29.40	52.05	38.86	16.16	62.47	0.00	---	---	PEAK																																																																																																						
2	12726.60	52.56	68.30	-15.74	59.85	39.27	17.01	63.57	0.00	100	212	Peak																																																																																																						






	17											
Mode	Band Edge - L											
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz											
ANT	CDD 1S4T											
Pol.	Horizontal						Fundamental					
Peak	</											




Mode	17																																																																							
	Band Edge - R																																																																							
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																							
ANT	CDD 1S4T																																																																							
Pol.	Horizontal	Fundamental																																																																						
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>5854.99</td><td>54.49</td><td>110.93</td><td>-56.44</td><td>43.61</td><td>35.32</td><td>11.43</td><td>35.87</td><td>0.00 105 230 PEAK</td></tr><tr><td>2</td><td>5869.87</td><td>56.75</td><td>106.74</td><td>-49.99</td><td>45.83</td><td>35.34</td><td>11.44</td><td>35.86</td><td>0.00 105 230 PEAK</td></tr><tr><td>3</td><td>5924.74</td><td>53.66</td><td>68.50</td><td>-14.84</td><td>42.60</td><td>35.41</td><td>11.47</td><td>35.82</td><td>0.00 105 230 PEAK</td></tr><tr><td>4</td><td>5940.08</td><td>52.87</td><td>68.30</td><td>-15.43</td><td>41.77</td><td>35.43</td><td>11.48</td><td>35.81</td><td>0.00 105 230 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	5854.99	54.49	110.93	-56.44	43.61	35.32	11.43	35.87	0.00 105 230 PEAK	2	5869.87	56.75	106.74	-49.99	45.83	35.34	11.44	35.86	0.00 105 230 PEAK	3	5924.74	53.66	68.50	-14.84	42.60	35.41	11.47	35.82	0.00 105 230 PEAK	4	5940.08	52.87	68.30	-15.43	41.77	35.43	11.48	35.81	0.00 105 230 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																															
1	5854.99	54.49	110.93	-56.44	43.61	35.32	11.43	35.87	0.00 105 230 PEAK																																																															
2	5869.87	56.75	106.74	-49.99	45.83	35.34	11.44	35.86	0.00 105 230 PEAK																																																															
3	5924.74	53.66	68.50	-14.84	42.60	35.41	11.47	35.82	0.00 105 230 PEAK																																																															
4	5940.08	52.87	68.30	-15.43	41.77	35.43	11.48	35.81	0.00 105 230 PEAK																																																															





	17																																																																																																																																																								
Mode	Band Edge - L																																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																																																																																								
ANT	CDD 1S4T																																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																																		
Peak																																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5625.74</td><td>56.66</td><td>68.30</td><td>-11.64</td><td>46.40</td><td>35.05</td><td>11.21</td><td>36.00</td><td>0.00</td><td>110</td><td>146 PEAK</td></tr><tr><td>2 5651.29</td><td>56.10</td><td>69.26</td><td>-13.16</td><td>45.76</td><td>35.08</td><td>11.24</td><td>35.98</td><td>0.00</td><td>110</td><td>146 PEAK</td></tr><tr><td>3 5702.77</td><td>58.06</td><td>106.08</td><td>-48.02</td><td>47.61</td><td>35.13</td><td>11.28</td><td>35.96</td><td>0.00</td><td>110</td><td>146 PEAK</td></tr><tr><td>4 5720.51</td><td>57.32</td><td>112.06</td><td>-54.74</td><td>46.82</td><td>35.15</td><td>11.30</td><td>35.95</td><td>0.00</td><td>110</td><td>146 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5625.74	56.66	68.30	-11.64	46.40	35.05	11.21	36.00	0.00	110	146 PEAK	2 5651.29	56.10	69.26	-13.16	45.76	35.08	11.24	35.98	0.00	110	146 PEAK	3 5702.77	58.06	106.08	-48.02	47.61	35.13	11.28	35.96	0.00	110	146 PEAK	4 5720.51	57.32	112.06	-54.74	46.82	35.15	11.30	35.95	0.00	110	146 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5194.00</td><td>67.14</td><td>68.30</td><td>-1.16</td><td>58.07</td><td>34.66</td><td>10.64</td><td>36.23</td><td>0.00</td><td>110</td><td>146 Peak</td></tr><tr><td>2 5795.00</td><td>111.53</td><td>122.30</td><td>-10.77</td><td>100.83</td><td>35.24</td><td>11.38</td><td>35.92</td><td>0.00</td><td>110</td><td>146 PEAK</td></tr><tr><td>3 6376.00</td><td>61.45</td><td>68.30</td><td>-6.85</td><td>49.39</td><td>35.73</td><td>11.85</td><td>35.52</td><td>0.00</td><td>110</td><td>146 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5194.00	67.14	68.30	-1.16	58.07	34.66	10.64	36.23	0.00	110	146 Peak	2 5795.00	111.53	122.30	-10.77	100.83	35.24	11.38	35.92	0.00	110	146 PEAK	3 6376.00	61.45	68.30	-6.85	49.39	35.73	11.85	35.52	0.00	110
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																															
1 5625.74	56.66	68.30	-11.64	46.40	35.05	11.21	36.00	0.00	110	146 PEAK																																																																																																																																															
2 5651.29	56.10	69.26	-13.16	45.76	35.08	11.24	35.98	0.00	110	146 PEAK																																																																																																																																															
3 5702.77	58.06	106.08	-48.02	47.61	35.13	11.28	35.96	0.00	110	146 PEAK																																																																																																																																															
4 5720.51	57.32	112.06	-54.74	46.82	35.15	11.30	35.95	0.00	110	146 PEAK																																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																															
1 5194.00	67.14	68.30	-1.16	58.07	34.66	10.64	36.23	0.00	110	146 Peak																																																																																																																																															
2 5795.00	111.53	122.30	-10.77	100.83	35.24	11.38	35.92	0.00	110	146 PEAK																																																																																																																																															
3 6376.00	61.45	68.30	-6.85	49.39	35.73	11.85	35.52	0.00	110	146 Peak																																																																																																																																															
Avg	Blank																																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 4000.00</td><td>48.78</td><td>54.00</td><td>-5.22</td><td>41.17</td><td>33.90</td><td>9.52</td><td>35.81</td><td>0.00</td><td>110</td><td>146 Average</td></tr><tr><td>2 5182.00</td><td>53.34</td><td>68.30</td><td>-14.96</td><td>44.30</td><td>34.65</td><td>10.63</td><td>36.24</td><td>0.00</td><td>110</td><td>146 Average</td></tr><tr><td>3 5795.00</td><td>103.39</td><td>122.30</td><td>-18.91</td><td>92.69</td><td>35.24</td><td>11.38</td><td>35.92</td><td>0.00</td><td>110</td><td>146 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 4000.00	48.78	54.00	-5.22	41.17	33.90	9.52	35.81	0.00	110	146 Average	2 5182.00	53.34	68.30	-14.96	44.30	34.65	10.63	36.24	0.00	110	146 Average	3 5795.00	103.39	122.30	-18.91	92.69	35.24	11.38	35.92	0.00	110	146 AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																															
1 4000.00	48.78	54.00	-5.22	41.17	33.90	9.52	35.81	0.00	110	146 Average																																																																																																																																															
2 5182.00	53.34	68.30	-14.96	44.30	34.65	10.63	36.24	0.00	110	146 Average																																																																																																																																															
3 5795.00	103.39	122.30	-18.91	92.69	35.24	11.38	35.92	0.00	110	146 AVERAGE																																																																																																																																															






Mode	17																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																				
ANT	CDD 1S4T																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.83</td><td>54.93</td><td>111.29</td><td>-56.36</td><td>44.05</td><td>35.32</td><td>11.43</td><td>35.87</td><td>0.00</td><td>100</td><td>170</td><td>PEAK</td></tr><tr><td>2</td><td>5873.28</td><td>55.20</td><td>105.78</td><td>-50.58</td><td>44.27</td><td>35.35</td><td>11.44</td><td>35.86</td><td>0.00</td><td>100</td><td>176</td><td>PEAK</td></tr><tr><td>3</td><td>5924.43</td><td>53.22</td><td>68.72</td><td>-15.50</td><td>42.16</td><td>35.41</td><td>11.47</td><td>35.82</td><td>0.00</td><td>100</td><td>180</td><td>PEAK</td></tr><tr><td>4</td><td>5946.75</td><td>56.25</td><td>68.30</td><td>-12.05</td><td>45.13</td><td>35.44</td><td>11.49</td><td>35.81</td><td>0.00</td><td>100</td><td>180</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.83	54.93	111.29	-56.36	44.05	35.32	11.43	35.87	0.00	100	170	PEAK	2	5873.28	55.20	105.78	-50.58	44.27	35.35	11.44	35.86	0.00	100	176	PEAK	3	5924.43	53.22	68.72	-15.50	42.16	35.41	11.47	35.82	0.00	100	180	PEAK	4	5946.75	56.25	68.30	-12.05	45.13	35.44	11.49	35.81	0.00	100	180	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.83	54.93	111.29	-56.36	44.05	35.32	11.43	35.87	0.00	100	170	PEAK																																																																									
2	5873.28	55.20	105.78	-50.58	44.27	35.35	11.44	35.86	0.00	100	176	PEAK																																																																									
3	5924.43	53.22	68.72	-15.50	42.16	35.41	11.47	35.82	0.00	100	180	PEAK																																																																									
4	5946.75	56.25	68.30	-12.05	45.13	35.44	11.49	35.81	0.00	100	180	PEAK																																																																									




		17																																																									
Mode		Harmonic																																																									
		U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																									
ANT		CDD 1S4T																																																									
Pol.		Horizontal																																																									
Peak Avg																																																											
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11590.00</td><td>44.72</td><td>74.00</td><td>-29.28</td><td>52.07</td><td>38.91</td><td>16.19</td><td>62.45</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11590.00	44.72	74.00	-29.28	52.07	38.91	16.19	62.45	0.00	---	---	PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1 11590.00	44.72	74.00	-29.28	52.07	38.91	16.19	62.45	0.00	---	---	PEAK																																																
		Vertical																																																									
Peak Avg																																																											
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11590.00</td><td>44.86</td><td>74.00</td><td>-29.14</td><td>52.21</td><td>38.91</td><td>16.19</td><td>62.45</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11590.00	44.86	74.00	-29.14	52.21	38.91	16.19	62.45	0.00	---	---	PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1 11590.00	44.86	74.00	-29.14	52.21	38.91	16.19	62.45	0.00	---	---	PEAK																																																






Mode	18																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																																																																									
ANT	CDD 1S4T																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5646.03</td><td>53.18</td><td>68.30</td><td>-15.12</td><td>42.87</td><td>35.07</td><td>11.23</td><td>35.99</td><td>0.00</td><td>114</td><td>296</td><td>PEAK</td></tr><tr><td>2</td><td>5650.58</td><td>52.35</td><td>68.73</td><td>-16.38</td><td>42.01</td><td>35.08</td><td>11.24</td><td>35.98</td><td>0.00</td><td>114</td><td>296</td><td>PEAK</td></tr><tr><td>3</td><td>5700.98</td><td>55.72</td><td>105.57</td><td>-49.85</td><td>45.27</td><td>35.13</td><td>11.28</td><td>35.96</td><td>0.00</td><td>114</td><td>296</td><td>PEAK</td></tr><tr><td>4</td><td>5721.10</td><td>56.15</td><td>113.41</td><td>-57.26</td><td>45.64</td><td>35.16</td><td>11.30</td><td>35.95</td><td>0.00</td><td>114</td><td>296</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5646.03	53.18	68.30	-15.12	42.87	35.07	11.23	35.99	0.00	114	296	PEAK	2	5650.58	52.35	68.73	-16.38	42.01	35.08	11.24	35.98	0.00	114	296	PEAK	3	5700.98	55.72	105.57	-49.85	45.27	35.13	11.28	35.96	0.00	114	296	PEAK	4	5721.10	56.15	113.41	-57.26	45.64	35.16	11.30	35.95	0.00	114	296	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>105.09</td><td>122.30</td><td>-17.21</td><td>94.41</td><td>35.23</td><td>11.37</td><td>35.92</td><td>0.00</td><td>114</td><td>296</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	105.09	122.30	-17.21	94.41	35.23	11.37	35.92	0.00	114	296
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5646.03	53.18	68.30	-15.12	42.87	35.07	11.23	35.99	0.00	114	296	PEAK																																																																																																																														
2	5650.58	52.35	68.73	-16.38	42.01	35.08	11.24	35.98	0.00	114	296	PEAK																																																																																																																														
3	5700.98	55.72	105.57	-49.85	45.27	35.13	11.28	35.96	0.00	114	296	PEAK																																																																																																																														
4	5721.10	56.15	113.41	-57.26	45.64	35.16	11.30	35.95	0.00	114	296	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5775.00	105.09	122.30	-17.21	94.41	35.23	11.37	35.92	0.00	114	296	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>96.02</td><td>122.30</td><td>-26.28</td><td>85.34</td><td>35.23</td><td>11.37</td><td>35.92</td><td>0.00</td><td>114</td><td>296</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	96.02	122.30	-26.28	85.34	35.23	11.37	35.92	0.00	114	296	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5775.00	96.02	122.30	-26.28	85.34	35.23	11.37	35.92	0.00	114	296	AVERAGE																																																																																																																														




Mode	18																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																													
ANT	CDD 1S4T																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.45</td><td>53.76</td><td>112.15</td><td>-58.39</td><td>42.88</td><td>35.32</td><td>11.43</td><td>35.87</td><td>0.00</td><td>114</td><td>296</td><td>PEAK</td></tr><tr><td>2</td><td>5874.93</td><td>53.75</td><td>105.32</td><td>-51.57</td><td>42.82</td><td>35.35</td><td>11.44</td><td>35.86</td><td>0.00</td><td>114</td><td>296</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>51.52</td><td>68.45</td><td>-16.93</td><td>40.46</td><td>35.41</td><td>11.47</td><td>35.82</td><td>0.00</td><td>114</td><td>296</td><td>PEAK</td></tr><tr><td>4</td><td>5928.48</td><td>53.09</td><td>68.30</td><td>-15.21</td><td>42.02</td><td>35.41</td><td>11.48</td><td>35.82</td><td>0.00</td><td>114</td><td>296</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.45	53.76	112.15	-58.39	42.88	35.32	11.43	35.87	0.00	114	296	PEAK	2	5874.93	53.75	105.32	-51.57	42.82	35.35	11.44	35.86	0.00	114	296	PEAK	3	5924.80	51.52	68.45	-16.93	40.46	35.41	11.47	35.82	0.00	114	296	PEAK	4	5928.48	53.09	68.30	-15.21	42.02	35.41	11.48	35.82	0.00	114	296	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.45	53.76	112.15	-58.39	42.88	35.32	11.43	35.87	0.00	114	296	PEAK																																																																																		
2	5874.93	53.75	105.32	-51.57	42.82	35.35	11.44	35.86	0.00	114	296	PEAK																																																																																		
3	5924.80	51.52	68.45	-16.93	40.46	35.41	11.47	35.82	0.00	114	296	PEAK																																																																																		
4	5928.48	53.09	68.30	-15.21	42.02	35.41	11.48	35.82	0.00	114	296	PEAK																																																																																		





Mode	18																																																																																																																																		
	Band Edge - L																																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																																																																		
ANT	CDD 1S4T																																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																																												
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5635.35</td><td>52.39</td><td>68.30</td><td>-15.91</td><td>42.10</td><td>35.06</td><td>11.22</td><td>35.99</td><td>0.00</td><td>101 262 PEAK</td></tr><tr><td>2 5653.03</td><td>51.98</td><td>70.55</td><td>-18.57</td><td>41.64</td><td>35.08</td><td>11.24</td><td>35.98</td><td>0.00</td><td>101 262 PEAK</td></tr><tr><td>3 5704.13</td><td>54.15</td><td>106.46</td><td>-52.31</td><td>43.70</td><td>35.13</td><td>11.28</td><td>35.96</td><td>0.00</td><td>101 262 PEAK</td></tr><tr><td>4 5721.98</td><td>56.52</td><td>115.40</td><td>-58.88</td><td>46.01</td><td>35.16</td><td>11.30</td><td>35.95</td><td>0.00</td><td>101 262 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5635.35	52.39	68.30	-15.91	42.10	35.06	11.22	35.99	0.00	101 262 PEAK	2 5653.03	51.98	70.55	-18.57	41.64	35.08	11.24	35.98	0.00	101 262 PEAK	3 5704.13	54.15	106.46	-52.31	43.70	35.13	11.28	35.96	0.00	101 262 PEAK	4 5721.98	56.52	115.40	-58.88	46.01	35.16	11.30	35.95	0.00	101 262 PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5332.00</td><td>67.43</td><td>68.30</td><td>-0.87</td><td>58.01</td><td>34.77</td><td>10.81</td><td>36.16</td><td>0.00</td><td>101 262 Peak</td></tr><tr><td>2 5775.00</td><td>110.30</td><td>122.30</td><td>-12.00</td><td>99.64</td><td>35.22</td><td>11.36</td><td>35.92</td><td>0.00</td><td>101 262 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5332.00	67.43	68.30	-0.87	58.01	34.77	10.81	36.16	0.00	101 262 Peak	2 5775.00	110.30	122.30	-12.00	99.64	35.22	11.36	35.92	0.00	101 262 Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																										
1 5635.35	52.39	68.30	-15.91	42.10	35.06	11.22	35.99	0.00	101 262 PEAK																																																																																																																										
2 5653.03	51.98	70.55	-18.57	41.64	35.08	11.24	35.98	0.00	101 262 PEAK																																																																																																																										
3 5704.13	54.15	106.46	-52.31	43.70	35.13	11.28	35.96	0.00	101 262 PEAK																																																																																																																										
4 5721.98	56.52	115.40	-58.88	46.01	35.16	11.30	35.95	0.00	101 262 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																										
1 5332.00	67.43	68.30	-0.87	58.01	34.77	10.81	36.16	0.00	101 262 Peak																																																																																																																										
2 5775.00	110.30	122.30	-12.00	99.64	35.22	11.36	35.92	0.00	101 262 Peak																																																																																																																										
Avg	Blank						 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>94.03</td><td>122.30</td><td>-28.27</td><td>83.40</td><td>35.21</td><td>11.35</td><td>35.93</td><td>0.00</td><td>101 262 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5775.00	94.03	122.30	-28.27	83.40	35.21	11.35	35.93	0.00	101 262 AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																										
1 5775.00	94.03	122.30	-28.27	83.40	35.21	11.35	35.93	0.00	101 262 AVERAGE																																																																																																																										







Mode	18																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																				
ANT	CDD 1S4T																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>53.36</td><td>111.36</td><td>-58.00</td><td>42.48</td><td>35.32</td><td>11.43</td><td>35.87</td><td>0.00</td><td>101</td><td>262</td><td>PEAK</td></tr><tr><td>2</td><td>5873.18</td><td>49.61</td><td>105.81</td><td>-56.20</td><td>38.68</td><td>35.35</td><td>11.44</td><td>35.86</td><td>0.00</td><td>101</td><td>262</td><td>PEAK</td></tr><tr><td>3</td><td>5924.28</td><td>51.56</td><td>68.83</td><td>-17.27</td><td>40.50</td><td>35.41</td><td>11.47</td><td>35.82</td><td>0.00</td><td>101</td><td>262</td><td>PEAK</td></tr><tr><td>4</td><td>5944.40</td><td>51.17</td><td>68.30</td><td>-17.13</td><td>40.06</td><td>35.43</td><td>11.49</td><td>35.81</td><td>0.00</td><td>101</td><td>262</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	53.36	111.36	-58.00	42.48	35.32	11.43	35.87	0.00	101	262	PEAK	2	5873.18	49.61	105.81	-56.20	38.68	35.35	11.44	35.86	0.00	101	262	PEAK	3	5924.28	51.56	68.83	-17.27	40.50	35.41	11.47	35.82	0.00	101	262	PEAK	4	5944.40	51.17	68.30	-17.13	40.06	35.43	11.49	35.81	0.00	101	262	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.80	53.36	111.36	-58.00	42.48	35.32	11.43	35.87	0.00	101	262	PEAK																																																																									
2	5873.18	49.61	105.81	-56.20	38.68	35.35	11.44	35.86	0.00	101	262	PEAK																																																																									
3	5924.28	51.56	68.83	-17.27	40.50	35.41	11.47	35.82	0.00	101	262	PEAK																																																																									
4	5944.40	51.17	68.30	-17.13	40.06	35.43	11.49	35.81	0.00	101	262	PEAK																																																																									







Mode	18																																																																																																								
	Harmonic																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																																								
ANT	CDD 1S4T																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 11550.00</td><td>44.39</td><td>74.00</td><td>-29.61</td><td>51.80</td><td>38.88</td><td>16.17</td><td>62.46</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11550.00	44.39	74.00	-29.61	51.80	38.88	16.17	62.46	0.00	---	---	PEAK	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 11550.00</td><td>43.40</td><td>74.00</td><td>-30.60</td><td>50.81</td><td>38.88</td><td>16.17</td><td>62.46</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11550.00	43.40	74.00	-30.60	50.81	38.88	16.17	62.46	0.00	---	---
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 11550.00	44.39	74.00	-29.61	51.80	38.88	16.17	62.46	0.00	---	---	PEAK																																																																																														
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 11550.00	43.40	74.00	-30.60	50.81	38.88	16.17	62.46	0.00	---	---	PEAK																																																																																														





Co-location

	19																																																																																																														
Mode	Band Edge																																																																																																														
	2400-2483.5_802.11ax HE20_CH02_2417MHz																																																																																																														
ANT	CDD 1S3T																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.99</td><td>68.10</td><td>74.00</td><td>-5.90</td><td>58.26</td><td>32.44</td><td>7.11</td><td>35.71</td><td>6.00</td><td>162</td><td>323</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.99	68.10	74.00	-5.90	58.26	32.44	7.11	35.71	6.00	162	323	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2417.00</td><td>114.04</td><td>74.00</td><td>40.04</td><td>104.06</td><td>32.50</td><td>7.18</td><td>35.70</td><td>6.00</td><td>162</td><td>323</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	114.04	74.00	40.04	104.06	32.50	7.18	35.70	6.00	162	323
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2389.99	68.10	74.00	-5.90	58.26	32.44	7.11	35.71	6.00	162	323	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2417.00	114.04	74.00	40.04	104.06	32.50	7.18	35.70	6.00	162	323	PEAK																																																																																																			
Avg																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.24</td><td>51.33</td><td>54.00</td><td>-2.67</td><td>41.49</td><td>32.44</td><td>7.11</td><td>35.71</td><td>6.00</td><td>162</td><td>323</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.24	51.33	54.00	-2.67	41.49	32.44	7.11	35.71	6.00	162	323	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2417.00</td><td>104.70</td><td>54.00</td><td>50.70</td><td>94.72</td><td>32.50</td><td>7.18</td><td>35.70</td><td>6.00</td><td>162</td><td>323</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	104.70	54.00	50.70	94.72	32.50	7.18	35.70	6.00	162	323
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2389.24	51.33	54.00	-2.67	41.49	32.44	7.11	35.71	6.00	162	323	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2417.00	104.70	54.00	50.70	94.72	32.50	7.18	35.70	6.00	162	323	AVERAGE																																																																																																			







		19																																									
Mode		Band Edge																																									
		2400-2483.5_802.11ax HE20_CH02_2417MHz																																									
ANT		CDD 1S3T																																									
Pol.		Vertical																																									
Peak																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.25	67.26	74.00	-6.74	57.42	32.44	7.11	35.71	6.00	278	250
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	2386.25	67.26	74.00	-6.74	57.42	32.44	7.11	35.71	6.00	278	250	PEAK																															
Fundamental																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	118.10	74.00	44.10	108.15	32.49	7.17	35.71	6.00	278	250
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	2417.00	118.10	74.00	44.10	108.15	32.49	7.17	35.71	6.00	278	250	PEAK																															
Avg																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.25	52.69	54.00	-1.31	42.85	32.44	7.11	35.71	6.00	278	250
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	2386.25	52.69	54.00	-1.31	42.85	32.44	7.11	35.71	6.00	278	250	AVERAGE																															
Avg																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	108.53	54.00	54.53	98.60	32.48	7.16	35.71	6.00	278	250
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	2417.00	108.53	54.00	54.53	98.60	32.48	7.16	35.71	6.00	278	250	AVERAGE																															







Mode	19																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_802.11ax HE20_CH02_2417MHz																																																																																																																													
ANT	CDD 1S3T																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>4000.00</td><td>49.71</td><td>74.00</td><td>-24.29</td><td>69.97</td><td>33.90</td><td>9.52</td><td>63.68</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>4834.00</td><td>42.52</td><td>74.00</td><td>-31.48</td><td>61.04</td><td>34.63</td><td>10.33</td><td>63.48</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4000.00	49.71	74.00	-24.29	69.97	33.90	9.52	63.68	0.00	100	360	PEAK	2	4834.00	42.52	74.00	-31.48	61.04	34.63	10.33	63.48	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>4000.00</td><td>49.89</td><td>74.00</td><td>-24.11</td><td>70.15</td><td>33.90</td><td>9.52</td><td>63.68</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>4834.00</td><td>43.36</td><td>74.00</td><td>-30.64</td><td>61.08</td><td>34.63</td><td>10.33</td><td>63.48</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4000.00	49.89	74.00	-24.11	70.15	33.90	9.52	63.68	0.00	100	360	PEAK	2	4834.00	43.36	74.00	-30.64	61.08	34.63	10.33	63.48	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	4000.00	49.71	74.00	-24.29	69.97	33.90	9.52	63.68	0.00	100	360	PEAK																																																																																																																		
2	4834.00	42.52	74.00	-31.48	61.04	34.63	10.33	63.48	0.00	---	---	PEAK																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	4000.00	49.89	74.00	-24.11	70.15	33.90	9.52	63.68	0.00	100	360	PEAK																																																																																																																		
2	4834.00	43.36	74.00	-30.64	61.08	34.63	10.33	63.48	0.00	---	---	PEAK																																																																																																																		





		19																																																																																																																																
Mode		Band Edge																																																																																																																																
		5.15-5.25_802.11ax HE20_CH36_5180MHz																																																																																																																																
ANT		CDD 1S4T																																																																																																																																
Pol.	Horizontal										Fundamental																																																																																																																							
Peak																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5147.20</td><td>59.65</td><td>74.00</td><td>-14.35</td><td>47.55</td><td>34.62</td><td>10.62</td><td>33.14</td><td>0.00</td><td>294</td><td>0</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5147.20	59.65	74.00	-14.35	47.55	34.62	10.62	33.14	0.00	294	0	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>2422.00</td><td>110.77</td><td>68.30</td><td>42.47</td><td>105.55</td><td>32.49</td><td>7.17</td><td>34.44</td><td>0.00</td><td>294</td><td>0</td><td>Peak</td></tr><tr><td>2</td><td>5180.00</td><td>118.08</td><td>68.30</td><td>49.78</td><td>105.94</td><td>34.64</td><td>10.63</td><td>33.13</td><td>0.00</td><td>294</td><td>0</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	2422.00	110.77	68.30	42.47	105.55	32.49	7.17	34.44	0.00	294	0	Peak	2	5180.00	118.08	68.30	49.78	105.94	34.64	10.63	33.13	0.00	294	0	PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																									
1	5147.20	59.65	74.00	-14.35	47.55	34.62	10.62	33.14	0.00	294	0	PEAK																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																									
1	2422.00	110.77	68.30	42.47	105.55	32.49	7.17	34.44	0.00	294	0	Peak																																																																																																																						
2	5180.00	118.08	68.30	49.78	105.94	34.64	10.63	33.13	0.00	294	0	PEAK																																																																																																																						
Avg																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5149.92</td><td>49.14</td><td>54.00</td><td>-4.86</td><td>37.04</td><td>34.62</td><td>10.62</td><td>33.14</td><td>0.00</td><td>294</td><td>0</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	5149.92	49.14	54.00	-4.86	37.04	34.62	10.62	33.14	0.00	294	0	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>2422.00</td><td>100.92</td><td>-----</td><td>95.70</td><td>32.49</td><td>7.17</td><td>34.44</td><td>0.00</td><td>294</td><td>0</td><td>Average</td></tr><tr><td>2</td><td>4000.00</td><td>52.51</td><td>54.00</td><td>-1.49</td><td>42.52</td><td>33.90</td><td>9.52</td><td>33.43</td><td>0.00</td><td>294</td><td>0</td><td>Average</td></tr><tr><td>3</td><td>5180.00</td><td>110.78</td><td>68.30</td><td>42.48</td><td>98.61</td><td>34.65</td><td>10.64</td><td>33.12</td><td>0.00</td><td>294</td><td>0</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	2422.00	100.92	-----	95.70	32.49	7.17	34.44	0.00	294	0	Average	2	4000.00	52.51	54.00	-1.49	42.52	33.90	9.52	33.43	0.00	294	0	Average	3	5180.00	110.78	68.30	42.48	98.61	34.65	10.64	33.12	0.00	294	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																									
1	5149.92	49.14	54.00	-4.86	37.04	34.62	10.62	33.14	0.00	294	0	AVERAGE																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																									
1	2422.00	100.92	-----	95.70	32.49	7.17	34.44	0.00	294	0	Average																																																																																																																							
2	4000.00	52.51	54.00	-1.49	42.52	33.90	9.52	33.43	0.00	294	0	Average																																																																																																																						
3	5180.00	110.78	68.30	42.48	98.61	34.65	10.64	33.12	0.00	294	0	AVERAGE																																																																																																																						



Mode	19																																																																																																															
	Band Edge																																																																																																															
	5.15-5.25_802.11ax HE20_CH36_5180MHz																																																																																																															
ANT	CDD 1S4T																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.28</td><td>63.79</td><td>74.00</td><td>-10.21</td><td>51.69</td><td>34.62</td><td>10.62</td><td>33.14</td><td>0.00</td><td>271</td><td>307</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.28	63.79	74.00	-10.21	51.69	34.62	10.62	33.14	0.00	271	307	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2422.00</td><td>112.76</td><td>68.30</td><td>44.46</td><td>107.54</td><td>32.49</td><td>7.17</td><td>34.44</td><td>0.00</td><td>271</td><td>307</td><td>Peak</td></tr><tr><td>2</td><td>5180.00</td><td>118.01</td><td>68.30</td><td>49.71</td><td>105.86</td><td>34.65</td><td>10.63</td><td>33.13</td><td>0.00</td><td>271</td><td>307</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	112.76	68.30	44.46	107.54	32.49	7.17	34.44	0.00	271	307	Peak	2	5180.00	118.01	68.30	49.71	105.86	34.65	10.63	33.13	0.00	271	307
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5149.28	63.79	74.00	-10.21	51.69	34.62	10.62	33.14	0.00	271	307	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2422.00	112.76	68.30	44.46	107.54	32.49	7.17	34.44	0.00	271	307	Peak																																																																																																				
2	5180.00	118.01	68.30	49.71	105.86	34.65	10.63	33.13	0.00	271	307	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.92</td><td>53.00</td><td>54.00</td><td>-1.00</td><td>40.90</td><td>34.62</td><td>10.62</td><td>33.14</td><td>0.00</td><td>271</td><td>307</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.92	53.00	54.00	-1.00	40.90	34.62	10.62	33.14	0.00	271	307	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2422.00</td><td>105.11</td><td>68.30</td><td>36.81</td><td>99.89</td><td>32.49</td><td>7.17</td><td>34.44</td><td>0.00</td><td>271</td><td>307</td><td>Average</td></tr><tr><td>2</td><td>5180.00</td><td>110.03</td><td>68.30</td><td>41.73</td><td>97.86</td><td>34.65</td><td>10.64</td><td>33.12</td><td>0.00</td><td>271</td><td>307</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	105.11	68.30	36.81	99.89	32.49	7.17	34.44	0.00	271	307	Average	2	5180.00	110.03	68.30	41.73	97.86	34.65	10.64	33.12	0.00	271	307
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5149.92	53.00	54.00	-1.00	40.90	34.62	10.62	33.14	0.00	271	307	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2422.00	105.11	68.30	36.81	99.89	32.49	7.17	34.44	0.00	271	307	Average																																																																																																				
2	5180.00	110.03	68.30	41.73	97.86	34.65	10.64	33.12	0.00	271	307	AVERAGE																																																																																																				



Mode	19																																																																																																								
	Harmonic																																																																																																								
	5.15-5.25_802.11ax HE20_CH36_5180MHz																																																																																																								
ANT	CDD 1S4T																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 10360.00</td><td>45.02</td><td>68.30</td><td>-23.28</td><td>53.57</td><td>38.05</td><td>15.55</td><td>62.15</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 10360.00	45.02	68.30	-23.28	53.57	38.05	15.55	62.15	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 10360.00</td><td>46.47</td><td>68.30</td><td>-21.83</td><td>55.02</td><td>38.05</td><td>15.55</td><td>62.15</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 10360.00	46.47	68.30	-21.83	55.02	38.05	15.55	62.15	0.00	---	---	PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 10360.00	45.02	68.30	-23.28	53.57	38.05	15.55	62.15	0.00	---	---	PEAK																																																																																														
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 10360.00	46.47	68.30	-21.83	55.02	38.05	15.55	62.15	0.00	---	---	PEAK																																																																																														





Emission above 18GHz

U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full RU_5180MHz

CDD 1S4T

Horizontal

Vertical






LF

U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full RU_5180MHz

CDD 1S4T


Horizontal



Condition : 5G BAND 1----3 3m CBL 6111D 49922 HORIZONTAL

Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg
1	107.60	20.27	-23.23	43.50	33.59	16.57	1.51	31.40	---
2	163.86	25.25	-18.25	43.50	38.98	15.82	1.85	31.40	---
3	214.30	29.20	-14.30	43.50	43.71	14.75	2.14	31.40	---
4	277.35	26.42	-19.58	46.00	36.75	18.64	2.43	31.40	---
5	348.16	25.55	-20.45	46.00	34.09	20.17	2.72	31.43	---
6	733.25	29.74	-16.26	46.00	29.74	27.39	3.95	31.34	---

Fundamental



Condition : 5G BAND 1----3 3m CBL 6111D 49922 VERTICAL


Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg
1	35.82	25.09	-14.91	40.00	34.21	21.71	0.57	31.40	---
2	86.26	24.94	-15.06	40.00	40.97	14.10	1.27	31.40	---
3	163.86	27.81	-15.69	43.50	41.54	15.82	1.85	31.40	---
4	202.66	27.61	-15.89	43.50	42.10	14.83	2.08	31.40	---
5	256.01	27.25	-18.75	46.00	37.01	19.31	2.33	31.40	---
6	418.97	25.21	-20.79	46.00	31.52	22.17	2.99	31.47	---

Appendix D. Duty Cycle Plots


Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
0+1+2+3	802.11a	94.93	2.060	0.485	0.51kHz
0+1+2+3	5GHz 802.11ax HE20	98.03	-	-	10Hz
0+1+2+3	5GHz 802.11ax HE40	96.30	0.780	1.282	1.3kHz
0+1+2+3	5GHz 802.11ax HE80	93.18	0.410	2.439	2.5kHz



802.11a




802.11ax HE20





802.11ax HE40



802.11ax HE80

