


RF EXPOSURE REPORT

FCC ID: PJZ2428GN

Test Report No.....: RF240730013-01-003

Product(s) Name.....: GPON ONT

Model(s).....: 2428GN, 2428TE

Trade Mark.....: 

Applicant.....: DZS Inc.

Address.....: 5700 Tennyson Parkway, Plano, TX 75024 USA


Receipt Date.....: 2024.07.31

Test Date.....: 2024.08.01~2024.08.06

Issued Date.....: 2024.08.07

Standards.....: FCC Guidelines for Human Exposure IEEE C95.1
FCC Title 47 Part 2.1091
KDB 447498 D01 General RF Exposure Guidance v06

Testing Laboratory.....: Shenzhen Haiyun Standard Technical Co., Ltd.

Prepared By:	Checked By:	Approved By:	
Black Ding	Tim Zhang	Misue Su	
<i>Black Ding</i>	<i>Tim.zhang</i>	<i>Misue Su</i>	

History of this test report

Amendment Report Issue Date: 2024.08.07

- ☐ No additional attachment
- ☒ Additional attachments were issued following record

Attachment No.	Issue Date	Description
FA332121-01	2023.07.25	Original report
RF240730013-01-003	2024.08.07	Compared with original report (FA332121-01), reduce one heat sink, change size of remaining two heat sinks and appearance of product.

1.. MPE CALCULATION METHOD

Radio Frequency Exposure Limit

Frequency range (MHz)	Electric field strength (V/m)	Magnetic field strength (A/m)	Power density (mW/cm ²)
300-1,500	--	--	f/1500
1,500-100,000	--	--	1.0

Calculation Method of RF Safety Distance:

$$S = \frac{PG}{4\pi^2} = \frac{EIRP}{4\pi^2}$$

where:

S = power density

P = power input to the antenna

G = power gain of the antenna in the direction of interest relative to an isotropic radiator

R = distance to the center of radiation of the antenna

Table for Filed Antenna

For 2.4GWiFi

Antenna gain			Antenna Type
Ant0: 3.52dBi	Ant1: 3.60dBi	Ant2: 3.61dBi	PCB antenna

For 5GWiFi:

5150-5250MHz

Antenna gain				Antenna Type
Ant0: 4.61dBi	Ant1: 4.67dBi	Ant2: 4.55dBi	Ant3: 4.57dBi	PCB antenna

5250-5350MHz

Antenna gain				Antenna Type
Ant0: 4.67dBi	Ant1: 4.67dBi	Ant2: 4.58dBi	Ant3: 4.57dBi	PCB antenna

5470-5725MHz

Antenna gain				Antenna Type
Ant0: 4.70dBi	Ant1: 4.69dBi	Ant2: 4.67dBi	Ant3: 4.67dBi	PCB antenna

5725-5850MHz

Antenna gain				Antenna Type
Ant0: 4.60dBi	Ant1: 4.58dBi	Ant2: 4.55dBi	Ant3: 4.52dBi	PCB antenna

2.. TEST RESULTS

Test result: PASS

For Test data, Please refer to original report(FA332121-01).

Statement

1. The report is invalid without the official seal or special seal of Shenzhen Haiyun Standard Technology Co., Ltd. (hereinafter referred to as the unit).
2. The report is invalid without the signature of the approver.
3. The report is invalid if altered arbitrarily.
4. The report shall not be partially copied without the written approval of the unit.
5. The reported test results are only valid for the tested samples.
6. If there is any objection to the test report, it shall be submitted to the test unit within 15 days from the date of receiving the report, and the overdue shall not be accepted.

Shenzhen Haiyun Standard Technology Co., Ltd.

Address: Room 110, 111, 112, 113, 115, 116, Block B, Jinyuan Business Building, No. 302, Xixiang Avenue, Labor Community, Xixiang Street, Baoan District, Shenzhen, China

Tel: 0755-26024411

Email: service@hy-lab.cn

(END OF REPORT)