


Remark	Description	Editor	Date

以下内容由供应商印刷





R5.0
注意：圆角为R5.0

来料方式

P/N、S/N、MAC及条码打印时，其内容区域不能大于35*18mm，如下图所示区域：

以下变量信息由工厂打印



NOTES (技术要求) :

1. 黑色印刷，无边框，R5.0 (Black printing, R5.0)
2. 材料: 50# PET, 过UV油墨背胶 (Material: 50# PET, UV coated, adhesive)
3. 原材料及后处理工艺均能满足我司《环保技术标准》要求 (Raw materials and the corresponding post processing should meet requirements defined in the T&W Environmental Protection Technical Standards.)

DIM	TOL±	▼			
RANGE	C1	C2	C3	C4	
0~6	0.1	0.1	0.15	0.2	
6~30	0.2	0.3	0.4	0.5	
30~80	0.25	0.5	0.9	1.2	
80~180	0.3	0.8	1.2	1.5	
180~315	0.5	1.3	1.8	3	
315~500	0.7	1.5	2.5	4	
500~800	0.9	1.8	3	5	
ANG.TOL±	0°~30°/0.1°	30°~60°/0.3°	60°~90°/0.5°		



ZNID-FE-2426A
Power: 12V 1.5A

Part Number: 400-01276-01

Serial Number: 3XXXXXXXX

MAC Address: XXXXXXXXXXX

FCC FCC ID: PJZ242XA
This device complies with Part 15 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.



CONFORMS TO
ANSI/UL STD. 60950-1
CERTIFIED TO
CAN/CSA STD.
C22.2 NO. 60950-1

Intertek
4002720



Made in China

SCALE: 2:1



■ PANTONE 293C
■ PANTONE Cool Gray 10C

编号规则:


SN: 3XXXXXXXX

3: 固定

XXXXXXXX: 由MAC后6位转10进制而来 (不满8位前面补0)

MAC: XXXXXXXXXXX (MAC地址段客户提供)

Barcode: code39



CUSTOMER:
Zhone

T&W 同维

SHANGHAI GONGJIN TELECOM TECHNOLOGY CO., LTD.

TITLE:

MODEL:

PART NO:

BOTTOM LABEL

ZNID-FE-2426A

6080000xxxxx

UNIT'S

mm

VER:

A0

DRAW

赵雅楠

DATE: 130308

MAT'L

XXXX

SCALE

1:1

CHECK

刘瑞刚

FINISH

N/A

SHEET

1 / 1

PDE

刘欢

1

2

3

4

5


6

Remark	Description	Editor	Date

A

A

P/N、S/N及条码打印时，其内容区域不能大于50*15mm，如下图示区域：



ZNID-GE-2426A Rev:A
 Part Number: P/N:400-01274-01
 Serial Number: S/N:3XXXXXXXX
 MAC Address: XXXXXXXXXXXX

B

B

编号规则：

SN: 3XXXXXXXX
 3: 固定
 XXXXXXXX: 由 MAC 后 6 位转 10 进制而来（不满 8 位前面补 0）
 MAC:XXXXXXXXXXXX(MAC 地址段客户提供)
 Barcode:code39

SCALE:2:1

C

C

NOTES (技术要求)：

1. 黑色印刷，无边框, R5.0 (Black printing,R5.0)
2. 材料: 54# 合成纸, 背胶 (Material:54# Compound paper,adhesive)
3. 原材料及后处理工艺均能满足我司《环保技术标准》要求 (Raw materials and the corresponding post processing should meet requirements defined in the T&W Environmental Protection Technical Standards.)

DIM		TOL±					CUSTOMER: Zhong		T&W 同维 SHANGHAI GONGJIN TELECOM TECHNOLOGY CO.,LTD.					
RANGE	C1	C2	C3	C4	TITLE: SN&MAC LABEL		MODEL: ZNID-GE-2426A		PART NO: 6080000XXXX					
0~6	0.1	0.1	0.15	0.2	UNITS	mm	VER:	A0	DRAW	赵雅楠		DATE: 130502		
6~30	0.2	0.3	0.4	0.5	MAT'L	XXXX	SCALE	1:1	CHECK	刘瑞刚				
30~80	0.25	0.5	0.9	1.2	FINISH	N/A	SHEET	1 / 1	PDE	刘欢				
80~180	0.3	0.8	1.2	1.5	ANG.TOL±							0°~30°/0.1°	30°~60°/0.3°	60°~90°/0.5°
180~315	0.5	1.3	1.8	3										
315~500	0.7	1.5	2.5	4										
500~800	0.9	1.8	3	5										

1

2

3

4

5

6

D


D

1 2 3 4 5 6

Remark	Description	Editor	Date

A

A



Z H O N E
Bandwidth Changes Everything™

Active Ethernet 4 Port
WiFi 802.11N Gateway
Power: 12V 1.5A

CE0700

NOM

ETL
LISTED US

CONFORMS TO ANSII/UL STD. 60950-1
CERTIFIED TO CAN/CSA STD. C22.2 NO. 60950-1

Intertek
4002720

FCC ID: PJZ242XA

FCC This device complies with Part 15 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received, including interference that may that may cause undesired operation.

Made in China

PANTONE 293C
 PANTONE Cool Gray 10C


SCALE:2:1

C

C

NOTES (技术要求) :

- 彩色印刷, 无边框, R5.0
(Color printing, R5.0)
- 材料: 50# PET, 过光膜, 背胶
(Material: 50# PET, OPP, adhesive)
- 原材料及后处理工艺均能满足我司《环保技术标准》要求
(Raw materials and the corresponding post processing should meet requirements defined in the T&W Environmental Protection Technical Standards.)



DIM	TOL±	▼				CUSTOMER: Zhone		T&W 同维 SHANGHAI GONGJIN TELECOM TECHNOLOGY CO.,LTD.					
RANGE	C1	C2	C3	C4			MODEL:		PART NO:				
0~6	0.1	0.1	0.15	0.2			ZNID-GE-2426A		6080000XXXX				
6~30	0.2	0.3	0.4	0.5	BOTTOM LABEL		UNIT'S	mm	VER:	A0	DRAW	赵雅楠	DATE: 130427
30~80	0.25	0.5	0.9	1.2	MAT'L		XXXX	SCALE	1:1	CHECK	刘瑞刚		
80~180	0.3	0.8	1.2	1.5	FINISH		N/A	SHEET	1 / 1	PDE	刘欢		
180~315	0.5	1.3	1.8	3	ANG.TOL±		0°~30°/0.1°	30°~60°/0.3°	60°~90°/0.5°				
315~500	0.7	1.5	2.5	4									
500~800	0.9	1.8	3	5									

D

D

1 2 3 4 5 6

1

2

3

4

5

6

Remark

Description


Editor

Date

A

A

P/N、S/N及条码打印时，其内容区域不能大于50*15mm，如下图示区域：



ZNID-GPON-2426A

Rev:A

Part Number: P/N:400-01270-01

Serial Number: S/N:3XXXXXXXXX

MAC Address: XXXXXXXXXXXX

编号规则：

SN: 3XXXXXXXXX

3: 固定

XXXXXXXX: 由 MAC 后 6 位转 10 进制而来（不满 8 位前面补 0）

MAC:XXXXXXXXXXXX(MAC 地址段客户提供)

Barcode:code39

SCALE:2:1

B

B

C

C

NOTES (技术要求)：

1. 黑色印刷，无边框, R5.0

(Black printing,R5.0)


2.材料: 54# 合成纸, 背胶

(Material:54# Compound paper,adhesive)

3. 原材料及后处理工艺均能满足我司《环保技术标准》要求

(Raw materials and the corresponding post processing should meet requirements defined in the T&W Environmental Protection Technical Standards.)

DIM	TOL±				
RANGE	C1	C2	C3	C4	
0~6	0.1	0.1	0.15	0.2	
6~30	0.2	0.3	0.4	0.5	
30~80	0.25	0.5	0.9	1.2	
80~180	0.3	0.8	1.2	1.5	
180~315	0.5	1.3	1.8	3	
315~500	0.7	1.5	2.5	4	
500~800	0.9	1.8	3	5	
ANG.TOL±	0°~30°/0.1°	30°~60°/0.3°	60°~90°/0.5°		



CUSTOMER:
Zhone

T&W 同维
SHANGHAI GONGJIN TELECOM TECHNOLOGY CO.,LTD.

TITLE:
SN&MAC LABEL

MODEL:
ZNID-GPON-2426A

PART NO:
6080000XXXX

UNITS: mm

VER: A0

DRAW

赵雅楠

DATE: 130502

MAT'L: XXXX

SCALE: 1:1

CHECK

刘瑞刚

FINISH: N/A

SHEET: 1 / 1

PDE

刘欢

1

2

3

4

5

6

D


D

1 2 3 4 5 6

Remark	Description	Editor	Date

A

A



Z H O N E
Bandwidth Changes Everything™

**GPON 4 Port
WiFi 802.11N Gateway
Power: 12V 1.5A**

CONFORMS TO
ANSI/UL STD. 60950-1
CERTIFIED TO
CAN/CSA STD.
C22.2 NO. 60950-1

FCC ID: PJZ242XA
This device complies with Part 15 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may that may cause undesired operation.
Made in China

PANTONE 293C
PANTONE Cool Gray 10C


SCALE:2:1

C

C

NOTES (技术要求) :

- 彩色印刷，无边框，R5.0
(Color printing, R5.0)
- 材料: 50# PET, 过光膜, 背胶
(Material: 50# PET, OPP, adhesive)
- 原材料及后处理工艺均能满足我司《环保技术标准》要求
(Raw materials and the corresponding post processing should meet requirements defined in the T&W Environmental Protection Technical Standards.)



DIM	TOL±	▼				CUSTOMER: Zhone		T&W 同维 SHANGHAI GONGJIN TELECOM TECHNOLOGY CO.,LTD.				
RANGE	C1	C2	C3	C4			MODEL:		PART NO:			
0~6	0.1	0.1	0.15	0.2			ZNID-GPON-2426A		6080000XXXX			
6~30	0.2	0.3	0.4	0.5	TITLE:		VER:		A0	DRAW	赵雅楠	DATE: 130427
30~80	0.25	0.5	0.9	1.2	BOTTOM LABEL		SCALE		1:1	CHECK	刘瑞刚	
80~180	0.3	0.8	1.2	1.5	UNIT'S	mm	SHEET		1 / 1	PDE	刘欢	
180~315	0.5	1.3	1.8	3	MAT'L	XXXX	FINISH		N/A			
315~500	0.7	1.5	2.5	4	ANG.TOL±		0°~30°/0.1°		30°~60°/0.3°	60°~90°/0.5°		
500~800	0.9	1.8	3	5								

D

D

1 2 3 4 5 6

1

2

3


4

5

6

Remark	Description	Editor	Date

P/N、S/N及条码打印时，其内容区域不能大于50*15mm，如下图示区域：



ZNID-GPON-2427A Rev:A
 Part Number: P/N:400-01271-01
 Serial Number: S/N:3XXXXXXXXX
 MAC Address: XXXXXXXXXXXX

编号规则：

SN: 3XXXXXXXXX
 3: 固定
 XXXXXXXX: 由 MAC 后 6 位转 10 进制而来（不满 8 位前面补 0）
 MAC:XXXXXXXXXXXX(MAC 地址段客户提供)
 Barcode:code39

SCALE:2:1

NOTES (技术要求)：

1. 黑色印刷，无边框, R5.0
(Black printing,R5.0)
2. 材料: 54# 合成纸, 背胶
(Material:50# Compound paper,adhesive)
3. 原材料及后处理工艺均能满足我司《环保技术标准》要求
(Raw materials and the corresponding post processing should meet requirements defined in the T&W Environmental Protection Technical Standards.)

DIM		TOL±					CUSTOMER: Zhone		T&W 同维 SHANGHAI GONGJIN TELECOM TECHNOLOGY CO.,LTD.			
RANGE	C1	C2	C3	C4	TITLE: SN&MAC LABEL		MODEL: ZNID-GPON-2427A		PART NO: 6080000XXXX			
0~6	0.1	0.1	0.15	0.2	UNITS	mm	VER:	A0	DRAW	赵雅楠	DATE: 130502	
6~30	0.2	0.3	0.4	0.5	MAT'L	XXXX	SCALE	1:1	CHECK	刘瑞刚		
30~80	0.25	0.5	0.9	1.2	FINISH	N/A	SHEET	1 / 1	PDE	刘欢		
80~180	0.3	0.8	1.2	1.5								
180~315	0.5	1.3	1.8	3								
315~500	0.7	1.5	2.5	4								
500~800	0.9	1.8	3	5								
ANG.TOL±	0°-30°/0.1°	30°-60°/0.3°	60°-90°/0.5°									

1

2

3

4

5


6

1 2 3 4 5 6

Remark	Description	Editor	Date

A

A



ZHONE PANTONE 293C
 PANTONE Cool Gray 10C

SCALE:2:1

B


B

C

C

NOTES (技术要求) :

- 彩色印刷, 无边框, R5.0
(Color printing, R5.0)
- 材料: 50# PET, 过光膜, 背胶
(Material: 50# PET, OPP, adhesive)
- 原材料及后处理工艺均能满足我司《环保技术标准》要求
(Raw materials and the corresponding post processing should meet requirements defined in the T&W Environmental Protection Technical Standards.)



DIM	TOL±	▼				CUSTOMER: Zhone		T&W 同维 SHANGHAI GONGJIN TELECOM TECHNOLOGY CO.,LTD.			
RANGE	C1	C2	C3	C4	TITLE:		MODEL:		PART NO:		
0~6	0.1	0.1	0.15	0.2	BOTTOM LABEL		ZNID-GPON-2427A		6080000XXXX		
6~30	0.2	0.3	0.4	0.5	UNIT'S	mm	VER:	A0	DRAW	赵雅楠	DATE: 130427
30~80	0.25	0.5	0.9	1.2	MAT'L	XXXX	SCALE	1:1	CHECK	刘瑞刚	
80~180	0.3	0.8	1.2	1.5	FINISH	N/A	SHEET	1 / 1	PDE	刘欢	
180~315	0.5	1.3	1.8	3	ANG.TOL±		0°~30°/0.1°		30°~60°/0.3°		60°~90°/0.5°
315~500	0.7	1.5	2.5	4							
500~800	0.9	1.8	3	5							

D

D

1 2 3 4 5 6