


1GHz - 18GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11ac80		

5610 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1533.800000	32.1	74.0	41.9	25.4	61.3	2.5	H
2	2448.400000	37.8	74.0	36.2	27.5	59.2	2.8	H
3	4997.550000	43.2	74.0	30.8	33.0	57.4	3.6	H
4	9366.550000	51.1	74.0	22.9	38.6	59.3	5.4	H
5	12918.700000	54.4	74.0	19.6	39.7	57.8	6.1	H
6	17685.500000	55.3	74.0	18.7	40.4	57.9	6.9	H
Avg								
1	1533.800000	24.0	54.0	30.0	25.4	61.3	2.5	H
2	2448.400000	32.9	54.0	21.1	27.5	59.2	2.8	H
3	4997.550000	34.4	54.0	19.6	33.0	57.4	3.6	H
4	9366.550000	43.0	54.0	11.0	38.6	59.3	5.4	H
5	12918.700000	45.1	54.0	8.9	39.7	57.8	6.1	H
6	17685.500000	47.3	54.0	6.7	40.4	57.9	6.9	H

30MHz - 1GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11ac80		

5610 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	34.821189	22.5	40.0	17.5	13.4	32.2	0.8	V
2	60.280122	19.0	40.0	21.0	12.7	32.7	0.8	V
3	91.494860	20.6	43.5	22.9	9.5	32.9	1.2	V
4	179.072120	16.9	43.5	26.6	11.8	32.8	1.9	V
5	308.371463	19.0	46.0	27.0	13.0	32.7	2.7	V
6	559.710646	36.7	46.0	9.3	17.6	32.4	3.1	V

1GHz - 18GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11ac80		

5610 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1451.350000	33.3	74.0	40.7	25.5	61.4	2.4	V
2	2446.700000	36.6	74.0	37.4	27.5	59.2	2.8	V
3	4289.500000	40.3	74.0	33.7	31.3	58.2	3.4	V
4	7402.200000	49.4	74.0	24.6	36.5	57.5	4.6	V
5	11375.950000	50.3	74.0	23.7	39.1	61.1	5.8	V
6	17795.150000	55.2	74.0	18.8	41.1	57.8	7.0	V
Avg								
1	1451.350000	23.7	54.0	30.3	25.5	61.4	2.4	V
2	2446.700000	27.4	54.0	26.6	27.5	59.2	2.8	V
3	4289.500000	31.6	54.0	22.4	31.3	58.2	3.4	V
4	7402.200000	40.6	54.0	13.4	36.5	57.5	4.6	V
5	11375.950000	41.9	54.0	12.1	39.1	61.1	5.8	V
6	17795.150000	46.3	54.0	7.7	41.1	57.8	7.0	V

30MHz - 1GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11ax160		

5570 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	38.413529	13.0	40.0	27.0	13.9	32.3	0.8	H
2	82.358861	20.8	40.0	19.2	9.3	32.9	1.0	H
3	121.548576	16.7	43.5	26.8	12.3	32.9	1.4	H
4	199.635245	24.6	43.5	18.9	9.9	32.8	2.3	H
5	333.686743	15.3	46.0	30.7	13.2	32.6	2.7	H
6	559.710646	40.5	46.0	5.5	15.5	32.4	3.1	H

1GHz - 18GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11ax160		

5570 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1443.700000	33.6	74.0	40.4	25.5	61.4	2.4	H
2	2471.350000	36.8	74.0	37.2	27.6	59.0	2.8	H
3	4386.400000	41.7	74.0	32.3	31.5	58.1	3.5	H
4	7397.950000	49.2	74.0	24.8	36.5	57.5	4.6	H
5	11444.800000	51.0	74.0	23.0	39.1	61.1	5.8	H
6	17691.450000	55.4	74.0	18.6	40.4	57.9	6.9	H
Avg								
1	1443.700000	23.9	54.0	30.1	25.5	61.4	2.4	H
2	2471.350000	27.6	54.0	26.4	27.6	59.0	2.8	H
3	4386.400000	32.7	54.0	21.3	31.5	58.1	3.5	H
4	7397.950000	41.8	54.0	12.2	36.5	57.5	4.6	H
5	11444.800000	42.3	54.0	11.7	39.1	61.1	5.8	H
6	17691.450000	46.9	54.0	7.1	40.4	57.9	6.9	H

30MHz - 1GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11ax160		

5570 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	37.220165	22.5	40.0	17.5	13.7	32.3	0.8	V
2	67.793891	18.6	40.0	21.4	11.2	32.8	0.8	V
3	93.440245	21.3	43.5	22.2	9.7	32.9	1.2	V
4	199.985568	16.7	43.5	26.8	9.9	32.8	2.3	V
5	392.783119	21.2	46.0	24.8	14.6	32.3	2.7	V
6	559.710646	36.7	46.0	9.3	17.6	32.4	3.1	V

1GHz - 18GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11ax160		

5570 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1303.450000	32.4	74.0	41.6	25.8	61.1	2.3	V
2	1976.650000	33.7	74.0	40.3	26.3	60.9	2.7	V
3	3129.250000	38.5	74.0	35.5	29.7	58.6	3.0	V
4	5521.150000	43.9	74.0	30.1	32.8	58.1	4.0	V
5	9358.050000	50.8	74.0	23.2	38.6	59.3	5.4	V
6	17679.550000	54.9	74.0	19.1	40.4	57.9	6.9	V
Avg								
1	1303.450000	23.7	54.0	30.3	25.8	61.1	2.3	V
2	1976.650000	24.7	54.0	29.3	26.3	60.9	2.7	V
3	3129.250000	29.8	54.0	24.2	29.7	58.6	3.0	V
4	5521.150000	35.2	54.0	18.8	32.8	58.1	4.0	V
5	9358.050000	42.8	54.0	11.2	38.6	59.3	5.4	V
6	17679.550000	46.7	54.0	7.3	40.4	57.9	6.9	V

30MHz - 1GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11a		

5725MHz-5850MHz

5745 MHz




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	38.683874	13.7	40.0	26.3	13.9	32.3	0.8	H
2	76.512057	19.5	40.0	20.5	9.8	32.9	0.9	H
3	121.548576	17.7	43.5	25.8	12.3	32.9	1.4	H
4	199.635245	25.1	43.5	18.4	9.9	32.8	2.3	H
5	381.248677	17.9	46.0	28.1	13.7	32.4	2.7	H
6	559.710646	40.6	46.0	5.4	15.5	32.4	3.1	H

1GHz - 18GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11a		

5745 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1417.350000	32.1	74.0	41.9	25.5	61.4	2.4	H
2	2324.300000	35.5	74.0	38.5	27.2	59.9	2.8	H
3	3734.450000	39.1	74.0	34.9	30.1	58.9	3.2	H
4	5736.200000	44.5	74.0	29.5	33.5	58.1	4.0	H
5	10740.150000	52.3	74.0	21.7	38.9	61.1	5.6	H
6	17587.750000	56.2	74.0	17.8	39.8	58.0	6.9	H
Avg								
1	1417.350000	23.3	54.0	30.7	25.5	61.4	2.4	H
2	2324.300000	27.0	54.0	27.0	27.2	59.9	2.8	H
3	3734.450000	30.2	54.0	23.8	30.1	58.9	3.2	H
4	5736.200000	36.2	54.0	17.8	33.5	58.1	4.0	H
5	10740.150000	44.0	54.0	10.0	38.9	61.1	5.6	H
6	17587.750000	47.6	54.0	6.4	39.8	58.0	6.9	H

30MHz - 1GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11a		

5745 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	37.220165	31.3	40.0	8.7	13.7	32.3	0.8	V
2	58.612615	21.5	40.0	18.5	12.9	32.7	0.8	V
3	106.012629	21.3	43.5	22.2	10.7	32.9	1.4	V
4	179.072120	17.3	43.5	26.2	11.8	32.8	1.9	V
5	381.248677	20.8	46.0	25.2	14.4	32.4	2.7	V
6	559.710646	36.9	46.0	9.1	17.6	32.4	3.1	V

1GHz - 18GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11a		

5745 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1300.050000	37.3	74.0	36.7	25.8	61.1	2.3	V
2	1549.950000	49.1	74.0	24.9	25.3	61.3	2.5	V
3	2649.850000	41.3	74.0	32.7	28.1	59.2	2.9	V
4	3829.650000	44.6	74.0	29.4	30.5	58.8	3.2	V
5	7675.900000	48.8	74.0	25.2	36.4	57.7	4.8	V
6	17820.650000	56.6	74.0	17.4	41.2	57.8	7.0	V
Avg								
1	1300.050000	28.9	54.0	25.1	25.8	61.1	2.3	V
2	1549.950000	41.4	54.0	12.6	25.3	61.3	2.5	V
3	2649.850000	31.6	54.0	22.4	28.1	59.2	2.9	V
4	3829.650000	31.9	54.0	22.1	30.5	58.8	3.2	V
5	7675.900000	39.7	54.0	14.3	36.4	57.7	4.8	V
6	17820.650000	48.4	54.0	5.6	41.2	57.8	7.0	V

30MHz - 1GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11a		

5785 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	39.161565	14.3	40.0	25.7	14.0	32.4	0.8	H
2	76.512057	19.8	40.0	20.2	9.8	32.9	0.9	H
3	137.179492	19.2	43.5	24.3	13.3	32.9	1.4	H
4	199.985568	26.1	43.5	17.4	9.9	32.8	2.3	H
5	381.248677	17.6	46.0	28.4	13.7	32.4	2.7	H
6	559.710646	40.3	46.0	5.7	15.5	32.4	3.1	H

1GHz - 18GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11a		

5785 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1277.100000	32.2	74.0	41.8	25.8	61.0	2.3	H
2	2087.150000	35.1	74.0	38.9	27.1	60.9	2.7	H
3	3247.400000	38.3	74.0	35.7	29.7	58.3	3.0	H
4	5836.500000	45.6	74.0	28.4	33.9	58.1	4.1	H
5	8950.900000	50.6	74.0	23.4	38.2	59.2	5.4	H
6	17887.800000	56.5	74.0	17.5	41.7	57.7	7.0	H
Avg								
1	1277.100000	24.0	54.0	30.0	25.8	61.0	2.3	H
2	2087.150000	25.7	54.0	28.3	27.1	60.9	2.7	H
3	3247.400000	29.6	54.0	24.4	29.7	58.3	3.0	H
4	5836.500000	37.6	54.0	16.4	33.9	58.1	4.1	H
5	8950.900000	42.8	54.0	11.2	38.2	59.2	5.4	H
6	17887.800000	48.4	54.0	5.6	41.7	57.7	7.0	H

30MHz - 1GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11a		

5785 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	34.821189	22.7	40.0	17.3	13.4	32.2	0.8	V
2	59.025116	20.0	40.0	20.0	12.8	32.7	0.8	V
3	97.798319	20.8	43.5	22.7	10.0	32.9	1.3	V
4	157.835373	15.8	43.5	27.7	14.1	32.9	1.5	V
5	307.831275	19.3	46.0	26.7	13.0	32.7	2.7	V
6	559.710646	36.9	46.0	9.1	17.6	32.4	3.1	V

1GHz - 18GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11a		

5785 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1436.900000	33.7	74.0	40.3	25.5	61.4	2.4	V
2	2430.550000	35.7	74.0	38.3	27.5	59.3	2.8	V
3	4156.900000	41.5	74.0	32.5	30.9	58.2	3.4	V
4	7404.750000	49.4	74.0	24.6	36.5	57.5	4.6	V
5	11977.750000	51.9	74.0	22.1	39.0	59.7	5.9	V
6	17791.750000	56.0	74.0	18.0	41.1	57.8	7.0	V
Avg								
1	1436.900000	25.2	54.0	28.8	25.5	61.4	2.4	V
2	2430.550000	26.8	54.0	27.2	27.5	59.3	2.8	V
3	4156.900000	31.1	54.0	22.9	30.9	58.2	3.4	V
4	7404.750000	40.7	54.0	13.3	36.5	57.5	4.6	V
5	11977.750000	43.4	54.0	10.6	39.0	59.7	5.9	V
6	17791.750000	47.9	54.0	6.1	41.1	57.8	7.0	V

30MHz - 1GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11a		

5825 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	39.645155	14.2	40.0	25.8	14.0	32.4	0.8	H
2	78.001995	20.2	40.0	19.8	9.6	32.9	0.9	H
3	133.151089	22.5	43.5	21.0	13.0	32.9	1.4	H
4	199.985568	26.7	43.5	16.8	9.9	32.8	2.3	H
5	333.686743	16.4	46.0	29.6	13.2	32.6	2.7	H
6	559.710646	40.2	46.0	5.8	15.5	32.4	3.1	H

1GHz - 18GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11a		

5825 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1325.550000	32.8	74.0	41.2	25.8	61.1	2.3	H
2	2190.000000	36.1	74.0	37.9	27.2	60.6	2.7	H
3	3646.050000	37.9	74.0	36.1	29.7	59.0	3.2	H
4	6246.200000	46.5	74.0	27.5	34.2	58.0	4.2	H
5	9274.750000	50.0	74.0	24.0	38.5	59.5	5.4	H
6	17803.650000	55.9	74.0	18.1	41.1	57.8	7.0	H
Avg								
1	1325.550000	24.5	54.0	29.5	25.8	61.1	2.3	H
2	2190.000000	26.7	54.0	27.3	27.2	60.6	2.7	H
3	3646.050000	30.4	54.0	23.6	29.7	59.0	3.2	H
4	6246.200000	37.0	54.0	17.0	34.2	58.0	4.2	H
5	9274.750000	42.7	54.0	11.3	38.5	59.5	5.4	H
6	17803.650000	48.1	54.0	5.9	41.1	57.8	7.0	H

30MHz - 1GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11a		

5825 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	41.639971	21.4	40.0	18.6	14.0	32.4	0.8	V
2	70.707439	19.4	40.0	20.6	10.7	32.8	0.8	V
3	93.440245	22.5	43.5	21.0	9.7	32.9	1.2	V
4	179.701149	16.3	43.5	27.2	11.7	32.8	1.9	V
5	333.686743	25.3	46.0	20.7	13.5	32.6	2.7	V
6	559.710646	36.8	46.0	9.2	17.6	32.4	3.1	V

1GHz - 18GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11a		

5825 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1265.200000	32.5	74.0	41.5	25.8	61.0	2.3	V
2	1844.050000	32.6	74.0	41.4	25.3	61.2	2.6	V
3	3013.650000	39.2	74.0	34.8	29.4	58.8	3.0	V
4	4904.900000	42.8	74.0	31.2	32.7	57.4	3.6	V
5	8743.500000	50.7	74.0	23.3	38.1	58.0	5.2	V
6	17801.100000	55.9	74.0	18.1	41.1	57.8	7.0	V
Avg								
1	1265.200000	24.8	54.0	29.2	25.8	61.0	2.3	V
2	1844.050000	24.6	54.0	29.4	25.3	61.2	2.6	V
3	3013.650000	29.9	54.0	24.1	29.4	58.8	3.0	V
4	4904.900000	34.1	54.0	19.9	32.7	57.4	3.6	V
5	8743.500000	42.3	54.0	11.7	38.1	58.0	5.2	V
6	17801.100000	47.9	54.0	6.1	41.1	57.8	7.0	V

30MHz - 1GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11n20		

5745 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	38.683874	13.8	40.0	26.2	13.9	32.3	0.8	H
2	78.413354	20.8	40.0	19.2	9.5	32.9	0.9	H
3	139.117161	19.0	43.5	24.5	13.4	32.9	1.4	H
4	199.985568	25.1	43.5	18.4	9.9	32.8	2.3	H
5	333.686743	16.4	46.0	29.6	13.2	32.6	2.7	H
6	559.710646	40.2	46.0	5.8	15.5	32.4	3.1	H

1GHz - 18GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11n20		

5745 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1368.050000	31.4	74.0	42.6	25.7	61.3	2.3	H
2	2461.150000	38.5	74.0	35.5	27.6	59.1	2.8	H
3	4075.300000	39.8	74.0	34.2	30.8	58.3	3.3	H
4	6352.450000	46.6	74.0	27.4	34.5	58.0	4.2	H
5	11483.050000	50.3	74.0	23.7	39.1	61.1	5.8	H
6	17362.500000	55.9	74.0	18.1	39.0	58.9	6.9	H
Avg								
1	1368.050000	22.9	54.0	31.1	25.7	61.3	2.3	H
2	2461.150000	33.1	54.0	20.9	27.6	59.1	2.8	H
3	4075.300000	30.8	54.0	23.2	30.8	58.3	3.3	H
4	6352.450000	38.2	54.0	15.8	34.5	58.0	4.2	H
5	11483.050000	41.3	54.0	12.7	39.1	61.1	5.8	H
6	17362.500000	46.1	54.0	7.9	39.0	58.9	6.9	H

30MHz - 1GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11n20		

5745 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	39.092964	22.0	40.0	18.0	13.9	32.4	0.8	V
2	69.235341	17.9	40.0	22.1	11.0	32.8	0.8	V
3	106.012629	21.8	43.5	21.7	10.7	32.9	1.4	V
4	179.701149	17.1	43.5	26.4	11.7	32.8	1.9	V
5	305.679971	20.9	46.0	25.1	12.9	32.7	2.7	V
6	559.710646	36.5	46.0	9.5	17.6	32.4	3.1	V

1GHz - 18GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11n20		

5745 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1331.500000	33.3	74.0	40.7	25.8	61.2	2.3	V
2	2187.450000	35.0	74.0	39.0	27.2	60.6	2.7	V
3	3637.550000	38.3	74.0	35.7	29.7	59.0	3.2	V
4	6145.050000	46.6	74.0	27.4	34.0	58.0	4.1	V
5	9270.500000	50.3	74.0	23.7	38.4	59.5	5.4	V
6	17804.500000	56.1	74.0	17.9	41.1	57.8	7.0	V
Avg								
1	1331.500000	24.1	54.0	29.9	25.8	61.2	2.3	V
2	2187.450000	25.8	54.0	28.2	27.2	60.6	2.7	V
3	3637.550000	28.6	54.0	25.4	29.7	59.0	3.2	V
4	6145.050000	37.8	54.0	16.2	34.0	58.0	4.1	V
5	9270.500000	42.1	54.0	11.9	38.4	59.5	5.4	V
6	17804.500000	47.6	54.0	6.4	41.1	57.8	7.0	V

30MHz - 1GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11n20		

5785 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	38.683874	13.5	40.0	26.5	13.9	32.3	0.8	H
2	78.001995	20.1	40.0	19.9	9.6	32.9	0.9	H
3	120.065933	17.7	43.5	25.8	12.2	32.9	1.4	H
4	199.985568	26.9	43.5	16.6	9.9	32.8	2.3	H
5	333.686743	16.4	46.0	29.6	13.2	32.6	2.7	H
6	559.710646	40.3	46.0	5.7	15.5	32.4	3.1	H

1GHz - 18GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11n20		

5785 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1266.900000	32.2	74.0	41.8	25.8	61.0	2.3	H
2	2118.600000	34.4	74.0	39.6	27.2	60.8	2.7	H
3	3663.900000	38.2	74.0	35.8	29.8	59.0	3.2	H
4	6256.400000	46.0	74.0	28.0	34.2	58.0	4.2	H
5	11357.250000	51.3	74.0	22.7	39.1	61.1	5.8	H
6	17811.300000	55.5	74.0	18.5	41.2	57.8	7.0	H
Avg								
1	1266.900000	23.8	54.0	30.2	25.8	61.0	2.3	H
2	2118.600000	25.5	54.0	28.5	27.2	60.8	2.7	H
3	3663.900000	28.9	54.0	25.1	29.8	59.0	3.2	H
4	6256.400000	37.2	54.0	16.8	34.2	58.0	4.2	H
5	11357.250000	42.8	54.0	11.2	39.1	61.1	5.8	H
6	17811.300000	48.5	54.0	5.5	41.2	57.8	7.0	H

30MHz - 1GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11n20		

5785 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	36.766156	22.1	40.0	17.9	13.6	32.3	0.8	V
2	69.235341	18.9	40.0	21.1	11.0	32.8	0.8	V
3	104.536051	22.3	43.5	21.2	10.6	32.9	1.4	V
4	179.072120	16.0	43.5	27.5	11.8	32.8	1.9	V
5	333.686743	22.8	46.0	23.2	13.5	32.6	2.7	V
6	559.710646	36.7	46.0	9.3	17.6	32.4	3.1	V

1GHz - 18GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11n20		

5785 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1313.650000	32.8	74.0	41.2	25.8	61.1	2.3	V
2	2149.200000	34.7	74.0	39.3	27.2	60.7	2.7	V
3	3635.850000	38.7	74.0	35.3	29.7	59.0	3.2	V
4	6044.750000	45.9	74.0	28.1	34.0	58.0	4.1	V
5	9262.000000	50.0	74.0	24.0	38.4	59.5	5.4	V
6	17784.950000	55.8	74.0	18.2	41.0	57.8	7.0	V
Avg								
1	1313.650000	24.1	54.0	29.9	25.8	61.1	2.3	V
2	2149.200000	27.0	54.0	27.0	27.2	60.7	2.7	V
3	3635.850000	28.7	54.0	25.3	29.7	59.0	3.2	V
4	6044.750000	37.3	54.0	16.7	34.0	58.0	4.1	V
5	9262.000000	41.6	54.0	12.4	38.4	59.5	5.4	V
6	17784.950000	46.5	54.0	7.5	41.0	57.8	7.0	V

30MHz - 1GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11n20		

5825 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	43.050457	16.4	40.0	23.6	13.9	32.5	0.8	H
2	83.815575	20.4	40.0	19.6	9.3	32.9	1.0	H
3	137.179492	18.9	43.5	24.6	13.3	32.9	1.4	H
4	199.985568	25.4	43.5	18.1	9.9	32.8	2.3	H
5	345.595230	14.6	46.0	31.4	13.4	32.5	2.7	H
6	559.710646	40.5	46.0	5.5	15.5	32.4	3.1	H

1GHz - 18GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11n20		

5825 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1436.900000	33.6	74.0	40.4	25.5	61.4	2.4	H
2	2412.700000	44.8	74.0	29.2	27.4	59.4	2.8	H
3	4578.500000	41.7	74.0	32.3	31.6	57.9	3.6	H
4	7904.550000	49.7	74.0	24.3	37.2	57.4	4.8	H
5	11555.300000	50.1	74.0	23.9	39.1	60.9	5.8	H
6	17792.600000	56.5	74.0	17.5	41.1	57.8	7.0	H
Avg								
1	1436.900000	24.1	54.0	29.9	25.5	61.4	2.4	H
2	2412.700000	36.9	54.0	17.1	27.4	59.4	2.8	H
3	4578.500000	33.4	54.0	20.6	31.6	57.9	3.6	H
4	7904.550000	40.8	54.0	13.2	37.2	57.4	4.8	H
5	11555.300000	41.6	54.0	12.4	39.1	60.9	5.8	H
6	17792.600000	46.9	54.0	7.1	41.1	57.8	7.0	H

30MHz - 1GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11n20		

5825 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	36.254065	21.7	40.0	18.3	13.6	32.3	0.8	V
2	69.722603	19.1	40.0	20.9	10.9	32.8	0.8	V
3	99.702770	21.0	43.5	22.5	10.1	32.9	1.4	V
4	177.820660	16.6	43.5	26.9	12.0	32.8	1.9	V
5	333.686743	23.6	46.0	22.4	13.5	32.6	2.7	V
6	559.710646	36.7	46.0	9.3	17.6	32.4	3.1	V

1GHz - 18GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11n20		

5825 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1221.850000	33.5	74.0	40.5	25.7	60.9	2.3	V
2	2076.950000	34.3	74.0	39.7	27.0	60.9	2.7	V
3	3856.000000	39.8	74.0	34.2	30.6	58.7	3.2	V
4	6762.150000	46.7	74.0	27.3	35.8	58.4	4.3	V
5	10676.400000	51.3	74.0	22.7	38.9	61.1	5.6	V
6	17595.400000	56.3	74.0	17.7	39.8	58.0	6.9	V
Avg								
1	1221.850000	24.2	54.0	29.8	25.7	60.9	2.3	V
2	2076.950000	26.2	54.0	27.8	27.0	60.9	2.7	V
3	3856.000000	31.2	54.0	22.8	30.6	58.7	3.2	V
4	6762.150000	38.0	54.0	16.0	35.8	58.4	4.3	V
5	10676.400000	41.8	54.0	12.2	38.9	61.1	5.6	V
6	17595.400000	46.6	54.0	7.4	39.8	58.0	6.9	V

30MHz - 1GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11n40		

5755 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	40.134716	14.3	40.0	25.7	14.1	32.4	0.8	H
2	76.512057	19.7	40.0	20.3	9.8	32.9	0.9	H
3	132.685004	23.0	43.5	20.5	13.0	32.9	1.4	H
4	199.635245	25.7	43.5	17.8	9.9	32.8	2.3	H
5	333.686743	16.5	46.0	29.5	13.2	32.6	2.7	H
6	559.710646	40.3	46.0	5.7	15.5	32.4	3.1	H

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11n40		

5755 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1404.600000	31.4	74.0	42.6	25.6	61.4	2.4	H
2	2456.900000	43.7	74.0	30.3	27.6	59.1	2.8	H
3	4067.650000	40.2	74.0	33.8	30.8	58.3	3.3	H
4	6981.450000	46.8	74.0	27.2	35.9	58.6	4.3	H
5	11349.600000	50.8	74.0	23.2	39.1	61.1	5.8	H
6	17792.600000	55.5	74.0	18.5	41.1	57.8	7.0	H
Avg								
1	1404.600000	23.2	54.0	30.8	25.6	61.4	2.4	H
2	2456.900000	36.6	54.0	17.4	27.6	59.1	2.8	H
3	4067.650000	32.6	54.0	21.4	30.8	58.3	3.3	H
4	6981.450000	38.7	54.0	15.3	35.9	58.6	4.3	H
5	11349.600000	42.6	54.0	11.4	39.1	61.1	5.8	H
6	17792.600000	47.2	54.0	6.8	41.1	57.8	7.0	H

30MHz - 1GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11n40		

5755 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	37.745902	22.2	40.0	17.8	13.8	32.3	0.8	V
2	75.578767	18.6	40.0	21.4	10.0	32.9	0.9	V
3	106.571707	20.1	43.5	23.4	10.8	32.9	1.4	V
4	177.820660	17.4	43.5	26.1	12.0	32.8	1.9	V
5	348.027449	15.6	46.0	30.4	13.8	32.5	2.7	V
6	559.710646	36.7	46.0	9.3	17.6	32.4	3.1	V

1GHz - 18GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11n40		

5755 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1314.500000	33.2	74.0	40.8	25.8	61.1	2.3	V
2	2443.300000	37.7	74.0	36.3	27.5	59.2	2.8	V
3	4275.050000	40.8	74.0	33.2	31.2	58.2	3.4	V
4	7283.200000	48.6	74.0	25.4	36.8	57.6	4.5	V
5	11460.100000	50.3	74.0	23.7	39.1	61.1	5.8	V
6	17677.850000	55.4	74.0	18.6	40.3	57.9	6.9	V
Avg								
1	1314.500000	24.6	54.0	29.4	25.8	61.1	2.3	V
2	2443.300000	29.3	54.0	24.7	27.5	59.2	2.8	V
3	4275.050000	32.2	54.0	21.8	31.2	58.2	3.4	V
4	7283.200000	40.1	54.0	13.9	36.8	57.6	4.5	V
5	11460.100000	42.3	54.0	11.7	39.1	61.1	5.8	V
6	17677.850000	46.9	54.0	7.1	40.3	57.9	6.9	V

30MHz - 1GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11n40		

5795 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	38.683874	15.4	40.0	24.6	13.9	32.3	0.8	H
2	73.617017	19.6	40.0	20.4	10.3	32.9	0.9	H
3	120.487690	16.5	43.5	27.0	12.3	32.9	1.4	H
4	199.985568	25.3	43.5	18.2	9.9	32.8	2.3	H
5	333.686743	17.2	46.0	28.8	13.2	32.6	2.7	H
6	559.710646	40.1	46.0	5.9	15.5	32.4	3.1	H

1GHz - 18GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11n40		

5795 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1349.350000	33.0	74.0	41.0	25.7	61.2	2.3	H
2	2276.700000	35.2	74.0	38.8	27.2	60.1	2.8	H
3	3665.600000	37.5	74.0	36.5	29.8	59.0	3.2	H
4	6246.200000	46.3	74.0	27.7	34.2	58.0	4.2	H
5	8950.900000	50.7	74.0	23.3	38.2	59.2	5.3	H
6	17593.700000	56.1	74.0	17.9	39.8	58.0	6.9	H
Avg								
1	1349.350000	24.0	54.0	30.0	25.7	61.2	2.3	H
2	2276.700000	25.6	54.0	28.4	27.2	60.1	2.8	H
3	3665.600000	29.5	54.0	24.5	29.8	59.0	3.2	H
4	6246.200000	37.4	54.0	16.6	34.2	58.0	4.2	H
5	8950.900000	42.4	54.0	11.6	38.2	59.2	5.3	H
6	17593.700000	46.8	54.0	7.2	39.8	58.0	6.9	H

30MHz - 1GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11n40		

5795 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	36.766156	22.3	40.0	17.7	13.6	32.3	0.8	V
2	65.343191	18.3	40.0	21.7	11.7	32.8	0.8	V
3	98.832556	21.0	43.5	22.5	10.1	32.9	1.4	V
4	178.132703	17.0	43.5	26.5	12.0	32.8	1.9	V
5	333.686743	24.3	46.0	21.7	13.5	32.6	2.7	V
6	559.710646	36.8	46.0	9.2	17.6	32.4	3.1	V

1GHz - 18GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11n40		

5795 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1300.900000	33.4	74.0	40.6	25.8	61.1	2.3	V
2	2096.500000	34.0	74.0	40.0	27.1	60.9	2.7	V
3	3535.550000	38.9	74.0	35.1	29.5	59.0	3.1	V
4	6246.200000	46.2	74.0	27.8	34.2	58.0	4.2	V
5	11342.800000	50.1	74.0	23.9	39.1	61.1	5.8	V
6	17895.450000	55.8	74.0	18.2	41.7	57.7	7.0	V
Avg								
1	1300.900000	23.0	54.0	31.0	25.8	61.1	2.3	V
2	2096.500000	25.7	54.0	28.3	27.1	60.9	2.7	V
3	3535.550000	29.5	54.0	24.5	29.5	59.0	3.1	V
4	6246.200000	37.0	54.0	17.0	34.2	58.0	4.2	V
5	11342.800000	41.2	54.0	12.8	39.1	61.1	5.8	V
6	17895.450000	48.1	54.0	5.9	41.7	57.7	7.0	V

30MHz - 1GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11ac80		

5775 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	48.842895	20.5	40.0	19.5	13.6	32.6	0.8	H
2	78.413354	19.4	40.0	20.6	9.5	32.9	0.9	H
3	128.788586	16.7	43.5	26.8	12.7	32.9	1.4	H
4	199.635245	25.6	43.5	17.9	9.9	32.8	2.3	H
5	333.686743	17.4	46.0	28.6	13.2	32.6	2.7	H
6	559.710646	40.3	46.0	5.7	15.5	32.4	3.1	H

1GHz - 18GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11ac80		

5775 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1426.700000	32.5	74.0	41.5	25.5	61.4	2.4	H
2	2465.400000	41.5	74.0	32.5	27.6	59.0	2.8	H
3	4366.000000	41.2	74.0	32.8	31.5	58.1	3.5	H
4	7698.000000	48.7	74.0	25.3	36.5	57.7	4.8	H
5	11776.300000	50.5	74.0	23.5	39.1	60.2	5.8	H
6	17801.950000	56.0	74.0	18.0	41.1	57.8	7.0	H
Avg								
1	1426.700000	23.6	54.0	30.4	25.5	61.4	2.4	H
2	2465.400000	36.6	54.0	17.4	27.6	59.0	2.8	H
3	4366.000000	32.4	54.0	21.6	31.5	58.1	3.5	H
4	7698.000000	38.9	54.0	15.1	36.5	57.7	4.8	H
5	11776.300000	41.0	54.0	13.0	39.1	60.2	5.8	H
6	17801.950000	47.1	54.0	6.9	41.1	57.8	7.0	H

30MHz - 1GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11ac80		

5775 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	43.505724	21.5	40.0	18.5	13.9	32.5	0.8	V
2	75.578767	19.8	40.0	20.2	10.0	32.9	0.9	V
3	106.571707	20.6	43.5	22.9	10.8	32.9	1.4	V
4	187.095766	16.1	43.5	27.4	10.8	32.8	2.1	V
5	333.686743	22.5	46.0	23.5	13.5	32.6	2.7	V
6	559.710646	36.6	46.0	9.4	17.6	32.4	3.1	V

1GHz - 18GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11ac80		

5775 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1226.950000	34.1	74.0	39.9	25.8	60.9	2.3	V
2	1913.750000	32.4	74.0	41.6	25.8	61.0	2.6	V
3	3033.200000	37.6	74.0	36.4	29.5	58.8	3.0	V
4	5108.050000	43.4	74.0	30.6	33.1	57.5	3.7	V
5	9270.500000	50.4	74.0	23.6	38.4	59.5	5.4	V
6	17801.950000	55.6	74.0	18.4	41.1	57.8	7.0	V
Avg								
1	1226.950000	25.3	54.0	28.7	25.8	60.9	2.3	V
2	1913.750000	24.2	54.0	29.8	25.8	61.0	2.6	V
3	3033.200000	29.6	54.0	24.4	29.5	58.8	3.0	V
4	5108.050000	34.7	54.0	19.3	33.1	57.5	3.7	V
5	9270.500000	42.9	54.0	11.1	38.4	59.5	5.4	V
6	17801.950000	46.6	54.0	7.4	41.1	57.8	7.0	V

30MHz - 1GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11ac160		

5570 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	39.437175	14.3	40.0	25.7	14.0	32.4	0.8	H
2	76.512057	19.7	40.0	20.3	9.8	32.9	0.9	H
3	121.975541	17.9	43.5	25.6	12.3	32.9	1.4	H
4	199.635245	25.5	43.5	18.0	9.9	32.8	2.3	H
5	333.686743	16.7	46.0	29.3	13.2	32.6	2.7	H
6	559.710646	40.3	46.0	5.7	15.5	32.4	3.1	H

1GHz - 18GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11ac160		

5570 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1296.650000	32.5	74.0	41.5	25.8	61.1	2.3	H
2	1986.850000	34.4	74.0	39.6	26.4	60.9	2.7	H
3	3204.050000	38.6	74.0	35.4	29.7	58.5	3.0	H
4	5110.600000	43.6	74.0	30.4	33.1	57.5	3.7	H
5	7601.950000	48.2	74.0	25.8	36.3	57.7	4.7	H
6	17575.850000	56.3	74.0	17.7	39.7	58.1	6.9	H
Avg								
1	1296.650000	23.7	54.0	30.3	25.8	61.1	2.3	H
2	1986.850000	25.7	54.0	28.3	26.4	60.9	2.7	H
3	3204.050000	29.4	54.0	24.6	29.7	58.5	3.0	H
4	5110.600000	34.5	54.0	19.5	33.1	57.5	3.7	H
5	7601.950000	39.0	54.0	15.0	36.3	57.7	4.7	H
6	17575.850000	47.5	54.0	6.5	39.7	58.1	6.9	H

30MHz - 1GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11ac160		

5570 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	38.683874	21.7	40.0	18.3	13.9	32.3	0.8	V
2	66.266167	18.2	40.0	21.8	11.5	32.8	0.8	V
3	109.988639	20.7	43.5	22.8	11.1	32.9	1.4	V
4	187.424085	15.5	43.5	28.0	10.8	32.8	2.1	V
5	302.481173	19.0	46.0	27.0	12.9	32.7	2.7	V
6	559.710646	36.7	46.0	9.3	17.6	32.4	3.1	V

1GHz - 18GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11ac160		

5570 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1294.950000	32.4	74.0	41.6	25.8	61.0	2.3	V
2	2284.350000	35.8	74.0	38.2	27.2	60.0	2.8	V
3	3956.300000	40.6	74.0	33.4	30.8	58.5	3.2	V
4	6553.900000	46.6	74.0	27.4	35.2	58.0	4.2	V
5	11556.150000	51.0	74.0	23.0	39.1	60.9	5.8	V
6	17820.650000	56.4	74.0	17.6	41.2	57.8	7.0	V
Avg								
1	1294.950000	23.4	54.0	30.6	25.8	61.0	2.3	V
2	2284.350000	27.0	54.0	27.0	27.2	60.0	2.8	V
3	3956.300000	32.0	54.0	22.0	30.8	58.5	3.2	V
4	6553.900000	37.9	54.0	16.1	35.2	58.0	4.2	V
5	11556.150000	42.7	54.0	11.3	39.1	60.9	5.8	V
6	17820.650000	47.3	54.0	6.7	41.2	57.8	7.0	V

30MHz - 1GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11ax80		

5775 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	38.683874	14.0	40.0	26.0	13.9	32.3	0.8	H
2	78.413354	20.8	40.0	19.2	9.5	32.9	0.9	H
3	139.117161	18.9	43.5	24.6	13.4	32.9	1.4	H
4	199.985568	25.7	43.5	17.8	9.9	32.8	2.3	H
5	381.917698	18.3	46.0	27.7	13.7	32.4	2.7	H
6	559.710646	40.2	46.0	5.8	15.5	32.4	3.1	H

1GHz - 18GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11ax80		

5775 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1306.000000	33.0	74.0	41.0	25.8	61.1	2.3	H
2	2267.350000	35.1	74.0	38.9	27.2	60.1	2.8	H
3	3850.050000	39.2	74.0	34.8	30.6	58.8	3.2	H
4	6241.950000	45.7	74.0	28.3	34.2	58.0	4.2	H
5	11351.300000	50.8	74.0	23.2	39.1	61.1	5.8	H
6	17607.300000	55.2	74.0	18.8	39.9	58.0	6.9	H
Avg								
1	1306.000000	24.4	54.0	29.6	25.8	61.1	2.3	H
2	2267.350000	26.0	54.0	28.0	27.2	60.1	2.8	H
3	3850.050000	30.2	54.0	23.8	30.6	58.8	3.2	H
4	6241.950000	37.4	54.0	16.6	34.2	58.0	4.2	H
5	11351.300000	42.2	54.0	11.8	39.1	61.1	5.8	H
6	17607.300000	45.9	54.0	8.1	39.9	58.0	6.9	H

30MHz - 1GHz

Temperature:	23.0℃	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11ax80		

5775 Vertical



Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	34.821189	21.9	40.0	18.1	13.4	32.2	0.8	V
2	66.266167	18.5	40.0	21.5	11.5	32.8	0.8	V
3	98.314078	20.8	43.5	22.7	10.0	32.9	1.3	V
4	181.601525	16.7	43.5	26.8	11.5	32.8	2.0	V
5	333.686743	23.5	46.0	22.5	13.5	32.6	2.7	V
6	559.710646	37.1	46.0	8.9	17.6	32.4	3.1	V