

1

2

3

4

5

6

Remark

Description

Editor

Date

A

A

B


B

C

C

D

D



NOTES (技术要求) :

1. 黑色印刷, 无边框, R5.0
(Black printing, no frame, R5.0)
2. 材料: 50# Bright white PET, 过光膜, 背胶
(Material: 50# Bright white PET, flim, adhesive)
3. 原材料及后处理工艺均能满足我司《环保技术标准》要求
(Raw materials and the corresponding post processing should meet requirements defined in the T&W Environmental Protection Technical Standards.)

来料方式: 卷装

DIM	TOL±	△				CUSTOMER: Zhong		T&W 同维 SHENZHEN GONGJIN TELECOM TECHNOLOGY CO.,LTD.				
RANGE	C1	C2	C3	C4	TITLE: BOTTOM LABEL		MODEL: ZNID-GPON-24xx 2A			PART NO: 6080000xxx		
0~6	0.1	0.1	0.15	0.2	UNIT'S	mm	VER:	V01	DRAW	曾建湘	DATE:20161128	
6~30	0.2	0.3	0.4	0.5	MAT'L	XXXX	SCALE	1:1	CHECK	牟宗娟		
30~80	0.25	0.5	0.9	1.2	FINISH	N/A	SHEET	1 / 1	PDE	N/A		
80~180	0.3	0.8	1.2	1.5	ANG.TOL±							
180~315	0.5	1.3	1.8	3	0°~30°/0.1°							
315~500	0.7	1.5	2.5	4	30°~60°/0.3°							
500~800	0.9	1.8	3	5	60°~90°/0.5°							

1


2

3


4

5

6



条码打印内容: 400-01703-01



编号规则: Serial Number: 3XXXXXXXX
 3: 固定
 XXXXXXXX: 由 MAC 后 6 位转 10 进制
 而来 (不满 8 位前面补 0)
 MAC: XXXXXXXXXXXX(MAC 地址段客户提供,
 见生产信息发布流程)

NOTES (技术要求) :

1. 黑色印刷, 无边框, R1. 5
(Black printing, no frame,R1.5)
- 2.材料: 54#合成纸, 背胶
(Material:54# compound paper,adhesive)
3. 原材料及后处理工艺均能满足我司《环保技术标准》要求.
(Raw materials and the corresponding post processing should meet requirements defined in the T&W Environmental Protection Technical Standards)

BARCODE: CODE 39

TOL±		△				T&W 同维			
DIM	RANGE	C1	C2	C3	C4	SHENZHEN GONGJIN TELECOM TECHNOLOGY CO.,LTD.			
	0-6	0.1	0.1	0.15	0.2	TITLE:		对应空白标贴料号:	
	6-30	0.2	0.3	0.4	0.5	SN/MAC标贴		61100000131	
	30-80	0.25	0.5	0.9	1.2	SCALE		1:1	
	80-180	0.3	0.8	1.2	1.5	UNIT'S		mm	
	180-315	0.5	1.3	1.8	3				
	315-500	0.7	1.5	2.5	4				
	500-800	0.9	1.8	3	5				
ANG.TOL±		0°-30°/0.1'	30°-60°/0.3'	60°-90°/0.5'					



label location