


Test Mode: UNII-3/ TX A Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	16.45	16.50	>=500
CH157	5785	16.45	16.50	>=500
CH165	5825	16.51	16.60	>=500

TX CH 149




Date: 28.JAN.2016 19:05:35

TX CH 157



Date: 28.JAN.2016 19:06:35

TX CH 165




Date: 28.JAN.2016 19:07:42

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.65	17.70	>=500
CH157	5785	17.65	17.70	>=500
CH165	5825	17.80	17.80	>=500

TX CH 149




Date: 28.JAN.2016 19:14:54

TX CH 157



Date: 28.JAN.2016 19:15:56

TX CH 165




Date: 28.JAN.2016 19:16:51

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	36.70	36.40	>=500
CH159	5795	36.50	36.40	>=500

TX CH 151



Date: 28.JAN.2016 19:34:22

TX CH 159




Date: 28.JAN.2016 19:35:22

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	21.55	18.20
CH40	5200	21.69	18.20
CH48	5240	21.70	18.20

TX CH36




Date: 28.JAN.2016 19:25:08

TX CH40



Date: 28.JAN.2016 19:26:21

TX CH48




Date: 28.JAN.2016 19:27:24

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	40.30	36.60
CH46	5230	40.21	36.60

TX CH38



Date: 28.JAN.2016 19:36:30

TX CH46




Date: 28.JAN.2016 19:37:32

Test Mode: UNII-1/TX AC80 Mode_CH42

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH42	5210	80.80	75.60

TX CH42




Date: 28.JAN.2016 19:43:59

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.65	17.80	>=500
CH157	5785	17.65	17.80	>=500
CH165	5825	17.80	17.70	>=500

TX CH 149




Date: 28.JAN.2016 19:28:53

TX CH 157



Date: 28.JAN.2016 19:30:03

TX CH 165




Date: 28.JAN.2016 19:30:55

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	36.70	36.20	>=500
CH159	5795	36.50	36.40	>=500

TX CH 151



Date: 28.JAN.2016 19:38:39

TX CH 159




Date: 28.JAN.2016 19:39:37

Test Mode: UNII-3/ TX AC80 Mode_CH155

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH155	5775	76.40	76.00	>=500

TX CH 155



Date: 28.JAN.2016 19:46:00

ATTACHMENT F - MAXIMUM OUTPUT POWER

Test Mode: UNII-1/TX A Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	19.44	0.31	19.75	30.00	1.00
CH40	5200	21.56	0.31	21.87	30.00	1.00
CH48	5240	22.03	0.31	22.34	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	15.05	0.79	15.84	30.00	1.00
CH40	5200	16.11	0.79	16.90	30.00	1.00
CH48	5240	17.46	0.79	18.25	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	16.11	0.79	16.90	30.00	1.00
CH40	5200	17.32	0.79	18.11	30.00	1.00
CH48	5240	17.87	0.79	18.66	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	15.85	0.79	16.64	30.00	1.00
CH40	5200	16.78	0.79	17.57	30.00	1.00
CH48	5240	16.87	0.79	17.66	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	21.25	30.00	1.00
CH40	5200	22.33	30.00	1.00
CH48	5240	22.98	30.00	1.00

Test Mode: UNII-1/TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	13.67	0.71	14.38	30.00	1.00
CH46	5230	18.95	0.71	19.66	30.00	1.00

Test Mode: UNII-1/TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.75	0.71	15.46	30.00	1.00
CH46	5230	19.34	0.71	20.05	30.00	1.00

Test Mode: UNII-1/TX N40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.56	0.71	15.27	24.00	0.25
CH46	5230	19.02	0.71	19.73	24.00	0.25

Test Mode: UNII-1/TX N40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	19.83	30.00	1.00
CH46	5230	24.59	30.00	1.00

Test Mode: UNII-3/ TX A Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	18.64	0.31	18.95	30.00	1.00
CH157	5785	18.16	0.31	18.47	30.00	1.00
CH165	5825	16.92	0.31	17.23	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	8.02	0.79	8.81	30.00	1.00
CH157	5785	7.55	0.79	8.34	30.00	1.00
CH165	5825	7.45	0.79	8.24	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	7.37	0.79	8.16	30.00	1.00
CH157	5785	7.12	0.79	7.91	30.00	1.00
CH165	5825	7.16	0.79	7.95	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	7.99	0.79	8.78	30.00	1.00
CH157	5785	7.93	0.79	8.72	30.00	1.00
CH165	5825	8.05	0.79	8.84	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	13.36	30.00	1.00
CH157	5785	13.11	30.00	1.00
CH165	5825	13.13	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	8.02	0.71	8.73	30.00	1.00
CH159	5795	7.79	0.71	8.50	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	7.73	0.71	8.44	30.00	1.00
CH159	5795	7.59	0.71	8.30	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	8.52	0.71	9.23	30.00	1.00
CH159	5795	7.87	0.71	8.58	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	13.58	30.00	1.00
CH159	5795	13.23	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	16.14	0.09	16.23	30.00	1.00
CH40	5200	16.92	0.09	17.01	30.00	1.00
CH48	5240	17.51	0.09	17.60	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	17.42	0.09	17.51	30.00	1.00
CH40	5200	17.84	0.09	17.93	30.00	1.00
CH48	5240	18.53	0.09	18.62	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	17.36	0.09	17.45	30.00	1.00
CH40	5200	17.64	0.09	17.73	30.00	1.00
CH48	5240	18.19	0.09	18.28	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	21.87	30.00	1.00
CH40	5200	22.35	30.00	1.00
CH48	5240	22.96	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	13.85	0.37	14.22	30.00	1.00
CH46	5230	19.91	0.37	20.28	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	15.36	0.37	15.73	30.00	1.00
CH46	5230	20.35	0.37	20.72	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	15.17	0.37	15.54	30.00	1.00
CH46	5230	20.12	0.37	20.49	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	19.98	30.00	1.00
CH46	5230	25.27	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	13.76	0.32	14.08	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	15.28	0.32	15.60	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	14.99	0.32	15.31	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	19.82	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	9.85	0.09	9.94	30.00	1.00
CH157	5785	8.81	0.09	8.90	30.00	1.00
CH165	5825	8.11	0.09	8.20	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	9.82	0.09	9.91	30.00	1.00
CH157	5785	8.68	0.09	8.77	30.00	1.00
CH165	5825	7.85	0.09	7.94	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	10.21	0.09	10.30	30.00	1.00
CH157	5785	9.21	0.09	9.30	30.00	1.00
CH165	5825	8.69	0.09	8.78	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	14.82	30.00	1.00
CH157	5785	13.77	30.00	1.00
CH165	5825	13.09	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	10.34	0.37	10.71	30.00	1.00
CH159	5795	10.14	0.37	10.51	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	10.45	0.37	10.82	30.00	1.00
CH159	5795	10.26	0.37	10.63	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	11.02	0.37	11.39	30.00	1.00
CH159	5795	10.61	0.37	10.98	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	15.75	30.00	1.00
CH159	5795	15.48	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	12.34	0.32	12.66	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	12.96	0.32	13.28	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	13.17	0.32	13.49	30.00	1.00


Test Mode: UNII-3/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	17.93	30.00	1.00

ATTACHMENT G - ANTENNA CONDUCTED SPURIOUS EMISSION


Test Mode: UNII-1/TX A Mode

TX mode CH36



Date: 28.JAN.2016 19:01:47


TX mode CH48



Date: 28.JAN.2016 19:03:40


Test Mode: UNII-1/TX N20 Mode_ANT 1

TX mode CH36



Date: 28.JAN.2016 19:12:00


TX mode CH48



Date: 28.JAN.2016 19:13:47


Test Mode: UNII-1/TX N20 Mode_ANT 2

TX mode CH36



Date: 28.JAN.2016 19:51:35


TX mode CH48



Date: 28.JAN.2016 19:53:40


Test Mode: UNII-1/TX N20 Mode_ANT 3

TX mode CH36



Date: 29.JAN.2016 08:43:21


TX mode CH48



Date: 29.JAN.2016 08:45:24


Test Mode: UNII-1/TX N40 Mode_ANT 1

TX mode CH38



Date: 28.JAN.2016 19:32:19


TX mode CH46



Date: 28.JAN.2016 19:33:31


Test Mode: UNII-1/TX N40 Mode_ANT 2

TX mode CH38



Date: 28.JAN.2016 20:10:18


TX mode CH46



Date: 28.JAN.2016 20:11:23


Test Mode: UNII-1/TX N40 Mode_ANT 3

TX mode CH38



Date: 29.JAN.2016 09:05:34


TX mode CH46



Date: 29.JAN.2016 09:06:58


Test Mode: UNII-3/TX A Mode

TX A Mode CH149



Date: 28.JAN.2016 19:05:43


TX A Mode CH165



Date: 28.JAN.2016 19:08:00


Test Mode: UNII-3/TX N20 Mode_ANT 1

TX HT20 mode CH149



Date: 28.JAN.2016 19:15:11


TX HT20 mode CH165



Date: 28.JAN.2016 19:17:08


Test Mode: UNII-3/TX N20 Mode_ANT 2

TX HT20 mode CH149



Date: 28.JAN.2016 19:59:14


X HT20 mode CH165



Date: 28.JAN.2016 20:02:10


Test Mode: UNII-3/TX N20 Mode_ANT 3

TX HT20 mode CH149



Date: 29.JAN.2016 08:54:01


X HT20 mode CH165



Date: 29.JAN.2016 08:56:05


Test Mode: UNII-3/TX N40 Mode_ANT 1

UNII-3/TX HT40 mode CH151



Date: 28.JAN.2016 19:34:39


UNII-3/TX HT40 mode CH159



Date: 28.JAN.2016 19:35:39


Test Mode: UNII-3/TX N40 Mode_ANT 2

TX HT40 mode CH151



Date: 28.JAN.2016 20:12:58


HT40 mode CH159



Date: 28.JAN.2016 20:13:58


Test Mode: UNII-3/TX N40 Mode_ANT 3

TX HT40 mode CH151



Date: 29.JAN.2016 09:08:20


HT40 mode CH159



Date: 29.JAN.2016 09:09:19


Test Mode: UNII-1/TX AC20 Mode_ANT 1

TX mode CH36



Date: 28.JAN.2016 19:25:26


TX mode CH48



Date: 28.JAN.2016 19:27:42


Test Mode: UNII-1/TX AC20 Mode_ANT 2

TX mode CH36



Date: 28.JAN.2016 20:03:19


TX mode CH48



Date: 28.JAN.2016 20:05:33


Test Mode: UNII-1/TX AC20 Mode_ANT 3

TX mode CH36



Date: 29.JAN.2016 08:57:41


TX mode CH48



Date: 29.JAN.2016 08:59:31


Test Mode: UNII-1/TX AC40 Mode_ANT 1

TX mode CH38



Date: 28.JAN.2016 19:36:47


TX mode CH46



Date: 28.JAN.2016 19:37:50


Test Mode: UNII-1/TX AC40 Mode_ANT 2

TX mode CH38



Date: 28.JAN.2016 20:15:07


TX mode CH46



Date: 28.JAN.2016 20:16:19


Test Mode: UNII-1/TX AC40 Mode_ANT 3

TX mode CH38



Date: 29.JAN.2016 09:10:56


TX mode CH46




Date: 29.JAN.2016 09:12:32

Test Mode: UNII-1/TX AC80 Mode_ANT 1

TX mode CH42




Date: 28.JAN.2016 19:44:19




Date: 28.JAN.2016 19:44:27

Test Mode: UNII-1/TX AC80 Mode_ANT 2

TX mode CH42




Date: 28.JAN.2016 20:24:16




Date: 28.JAN.2016 20:24:23

Test Mode: UNII-1/TX AC80 Mode_ANT 3

TX mode CH42




Date: 29.JAN.2016 09:19:16



Date: 29.JAN.2016 09:19:23


Test Mode: UNII-3/TX AC20 Mode_ANT 1

TX AC HT20 mode CH149



Date: 28.JAN.2016 19:29:10


TX AC HT20 mode CH165



Date: 28.JAN.2016 19:31:12


Test Mode: UNII-3/TX AC20 Mode_ANT 2

TX AC HT20 mode CH149



Date: 28.JAN.2016 20:06:43


TX AC HT20 mode CH165



Date: 28.JAN.2016 20:08:46


Test Mode: UNII-3/TX AC20 Mode_ANT 3

TX AC HT20 mode CH149



Date: 29.JAN.2016 09:00:39


TX AC HT20 mode CH165



Date: 29.JAN.2016 09:04:18


Test Mode: UNII-3/TX AC40 Mode_ANT 1

TX AC HT40 mode CH151



Date: 28.JAN.2016 19:38:56


TX AC HT40 mode CH159



Date: 28.JAN.2016 19:39:54


Test Mode: UNII-3/TX AC40 Mode_ANT 2

TX AC HT40 mode CH151



Date: 28.JAN.2016 20:17:39


TX AC HT40 mode CH159



Date: 28.JAN.2016 20:18:36


Test Mode: UNII-3/TX AC40 Mode_ANT 3

TX AC HT40 mode CH151



Date: 29.JAN.2016 09:13:40


TX AC HT40 mode CH159




Date: 29.JAN.2016 09:14:54

Test Mode: UNII-3/TX AC80 Mode_ANT 1

TX AC HT80 mode CH155




Date: 28.JAN.2016 19:46:20




Date: 28.JAN.2016 19:46:28

Test Mode: UNII-3/TX AC80 Mode_ANT 2

TX AC HT80 mode CH155




Date: 28.JAN.2016 20:28:40




Date: 28.JAN.2016 20:28:48

Test Mode: UNII-3/TX AC80 Mode_ANT 3

TX AC HT80 mode CH155



Date: 29.JAN.2016 09:20:41




Date: 29.JAN.2016 09:20:49


ATTACHMENT H - POWER SPECTRAL DENSITY

Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	10.04	0.31	10.35	17.00
CH40	5200	10.64	0.31	10.95	17.00
CH48	5240	11.20	0.31	11.51	17.00



Date: 28.JAN.2016 18:59:06

CH40


Date: 28.JAN.2016 19:02:43

CH48

Date: 28.JAN.2016 19:03:32


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.47	0.79	5.26	17.00
CH40	5200	5.52	0.79	6.31	17.00
CH48	5240	6.71	0.79	7.50	17.00




Date: 28.JAN.2016 19:11:52

CH40



Date: 28.JAN.2016 19:12:47


CH48



Date: 28.JAN.2016 19:13:39


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.82	0.79	6.61	17.00
CH40	5200	7.08	0.79	7.87	17.00
CH48	5240	7.98	0.79	8.77	17.00




Date: 28.JAN.2016 19:51:28

CH40



Date: 28.JAN.2016 19:52:37


CH48



Date: 28.JAN.2016 19:53:32


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.39	0.79	9.18	17.00
CH40	5200	10.43	0.79	11.22	17.00
CH48	5240	10.68	0.79	11.47	17.00




Date: 29.JAN.2016 08:41:56

CH40



Date: 29.JAN.2016 08:44:26

CH48



Date: 29.JAN.2016 08:45:17


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	12.10	17.00
CH40	5200	13.74	17.00
CH48	5240	14.34	17.00

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.37	0.71	1.08	17.00
CH46	5230	5.90	0.71	6.61	17.00

CH38



Date: 28.JAN.2016 19:32:12

CH46




Date: 28.JAN.2016 19:33:24

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	2.23	0.71	2.94	17.00
CH46	5230	7.18	0.71	7.89	17.00

CH38



Date: 28.JAN.2016 20:09:47

CH46




Date: 28.JAN.2016 20:11:16

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	1.37	0.71	2.08	17.00
CH46	5230	6.56	0.71	7.27	17.00

CH38



Date: 29.JAN.2016 09:05:26

CH46



Date: 29.JAN.2016 09:06:50


Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	6.87	17.00
CH46	5230	12.06	17.00


Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	7.95	0.31	8.26	30.00
CH157	5785	7.36	0.31	7.67	30.00
CH165	5825	5.87	0.31	6.18	30.00


TX CH149



Date: 28.JAN.2016 19:05:03

TX CH157

Date: 28.JAN.2016 19:06:45


TX CH165

Date: 28.JAN.2016 19:07:52

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-2.27	0.79	-1.48	30.00
CH157	5785	-2.52	0.79	-1.73	30.00
CH165	5825	-2.96	0.79	-2.17	30.00

TX CH149




Date: 28.JAN.2016 19:15:04

TX CH157



Date: 28.JAN.2016 19:16:06

TX CH165




Date: 28.JAN.2016 19:17:00

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-2.58	0.79	-1.79	30.00
CH157	5785	-2.60	0.79	-1.81	30.00
CH165	5825	-2.74	0.79	-1.95	30.00

TX CH149




Date: 28.JAN.2016 19:59:06

TX CH157



Date: 28.JAN.2016 20:01:00

TX CH165




Date: 28.JAN.2016 20:02:02

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	7.39	0.79	8.18	30.00
CH157	5785	6.89	0.79	7.68	30.00
CH165	5825	5.58	0.79	6.37	30.00

TX CH149




Date: 29.JAN.2016 08:53:53

TX CH157



Date: 29.JAN.2016 08:55:00

TX CH165



Date: 29.JAN.2016 08:55:57


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	9.00	30.00
CH157	5785	8.57	30.00
CH165	5825	7.47	30.00

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-4.53	0.71	-3.82	30.00
CH159	5795	-4.99	0.71	-4.28	30.00

TX CH151



Date: 28.JAN.2016 19:34:32

TX CH159




Date: 28.JAN.2016 19:35:31

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-4.56	0.71	-3.85	30.00
CH159	5795	-5.00	0.71	-4.29	30.00

TX CH151



Date: 28.JAN.2016 20:12:50


TX CH159




Date: 28.JAN.2016 20:13:51

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-4.27	0.71	-3.56	30.00
CH159	5795	-4.50	0.71	-3.79	30.00

TX CH151

Date: 29.JAN.2016 09:08:13

TX CH159


Date: 29.JAN.2016 09:09:11

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	1.03	30.00
CH159	5795	0.66	30.00


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.00	0.09	5.09	17.00
CH40	5200	5.77	0.09	5.86	17.00
CH48	5240	6.58	0.09	6.67	17.00




Date: 28.JAN.2016 19:25:18

CH40



Date: 28.JAN.2016 19:26:30


CH48



Date: 28.JAN.2016 19:27:34


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	6.65	0.09	6.74	17.00
CH40	5200	7.50	0.09	7.59	17.00
CH48	5240	8.39	0.09	8.48	17.00




Date: 28.JAN.2016 20:03:11

CH40



Date: 28.JAN.2016 20:04:30


CH48



Date: 28.JAN.2016 20:05:26


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.94	0.09	6.03	17.00
CH40	5200	6.90	0.09	6.99	17.00
CH48	5240	7.38	0.09	7.47	17.00




Date: 29.JAN.2016 08:57:34

CH40



Date: 29.JAN.2016 08:58:32

CH48



Date: 29.JAN.2016 08:59:23


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	10.78	17.00
CH40	5200	11.64	17.00
CH48	5240	12.37	17.00

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.10	0.37	0.47	17.00
CH46	5230	6.57	0.37	6.94	17.00

CH38



Date: 28.JAN.2016 19:36:39

CH46




Date: 28.JAN.2016 19:37:42

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	2.37	0.37	2.74	17.00
CH46	5230	7.70	0.37	8.07	17.00

CH38



Date: 28.JAN.2016 20:14:59

CH46




Date: 28.JAN.2016 20:16:11

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	1.49	0.37	1.86	17.00
CH46	5230	6.82	0.37	7.19	17.00

CH38



Date: 29.JAN.2016 09:10:48

CH46




Date: 29.JAN.2016 09:12:25

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	6.56	17.00
CH46	5230	12.20	17.00

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-2.21	0.32	-1.89	17.00



Date: 28.JAN.2016 19:44:11

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-0.41	0.32	-0.09	17.00



Date: 28.JAN.2016 20:24:08

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-1.28	0.32	-0.96	17.00



Date: 29.JAN.2016 09:19:08


Test Mode: UNII-1/TX AC80 Mode_CH42_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	3.85	17.00

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-0.99	0.09	-0.90	30.00
CH157	5785	-2.08	0.09	-1.99	30.00
CH165	5825	-2.79	0.09	-2.70	30.00

TX CH149




Date: 28.JAN.2016 19:29:02

TX CH157



Date: 28.JAN.2016 19:30:12

TX CH165




Date: 28.JAN.2016 19:31:04

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-0.72	0.09	-0.63	30.00
CH157	5785	-1.63	0.09	-1.54	30.00
CH165	5825	-2.62	0.09	-2.53	30.00

TX CH149




Date: 28.JAN.2016 20:06:36

TX CH157



Date: 28.JAN.2016 20:07:47

TX CH165




Date: 28.JAN.2016 20:08:38

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-0.34	0.09	-0.25	30.00
CH157	5785	-1.50	0.09	-1.41	30.00
CH165	5825	-1.83	0.09	-1.74	30.00

TX CH149




Date: 29.JAN.2016 09:00:31

TX CH157



Date: 29.JAN.2016 09:01:42

TX CH165



Date: 29.JAN.2016 09:04:10


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	4.19	30.00
CH157	5785	3.13	30.00
CH165	5825	2.47	30.00

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-3.24	0.37	-2.87	30.00
CH159	5795	-3.41	0.37	-3.04	30.00

TX CH151



Date: 28.JAN.2016 19:38:48

TX CH159




Date: 28.JAN.2016 19:39:46

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-2.43	0.37	-2.06	30.00
CH159	5795	-2.55	0.37	-2.18	30.00

TX CH151



Date: 28.JAN.2016 20:17:31

TX CH159




Date: 28.JAN.2016 20:18:28

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-2.40	0.37	-2.03	30.00
CH159	5795	-2.79	0.37	-2.42	30.00

TX CH151



Date: 29.JAN.2016 09:13:32

TX CH159




Date: 29.JAN.2016 09:14:46

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	2.47	30.00
CH159	5795	2.24	30.00

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-3.23	0.32	-2.91	30.00


TX CH155

Date: 28.JAN.2016 19:46:13

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-3.53	0.32	-3.21	30.00

TX CH155



Date: 29.JAN.2016 09:20:33

Test Mode: UNII-3/ TX AC80 Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	2.17	30.00

ATTACHMENT I - FREQUENCY STABILITY

Test Mode:	UNII-1
-------------------	---------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5180.0460
120	5180.0456
108	5180.0452
Max. Deviation (MHz)	0.0460
Max. Deviation (ppm)	8.8803

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5180.0000
-5	5180.0448
5	5180.0444
15	5180.0444
25	5180.0444
35	5180.0440
45	5180.0440
Max. Deviation (MHz)	0.0448
Max. Deviation (ppm)	8.6486

Test Mode:	UNII-3
-------------------	---------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5745.0492
120	5745.0492
108	5745.0488
Max. Deviation (MHz)	0.0492
Max. Deviation (ppm)	8.5640

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5745.0000
-5	5745.0488
5	5745.0488
15	5745.0484
25	5745.0488
35	5745.0484
45	5745.0484
Max. Deviation (MHz)	0.0488
Max. Deviation (ppm)	8.4943