













Mode	6																																																																																																														
	Band Edge																																																																																																														
	U-NII-1_5.15-5.25_802.11ax HE20_CH48_Full RU_5240MHz																																																																																																														
ANT	CDD 1S4T																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5388.06</td><td>58.92</td><td>74.00</td><td>-15.08</td><td>49.43</td><td>35.26</td><td>11.04</td><td>36.81</td><td>0.00</td><td>100</td><td>100</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5388.06	58.92	74.00	-15.08	49.43	35.26	11.04	36.81	0.00	100	100	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5240.00</td><td>112.63</td><td>-----</td><td>-----</td><td>103.53</td><td>35.11</td><td>10.80</td><td>36.81</td><td>0.00</td><td>100</td><td>100</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	112.63	-----	-----	103.53	35.11	10.80	36.81	0.00	100	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5388.06	58.92	74.00	-15.08	49.43	35.26	11.04	36.81	0.00	100	100	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5240.00	112.63	-----	-----	103.53	35.11	10.80	36.81	0.00	100	100	PEAK																																																																																																			
Avg																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5455.60</td><td>47.56</td><td>54.00</td><td>-6.44</td><td>37.99</td><td>35.31</td><td>11.00</td><td>36.82</td><td>0.00</td><td>100</td><td>100</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.60	47.56	54.00	-6.44	37.99	35.31	11.00	36.82	0.00	100	100	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5240.00</td><td>101.65</td><td>-----</td><td>-----</td><td>92.53</td><td>35.12</td><td>10.81</td><td>36.81</td><td>0.00</td><td>100</td><td>100</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	101.65	-----	-----	92.53	35.12	10.81	36.81	0.00	100	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5455.60	47.56	54.00	-6.44	37.99	35.31	11.00	36.82	0.00	100	100	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5240.00	101.65	-----	-----	92.53	35.12	10.81	36.81	0.00	100	100	AVERAGE																																																																																																			







Mode	6																																																																																																			
	Band Edge																																																																																																			
	U-NII-1_5.15-5.25_802.11ax HE20_CH48_Full RU_5240MHz																																																																																																			
ANT	CDD 1S4T																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5362.10</td><td>61.80</td><td>74.00</td><td>-12.20</td><td>52.37</td><td>35.24</td><td>11.00</td><td>36.81</td><td>0.00</td><td>100</td><td>57 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5362.10	61.80	74.00	-12.20	52.37	35.24	11.00	36.81	0.00	100	57 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5240.00</td><td>121.11</td><td>-----</td><td>-----</td><td>111.98</td><td>35.12</td><td>10.82</td><td>36.81</td><td>0.00</td><td>100</td><td>57 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	121.11	-----	-----	111.98	35.12	10.82	36.81	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5362.10	61.80	74.00	-12.20	52.37	35.24	11.00	36.81	0.00	100	57 PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5240.00	121.11	-----	-----	111.98	35.12	10.82	36.81	0.00	100	57 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5373.10</td><td>50.72</td><td>54.00</td><td>-3.28</td><td>41.26</td><td>35.25</td><td>11.02</td><td>36.81</td><td>0.00</td><td>100</td><td>57 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5373.10	50.72	54.00	-3.28	41.26	35.25	11.02	36.81	0.00	100	57 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5240.00</td><td>110.93</td><td>-----</td><td>-----</td><td>101.81</td><td>35.12</td><td>10.81</td><td>36.81</td><td>0.00</td><td>100</td><td>57 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	110.93	-----	-----	101.81	35.12	10.81	36.81	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5373.10	50.72	54.00	-3.28	41.26	35.25	11.02	36.81	0.00	100	57 AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5240.00	110.93	-----	-----	101.81	35.12	10.81	36.81	0.00	100	57 AVERAGE																																																																																									



Mode	6																																																																																																																																																						
	Harmonic																																																																																																																																																						
	U-NII-1_5.15-5.25_802.11ax HE20_CH48_Full RU_5240MHz																																																																																																																																																						
ANT	CDD 1S4T																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg																																																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10480.00</td><td>47.74</td><td>68.30</td><td>-20.56</td><td>56.43</td><td>38.36</td><td>15.60</td><td>62.65</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15720.00</td><td>64.35</td><td>74.00</td><td>-9.65</td><td>69.17</td><td>41.24</td><td>18.91</td><td>64.97</td><td>0.00</td><td>125</td><td>162</td><td>PEAK</td></tr><tr><td>3</td><td>15720.00</td><td>49.78</td><td>54.00</td><td>-4.22</td><td>54.60</td><td>41.24</td><td>18.91</td><td>64.97</td><td>0.00</td><td>125</td><td>162</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	47.74	68.30	-20.56	56.43	38.36	15.60	62.65	0.00	---	---	PEAK	2	15720.00	64.35	74.00	-9.65	69.17	41.24	18.91	64.97	0.00	125	162	PEAK	3	15720.00	49.78	54.00	-4.22	54.60	41.24	18.91	64.97	0.00	125	162	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10480.00</td><td>44.26</td><td>68.30</td><td>-24.04</td><td>52.95</td><td>38.36</td><td>15.60</td><td>62.65</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15720.00</td><td>69.05</td><td>74.00</td><td>-4.95</td><td>73.87</td><td>41.24</td><td>18.91</td><td>64.97</td><td>0.00</td><td>205</td><td>141</td><td>PEAK</td></tr><tr><td>3</td><td>15720.00</td><td>53.34</td><td>54.00</td><td>-0.66</td><td>58.16</td><td>41.24</td><td>18.91</td><td>64.97</td><td>0.00</td><td>205</td><td>141</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	44.26	68.30	-24.04	52.95	38.36	15.60	62.65	0.00	---	---	PEAK	2	15720.00	69.05	74.00	-4.95	73.87	41.24	18.91	64.97	0.00	205	141	PEAK	3	15720.00	53.34	54.00	-0.66	58.16	41.24	18.91	64.97	0.00	205	141
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	10480.00	47.74	68.30	-20.56	56.43	38.36	15.60	62.65	0.00	---	---	PEAK																																																																																																																																											
2	15720.00	64.35	74.00	-9.65	69.17	41.24	18.91	64.97	0.00	125	162	PEAK																																																																																																																																											
3	15720.00	49.78	54.00	-4.22	54.60	41.24	18.91	64.97	0.00	125	162	AVERAGE																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	10480.00	44.26	68.30	-24.04	52.95	38.36	15.60	62.65	0.00	---	---	PEAK																																																																																																																																											
2	15720.00	69.05	74.00	-4.95	73.87	41.24	18.91	64.97	0.00	205	141	PEAK																																																																																																																																											
3	15720.00	53.34	54.00	-0.66	58.16	41.24	18.91	64.97	0.00	205	141	AVERAGE																																																																																																																																											







Mode	7																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full RU_5190MHz																																																																																																														
ANT	CDD 1S4T																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5103.50</td><td>60.47</td><td>74.00</td><td>-13.53</td><td>51.66</td><td>34.98</td><td>10.63</td><td>36.80</td><td>0.00</td><td>300</td><td>81</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5103.50	60.47	74.00	-13.53	51.66	34.98	10.63	36.80	0.00	300	81	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>99.92</td><td>-----</td><td>-----</td><td>90.94</td><td>35.06</td><td>10.73</td><td>36.81</td><td>0.00</td><td>300</td><td>81</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	99.92	-----	-----	90.94	35.06	10.73	36.81	0.00	300	81
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5103.50	60.47	74.00	-13.53	51.66	34.98	10.63	36.80	0.00	300	81	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5190.00	99.92	-----	-----	90.94	35.06	10.73	36.81	0.00	300	81	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.60</td><td>49.03</td><td>54.00</td><td>-4.97</td><td>40.11</td><td>35.03</td><td>10.69</td><td>36.80</td><td>0.00</td><td>300</td><td>81</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.60	49.03	54.00	-4.97	40.11	35.03	10.69	36.80	0.00	300	81	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>90.88</td><td>-----</td><td>-----</td><td>81.88</td><td>35.07</td><td>10.74</td><td>36.81</td><td>0.00</td><td>300</td><td>81</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	90.88	-----	-----	81.88	35.07	10.74	36.81	0.00	300	81
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5148.60	49.03	54.00	-4.97	40.11	35.03	10.69	36.80	0.00	300	81	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5190.00	90.88	-----	-----	81.88	35.07	10.74	36.81	0.00	300	81	AVERAGE																																																																																																			





Mode	7										
	Band Edge - R										
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full RU_5190MHz										
ANT	CDD 1S4T										
Pol.	Horizontal										
Peak	Level (dBuV/m)										





		7																																																																																																												
Mode		Band Edge - L																																																																																																												
		U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full RU_5190MHz																																																																																																												
ANT		CDD 1S4T																																																																																																												
Pol.		Vertical											Fundamental																																																																																																	
Peak																																																																																																														
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5145.90</td><td>68.75</td><td>74.00</td><td>-5.25</td><td>59.83</td><td>35.03</td><td>10.69</td><td>36.00</td><td>0.00</td><td>109</td><td>55</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5145.90	68.75	74.00	-5.25	59.83	35.03	10.69	36.00	0.00	109	55	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>111.23</td><td>-----</td><td>-----</td><td>102.23</td><td>35.07</td><td>10.74</td><td>36.81</td><td>0.00</td><td>109</td><td>55</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	111.23	-----	-----	102.23	35.07	10.74	36.81	0.00	109	55
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5145.90	68.75	74.00	-5.25	59.83	35.03	10.69	36.00	0.00	109	55	PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5190.00	111.23	-----	-----	102.23	35.07	10.74	36.81	0.00	109	55	PEAK																																																																																																		
Avg																																																																																																														
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.20</td><td>52.45</td><td>54.00</td><td>-1.55</td><td>43.53</td><td>35.03</td><td>10.69</td><td>36.00</td><td>0.00</td><td>109</td><td>55</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.20	52.45	54.00	-1.55	43.53	35.03	10.69	36.00	0.00	109	55	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>101.79</td><td>-----</td><td>-----</td><td>92.79</td><td>35.07</td><td>10.74</td><td>36.81</td><td>0.00</td><td>109</td><td>55</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	101.79	-----	-----	92.79	35.07	10.74	36.81	0.00	109	55
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5149.20	52.45	54.00	-1.55	43.53	35.03	10.69	36.00	0.00	109	55	AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5190.00	101.79	-----	-----	92.79	35.07	10.74	36.81	0.00	109	55	AVERAGE																																																																																																		







Mode	7																																																					
	Band Edge - R																																																					
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full RU_5190MHz																																																					
ANT	CDD 1S4T																																																					
Pol.	Vertical						Fundamental																																															
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5367.93</td><td>60.87</td><td>74.00</td><td>-13.13</td><td>51.43</td><td>35.24</td><td>11.01</td><td>36.81</td><td>0.00</td><td>109</td><td>55 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5367.93	60.87	74.00	-13.13	51.43	35.24	11.01	36.81	0.00	109	55 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5367.93	60.87	74.00	-13.13	51.43	35.24	11.01	36.81	0.00	109	55 PEAK																																											
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5360.91</td><td>49.52</td><td>54.00</td><td>-4.48</td><td>40.10</td><td>35.23</td><td>11.00</td><td>36.81</td><td>0.00</td><td>109</td><td>55 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5360.91	49.52	54.00	-4.48	40.10	35.23	11.00	36.81	0.00	109	55 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5360.91	49.52	54.00	-4.48	40.10	35.23	11.00	36.81	0.00	109	55 AVERAGE																																											



		7																																																							
Mode		Harmonic																																																							
		U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full RU_5190MHz																																																							
ANT		CDD 1S4T																																																							
Pol.		Horizontal					Vertical																																																		
Peak Avg																																																									
		<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 10380.00</td><td>45.88</td><td>68.30</td><td>-22.42</td><td>54.72</td><td>38.33</td><td>15.55</td><td>62.72</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>												Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10380.00	45.88	68.30	-22.42	54.72	38.33	15.55	62.72	0.00	---	---	PEAK
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1 10380.00	45.88	68.30	-22.42	54.72	38.33	15.55	62.72	0.00	---	---	PEAK																																														
																																																									
		<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 10380.00</td><td>45.50</td><td>68.30</td><td>-22.80</td><td>54.34</td><td>38.33</td><td>15.55</td><td>62.72</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>												Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10380.00	45.50	68.30	-22.80	54.34	38.33	15.55	62.72	0.00	---	---	PEAK
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1 10380.00	45.50	68.30	-22.80	54.34	38.33	15.55	62.72	0.00	---	---	PEAK																																														







Mode	8																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full RU_5230MHz																																																																																																														
ANT	CDD 1S4T																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5111.09</td><td>60.51</td><td>74.00</td><td>-13.49</td><td>51.68</td><td>34.99</td><td>10.64</td><td>36.80</td><td>0.00</td><td>100</td><td>100</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5111.09	60.51	74.00	-13.49	51.68	34.99	10.64	36.80	0.00	100	100	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>107.05</td><td>-----</td><td>-----</td><td>97.92</td><td>35.12</td><td>10.82</td><td>36.81</td><td>0.00</td><td>100</td><td>100</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	107.05	-----	-----	97.92	35.12	10.82	36.81	0.00	100	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5111.09	60.51	74.00	-13.49	51.68	34.99	10.64	36.80	0.00	100	100	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5230.00	107.05	-----	-----	97.92	35.12	10.82	36.81	0.00	100	100	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5097.98</td><td>49.12</td><td>54.00</td><td>-4.88</td><td>40.31</td><td>34.98</td><td>10.63</td><td>36.80</td><td>0.00</td><td>100</td><td>100</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5097.98	49.12	54.00	-4.88	40.31	34.98	10.63	36.80	0.00	100	100	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>96.23</td><td>-----</td><td>-----</td><td>87.11</td><td>35.12</td><td>10.81</td><td>36.81</td><td>0.00</td><td>100</td><td>100</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	96.23	-----	-----	87.11	35.12	10.81	36.81	0.00	100	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5097.98	49.12	54.00	-4.88	40.31	34.98	10.63	36.80	0.00	100	100	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5230.00	96.23	-----	-----	87.11	35.12	10.81	36.81	0.00	100	100	AVERAGE																																																																																																			



Mode	8																																													
	Band Edge - R																																													
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full RU_5230MHz																																													
ANT	CDD 1S4T																																													
Pol.	Horizontal	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5404.11</td><td>58.97</td><td>74.00</td><td>-15.03</td><td>49.45</td><td>35.27</td><td>11.06</td><td>36.81</td><td>0.00</td><td>100</td><td>100</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5404.11	58.97	74.00	-15.03	49.45	35.27	11.06	36.81	0.00	100	100	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5404.11	58.97	74.00	-15.03	49.45	35.27	11.06	36.81	0.00	100	100	PEAK																																		
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.36</td><td>47.85</td><td>54.00</td><td>-6.15</td><td>38.44</td><td>35.23</td><td>10.99</td><td>36.81</td><td>0.00</td><td>100</td><td>100</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.36	47.85	54.00	-6.15	38.44	35.23	10.99	36.81	0.00	100	100	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5352.36	47.85	54.00	-6.15	38.44	35.23	10.99	36.81	0.00	100	100	AVERAGE																																		





	8																																																																																								
Mode	Band Edge - L																																																																																								
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full RU_5230MHz																																																																																								
ANT	CDD 1S4T																																																																																								
Pol.	Vertical					Fundamental																																																																																			
Peak																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5149.27</td><td>65.07</td><td>74.00</td><td>-8.93</td><td>56.15</td><td>35.03</td><td>10.69</td><td>36.80</td><td>0.00</td><td>100 60 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5149.27	65.07	74.00	-8.93	56.15	35.03	10.69	36.80	0.00	100 60 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5230.00</td><td>115.41</td><td>-----</td><td>-----</td><td>106.31</td><td>35.11</td><td>10.80</td><td>36.81</td><td>0.00</td><td>100 60 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5230.00	115.41	-----	-----	106.31	35.11	10.80	36.81	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5149.27	65.07	74.00	-8.93	56.15	35.03	10.69	36.80	0.00	100 60 PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5230.00	115.41	-----	-----	106.31	35.11	10.80	36.81	0.00	100 60 PEAK																																																																																
Avg																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5148.81</td><td>53.17</td><td>54.00</td><td>-0.83</td><td>44.25</td><td>35.03</td><td>10.69</td><td>36.80</td><td>0.00</td><td>100 60 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5148.81	53.17	54.00	-0.83	44.25	35.03	10.69	36.80	0.00	100 60 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5230.00</td><td>105.14</td><td>-----</td><td>-----</td><td>96.02</td><td>35.12</td><td>10.81</td><td>36.81</td><td>0.00</td><td>100 60 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5230.00	105.14	-----	-----	96.02	35.12	10.81	36.81	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5148.81	53.17	54.00	-0.83	44.25	35.03	10.69	36.80	0.00	100 60 AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5230.00	105.14	-----	-----	96.02	35.12	10.81	36.81	0.00	100 60 AVERAGE																																																																																







Mode	8																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full RU_5230MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5368.18</td><td>62.33</td><td>74.00</td><td>-11.67</td><td>52.91</td><td>35.23</td><td>11.00</td><td>36.81</td><td>0.00</td><td>100</td><td>60</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5368.18	62.33	74.00	-11.67	52.91	35.23	11.00	36.81	0.00	100	60	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5368.18	62.33	74.00	-11.67	52.91	35.23	11.00	36.81	0.00	100	60	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.75</td><td>51.66</td><td>54.00</td><td>-2.34</td><td>42.25</td><td>35.23</td><td>10.99</td><td>36.81</td><td>0.00</td><td>100</td><td>60</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.75	51.66	54.00	-2.34	42.25	35.23	10.99	36.81	0.00	100	60	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5350.75	51.66	54.00	-2.34	42.25	35.23	10.99	36.81	0.00	100	60	AVERAGE																																												





Mode	8																																																																																																								
	Harmonic																																																																																																								
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full RU_5230MHz																																																																																																								
ANT	CDD 1S4T																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 10460.00</td><td>44.89</td><td>68.30</td><td>-23.41</td><td>53.61</td><td>38.35</td><td>15.59</td><td>62.66</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 10460.00	44.89	68.30	-23.41	53.61	38.35	15.59	62.66	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 10460.00</td><td>44.67</td><td>68.30</td><td>-23.63</td><td>53.39</td><td>38.35</td><td>15.59</td><td>62.66</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 10460.00	44.67	68.30	-23.63	53.39	38.35	15.59	62.66	0.00	---	---
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 10460.00	44.89	68.30	-23.41	53.61	38.35	15.59	62.66	0.00	---	---	PEAK																																																																																														
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 10460.00	44.67	68.30	-23.63	53.39	38.35	15.59	62.66	0.00	---	---	PEAK																																																																																														







Mode	9																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																																																																																														
ANT	CDD 1S4T																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.00</td><td>59.04</td><td>74.00</td><td>-14.96</td><td>50.12</td><td>35.03</td><td>10.69</td><td>36.00</td><td>0.00</td><td>200</td><td>100</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.00	59.04	74.00	-14.96	50.12	35.03	10.69	36.00	0.00	200	100	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>101.92</td><td>-----</td><td>-----</td><td>92.79</td><td>35.12</td><td>10.82</td><td>36.81</td><td>0.00</td><td>200</td><td>100</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	101.92	-----	-----	92.79	35.12	10.82	36.81	0.00	200	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5147.00	59.04	74.00	-14.96	50.12	35.03	10.69	36.00	0.00	200	100	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5210.00	101.92	-----	-----	92.79	35.12	10.82	36.81	0.00	200	100	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.37</td><td>45.72</td><td>54.00</td><td>-8.28</td><td>36.00</td><td>35.03</td><td>10.69</td><td>36.00</td><td>0.00</td><td>200</td><td>100</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.37	45.72	54.00	-8.28	36.00	35.03	10.69	36.00	0.00	200	100	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>90.74</td><td>-----</td><td>-----</td><td>81.62</td><td>35.12</td><td>10.81</td><td>36.81</td><td>0.00</td><td>200</td><td>100</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	90.74	-----	-----	81.62	35.12	10.81	36.81	0.00	200	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5146.37	45.72	54.00	-8.28	36.00	35.03	10.69	36.00	0.00	200	100	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5210.00	90.74	-----	-----	81.62	35.12	10.81	36.81	0.00	200	100	AVERAGE																																																																																																			





Mode	9																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5405.50</td><td>52.45</td><td>74.00</td><td>-21.55</td><td>42.93</td><td>35.27</td><td>11.06</td><td>36.81</td><td>0.00</td><td>200</td><td>100</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5405.50	52.45	74.00	-21.55	42.93	35.27	11.06	36.81	0.00	200	100	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5405.50	52.45	74.00	-21.55	42.93	35.27	11.06	36.81	0.00	200	100	PEAK																																												
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5360.00</td><td>42.65</td><td>54.00</td><td>-11.35</td><td>33.23</td><td>35.23</td><td>11.00</td><td>36.81</td><td>0.00</td><td>200</td><td>100</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5360.00	42.65	54.00	-11.35	33.23	35.23	11.00	36.81	0.00	200	100	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5360.00	42.65	54.00	-11.35	33.23	35.23	11.00	36.81	0.00	200	100	AVERAGE																																												




Mode	9																																																					
	Band Edge - L																																																					
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																																					
ANT	CDD 1S4T																																																					
Pol.	Vertical						Fundamental																																															
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5141.96</td><td>70.31</td><td>74.00</td><td>-3.69</td><td>61.41</td><td>35.02</td><td>10.68</td><td>36.80</td><td>0.00</td><td>100</td><td>36 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5141.96	70.31	74.00	-3.69	61.41	35.02	10.68	36.80	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5141.96	70.31	74.00	-3.69	61.41	35.02	10.68	36.80	0.00	100	36 PEAK																																											
Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>110.68</td><td>-----</td><td>-----</td><td>101.58</td><td>35.11</td><td>10.80</td><td>36.81</td><td>0.00</td><td>100</td><td>36 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	110.68	-----	-----	101.58	35.11	10.80	36.81	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5210.00	110.68	-----	-----	101.58	35.11	10.80	36.81	0.00	100	36 PEAK																																											
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.89</td><td>52.88</td><td>54.00</td><td>-1.12</td><td>43.96</td><td>35.03</td><td>10.69</td><td>36.80</td><td>0.00</td><td>100</td><td>36 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.89	52.88	54.00	-1.12	43.96	35.03	10.69	36.80	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5148.89	52.88	54.00	-1.12	43.96	35.03	10.69	36.80	0.00	100	36 AVERAGE																																											
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>98.72</td><td>-----</td><td>-----</td><td>89.59</td><td>35.12</td><td>10.82</td><td>36.81</td><td>0.00</td><td>100</td><td>36 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	98.72	-----	-----	89.59	35.12	10.82	36.81	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5210.00	98.72	-----	-----	89.59	35.12	10.82	36.81	0.00	100	36 AVERAGE																																											






Mode	9																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																																						
ANT	CDD 1S4T																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5379.50</td><td>59.45</td><td>74.00</td><td>-14.55</td><td>49.98</td><td>35.25</td><td>11.03</td><td>36.81</td><td>0.00</td><td>100</td><td>36</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5379.50	59.45	74.00	-14.55	49.98	35.25	11.03	36.81	0.00	100	36	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5379.50	59.45	74.00	-14.55	49.98	35.25	11.03	36.81	0.00	100	36	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.50</td><td>48.66</td><td>54.00</td><td>-5.34</td><td>39.25</td><td>35.23</td><td>10.99</td><td>36.81</td><td>0.00</td><td>100</td><td>36</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.50	48.66	54.00	-5.34	39.25	35.23	10.99	36.81	0.00	100	36	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5354.50	48.66	54.00	-5.34	39.25	35.23	10.99	36.81	0.00	100	36	AVERAGE																																											






		9																																																																																																											
Mode		Harmonic																																																																																																											
		U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																																																																																											
ANT		CDD 1S4T																																																																																																											
Pol.		Horizontal											Vertical																																																																																																
Peak Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 10420.00</td><td>45.08</td><td>68.30</td><td>-23.22</td><td>53.86</td><td>38.34</td><td>15.57</td><td>62.69</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 10420.00	45.08	68.30	-23.22	53.86	38.34	15.57	62.69	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 10420.00</td><td>45.50</td><td>68.30</td><td>-22.80</td><td>54.28</td><td>38.34</td><td>15.57</td><td>62.69</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 10420.00	45.50	68.30	-22.80	54.28	38.34	15.57	62.69	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1 10420.00	45.08	68.30	-23.22	53.86	38.34	15.57	62.69	0.00	---	---	PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1 10420.00	45.50	68.30	-22.80	54.28	38.34	15.57	62.69	0.00	---	---	PEAK																																																																																																		





Mode	10																																																																																																																																																								
	Band Edge																																																																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																																								
ANT	CDD 1S4T																																																																																																																																																								
Pol.	Horizontal							Fundamental																																																																																																																																																	
Peak																																																																																																																																																									
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5642.78</td><td>59.80</td><td>68.30</td><td>-8.50</td><td></td><td>49.93</td><td>35.51</td><td>11.17</td><td>36.81</td><td>0.00</td><td>300</td><td>105</td><td>PEAK</td></tr><tr><td>2</td><td>5650.46</td><td>57.21</td><td>68.64</td><td>-11.43</td><td></td><td>47.31</td><td>35.52</td><td>11.18</td><td>36.80</td><td>0.00</td><td>300</td><td>105</td><td>PEAK</td></tr><tr><td>3</td><td>5701.07</td><td>58.15</td><td>105.60</td><td>-47.45</td><td></td><td>48.13</td><td>35.58</td><td>11.23</td><td>36.79</td><td>0.00</td><td>300</td><td>105</td><td>PEAK</td></tr><tr><td>4</td><td>5720.06</td><td>57.35</td><td>111.04</td><td>-53.69</td><td></td><td>47.26</td><td>35.61</td><td>11.26</td><td>36.78</td><td>0.00</td><td>300</td><td>105</td><td>PEAK</td></tr></tbody></table>															Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5642.78	59.80	68.30	-8.50		49.93	35.51	11.17	36.81	0.00	300	105	PEAK	2	5650.46	57.21	68.64	-11.43		47.31	35.52	11.18	36.80	0.00	300	105	PEAK	3	5701.07	58.15	105.60	-47.45		48.13	35.58	11.23	36.79	0.00	300	105	PEAK	4	5720.06	57.35	111.04	-53.69		47.26	35.61	11.26	36.78	0.00	300	105	PEAK	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>102.12</td><td>-----</td><td>-----</td><td></td><td>91.96</td><td>35.64</td><td>11.28</td><td>36.76</td><td>0.00</td><td>300</td><td>105</td><td>PEAK</td></tr></tbody></table>															Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5745.00	102.12	-----	-----		91.96	35.64	11.28	36.76	0.00	300	105
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																												
1	5642.78	59.80	68.30	-8.50		49.93	35.51	11.17	36.81	0.00	300	105	PEAK																																																																																																																																												
2	5650.46	57.21	68.64	-11.43		47.31	35.52	11.18	36.80	0.00	300	105	PEAK																																																																																																																																												
3	5701.07	58.15	105.60	-47.45		48.13	35.58	11.23	36.79	0.00	300	105	PEAK																																																																																																																																												
4	5720.06	57.35	111.04	-53.69		47.26	35.61	11.26	36.78	0.00	300	105	PEAK																																																																																																																																												
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																												
1	5745.00	102.12	-----	-----		91.96	35.64	11.28	36.76	0.00	300	105	PEAK																																																																																																																																												
Avg	Blank																																																																																																																																																								
															<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>91.81</td><td>122.30</td><td>-30.49</td><td></td><td>81.65</td><td>35.64</td><td>11.28</td><td>36.76</td><td>0.00</td><td>300</td><td>105</td><td>AVERAGE</td></tr></tbody></table>															Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5745.00	91.81	122.30	-30.49		81.65	35.64	11.28	36.76	0.00	300	105	AVERAGE																																																																																			
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																												
1	5745.00	91.81	122.30	-30.49		81.65	35.64	11.28	36.76	0.00	300	105	AVERAGE																																																																																																																																												






Mode	10																																																																																													
	Band Edge																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																													
ANT	CDD 1S4T																																																																																													
Pol.	Vertical																																																																																													
Peak																																																																																														
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5638.43</td><td>60.39</td><td>68.30</td><td>-7.91</td><td></td><td>50.53</td><td>35.50</td><td>11.17</td><td>36.81</td><td>0.00</td><td>100</td><td>59</td><td>PEAK</td></tr><tr><td>2</td><td>5650.75</td><td>59.40</td><td>68.86</td><td>-9.46</td><td></td><td>49.50</td><td>35.52</td><td>11.18</td><td>36.80</td><td>0.00</td><td>100</td><td>59</td><td>PEAK</td></tr><tr><td>3</td><td>5700.92</td><td>61.01</td><td>105.56</td><td>-44.55</td><td></td><td>50.99</td><td>35.58</td><td>11.23</td><td>36.79</td><td>0.00</td><td>100</td><td>59</td><td>PEAK</td></tr><tr><td>4</td><td>5720.06</td><td>58.17</td><td>111.04</td><td>-52.87</td><td></td><td>48.08</td><td>35.61</td><td>11.26</td><td>36.78</td><td>0.00</td><td>100</td><td>59</td><td>PEAK</td></tr></tbody></table>												Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg		1	5638.43	60.39	68.30	-7.91		50.53	35.50	11.17	36.81	0.00	100	59	PEAK	2	5650.75	59.40	68.86	-9.46		49.50	35.52	11.18	36.80	0.00	100	59	PEAK	3	5700.92	61.01	105.56	-44.55		50.99	35.58	11.23	36.79	0.00	100	59	PEAK	4	5720.06	58.17	111.04	-52.87		48.08	35.61	11.26	36.78	0.00	100	59
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5638.43	60.39	68.30	-7.91		50.53	35.50	11.17	36.81	0.00	100	59	PEAK																																																																																	
2	5650.75	59.40	68.86	-9.46		49.50	35.52	11.18	36.80	0.00	100	59	PEAK																																																																																	
3	5700.92	61.01	105.56	-44.55		50.99	35.58	11.23	36.79	0.00	100	59	PEAK																																																																																	
4	5720.06	58.17	111.04	-52.87		48.08	35.61	11.26	36.78	0.00	100	59	PEAK																																																																																	
Avg																																																																																														
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5140.00</td><td>72.95</td><td>74.00</td><td>-1.05</td><td></td><td>64.05</td><td>35.02</td><td>10.68</td><td>36.80</td><td>0.00</td><td>100</td><td>59</td><td>PEAK</td></tr><tr><td>2</td><td>5745.00</td><td>109.43</td><td>-----</td><td>-----</td><td></td><td>99.22</td><td>35.66</td><td>11.30</td><td>36.75</td><td>0.00</td><td>100</td><td>59</td><td>PEAK</td></tr></tbody></table>												Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg		1	5140.00	72.95	74.00	-1.05		64.05	35.02	10.68	36.80	0.00	100	59	PEAK	2	5745.00	109.43	-----	-----		99.22	35.66	11.30	36.75	0.00	100	59	PEAK																											
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5140.00	72.95	74.00	-1.05		64.05	35.02	10.68	36.80	0.00	100	59	PEAK																																																																																	
2	5745.00	109.43	-----	-----		99.22	35.66	11.30	36.75	0.00	100	59	PEAK																																																																																	
Blank																																																																																														
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>98.98</td><td>122.30</td><td>-23.32</td><td></td><td>88.80</td><td>35.65</td><td>11.29</td><td>36.76</td><td>0.00</td><td>100</td><td>59</td><td>AVERAGE</td></tr></tbody></table>												Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	98.98	122.30	-23.32		88.80	35.65	11.29	36.76	0.00	100	59	AVERAGE																																									
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5745.00	98.98	122.30	-23.32		88.80	35.65	11.29	36.76	0.00	100	59	AVERAGE																																																																																	




Mode	10																																																																																																		
	Harmonic																																																																																																		
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																		
ANT	CDD 1S4T																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>44.89</td><td>74.00</td><td>-29.11</td><td>52.07</td><td>38.66</td><td>16.20</td><td>62.04</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	44.89	74.00	-29.11	52.07	38.66	16.20	62.04	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>45.85</td><td>74.00</td><td>-28.15</td><td>53.03</td><td>38.66</td><td>16.20</td><td>62.04</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	45.85	74.00	-28.15	53.03	38.66	16.20	62.04	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11490.00	44.89	74.00	-29.11	52.07	38.66	16.20	62.04	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11490.00	45.85	74.00	-28.15	53.03	38.66	16.20	62.04	0.00	---	---	PEAK																																																																																							






Mode	11																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																								
ANT	CDD 1S4T																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5686.66</td><td>60.23</td><td>68.30</td><td>-8.07</td><td></td><td>50.45</td><td>35.46</td><td>11.14</td><td>36.82</td><td>0.00</td><td>300</td><td>117</td><td>PEAK</td></tr><tr><td>2</td><td>5650.51</td><td>56.56</td><td>68.68</td><td>-12.12</td><td></td><td>46.66</td><td>35.52</td><td>11.18</td><td>36.80</td><td>0.00</td><td>300</td><td>117</td><td>PEAK</td></tr><tr><td>3</td><td>5700.64</td><td>57.38</td><td>105.48</td><td>-48.10</td><td></td><td>47.36</td><td>35.58</td><td>11.23</td><td>36.79</td><td>0.00</td><td>300</td><td>117</td><td>PEAK</td></tr><tr><td>4</td><td>5720.07</td><td>57.78</td><td>111.05</td><td>-53.27</td><td></td><td>47.69</td><td>35.61</td><td>11.26</td><td>36.78</td><td>0.00</td><td>300</td><td>117</td><td>PEAK</td></tr></tbody></table>						Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5686.66	60.23	68.30	-8.07		50.45	35.46	11.14	36.82	0.00	300	117	PEAK	2	5650.51	56.56	68.68	-12.12		46.66	35.52	11.18	36.80	0.00	300	117	PEAK	3	5700.64	57.38	105.48	-48.10		47.36	35.58	11.23	36.79	0.00	300	117	PEAK	4	5720.07	57.78	111.05	-53.27		47.69	35.61	11.26	36.78	0.00	300	117	PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>101.77</td><td>-----</td><td>-----</td><td></td><td>91.46</td><td>35.70</td><td>11.34</td><td>36.73</td><td>0.00</td><td>300</td><td>117</td><td>PEAK</td></tr></tbody></table>					Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5785.00	101.77	-----	-----		91.46	35.70	11.34	36.73	0.00	300	117	PEAK
	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																												
1	5686.66	60.23	68.30	-8.07		50.45	35.46	11.14	36.82	0.00	300	117	PEAK																																																																																																																												
2	5650.51	56.56	68.68	-12.12		46.66	35.52	11.18	36.80	0.00	300	117	PEAK																																																																																																																												
3	5700.64	57.38	105.48	-48.10		47.36	35.58	11.23	36.79	0.00	300	117	PEAK																																																																																																																												
4	5720.07	57.78	111.05	-53.27		47.69	35.61	11.26	36.78	0.00	300	117	PEAK																																																																																																																												
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																												
1	5785.00	101.77	-----	-----		91.46	35.70	11.34	36.73	0.00	300	117	PEAK																																																																																																																												
Avg	Blank						 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>92.48</td><td>122.30</td><td>-29.82</td><td></td><td>82.16</td><td>35.71</td><td>11.34</td><td>36.73</td><td>0.00</td><td>300</td><td>117</td><td>AVERAGE</td></tr></tbody></table>					Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5785.00	92.48	122.30	-29.82		82.16	35.71	11.34	36.73	0.00	300	117	AVERAGE																																																																																				
	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																												
1	5785.00	92.48	122.30	-29.82		82.16	35.71	11.34	36.73	0.00	300	117	AVERAGE																																																																																																																												




Mode	11																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																													
ANT	CDD 1S4T																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.47</td><td>57.66</td><td>112.12</td><td>-54.46</td><td>47.20</td><td>35.76</td><td>11.39</td><td>36.69</td><td>0.00</td><td>300</td><td>117</td><td>PEAK</td></tr><tr><td>2</td><td>5874.93</td><td>59.66</td><td>105.32</td><td>-45.66</td><td>49.17</td><td>35.77</td><td>11.40</td><td>36.68</td><td>0.00</td><td>300</td><td>117</td><td>PEAK</td></tr><tr><td>3</td><td>5921.13</td><td>60.71</td><td>71.16</td><td>-10.45</td><td>50.18</td><td>35.77</td><td>11.42</td><td>36.66</td><td>0.00</td><td>300</td><td>117</td><td>PEAK</td></tr><tr><td>4</td><td>5929.71</td><td>59.58</td><td>68.30</td><td>-8.72</td><td>49.04</td><td>35.77</td><td>11.43</td><td>36.66</td><td>0.00</td><td>300</td><td>117</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.47	57.66	112.12	-54.46	47.20	35.76	11.39	36.69	0.00	300	117	PEAK	2	5874.93	59.66	105.32	-45.66	49.17	35.77	11.40	36.68	0.00	300	117	PEAK	3	5921.13	60.71	71.16	-10.45	50.18	35.77	11.42	36.66	0.00	300	117	PEAK	4	5929.71	59.58	68.30	-8.72	49.04	35.77	11.43	36.66	0.00	300	117	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.47	57.66	112.12	-54.46	47.20	35.76	11.39	36.69	0.00	300	117	PEAK																																																																																		
2	5874.93	59.66	105.32	-45.66	49.17	35.77	11.40	36.68	0.00	300	117	PEAK																																																																																		
3	5921.13	60.71	71.16	-10.45	50.18	35.77	11.42	36.66	0.00	300	117	PEAK																																																																																		
4	5929.71	59.58	68.30	-8.72	49.04	35.77	11.43	36.66	0.00	300	117	PEAK																																																																																		



Mode	11																																																																																												
	Band Edge - L																																																																																												
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																												
ANT	CDD 1S4T																																																																																												
Pol.	Vertical																																																																																												
Peak																																																																																													
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5605.00</td><td>60.16</td><td>68.30</td><td>-8.14</td><td>50.39</td><td>35.46</td><td>11.13</td><td>36.82</td><td>0.00</td><td>100</td><td>51</td><td>PEAK</td></tr><tr><td>2</td><td>5650.69</td><td>58.79</td><td>68.81</td><td>-10.02</td><td>48.89</td><td>35.52</td><td>11.18</td><td>36.80</td><td>0.00</td><td>100</td><td>51</td><td>PEAK</td></tr><tr><td>3</td><td>5700.09</td><td>58.90</td><td>105.32</td><td>-46.42</td><td>48.88</td><td>35.58</td><td>11.23</td><td>36.79</td><td>0.00</td><td>100</td><td>51</td><td>PEAK</td></tr><tr><td>4</td><td>5720.07</td><td>58.29</td><td>111.05</td><td>-52.76</td><td>48.20</td><td>35.61</td><td>11.26</td><td>36.78</td><td>0.00</td><td>100</td><td>51</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5605.00	60.16	68.30	-8.14	50.39	35.46	11.13	36.82	0.00	100	51	PEAK	2	5650.69	58.79	68.81	-10.02	48.89	35.52	11.18	36.80	0.00	100	51	PEAK	3	5700.09	58.90	105.32	-46.42	48.88	35.58	11.23	36.79	0.00	100	51	PEAK	4	5720.07	58.29	111.05	-52.76	48.20	35.61	11.26	36.78	0.00	100	51	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5605.00	60.16	68.30	-8.14	50.39	35.46	11.13	36.82	0.00	100	51	PEAK																																																																																	
2	5650.69	58.79	68.81	-10.02	48.89	35.52	11.18	36.80	0.00	100	51	PEAK																																																																																	
3	5700.09	58.90	105.32	-46.42	48.88	35.58	11.23	36.79	0.00	100	51	PEAK																																																																																	
4	5720.07	58.29	111.05	-52.76	48.20	35.61	11.26	36.78	0.00	100	51	PEAK																																																																																	
Avg																																																																																													
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5200.00</td><td>67.34</td><td>68.30</td><td>-0.96</td><td>58.32</td><td>35.08</td><td>10.75</td><td>36.81</td><td>0.00</td><td>100</td><td>51</td><td>PEAK</td></tr><tr><td>2</td><td>5785.00</td><td>107.99</td><td>-----</td><td>-----</td><td>97.68</td><td>35.70</td><td>11.34</td><td>36.73</td><td>0.00</td><td>100</td><td>51</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5200.00	67.34	68.30	-0.96	58.32	35.08	10.75	36.81	0.00	100	51	PEAK	2	5785.00	107.99	-----	-----	97.68	35.70	11.34	36.73	0.00	100	51	PEAK																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5200.00	67.34	68.30	-0.96	58.32	35.08	10.75	36.81	0.00	100	51	PEAK																																																																																	
2	5785.00	107.99	-----	-----	97.68	35.70	11.34	36.73	0.00	100	51	PEAK																																																																																	
Blank																																																																																													
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5785.00</td><td>97.83</td><td>122.30</td><td>-24.47</td><td>87.51</td><td>35.71</td><td>11.34</td><td>36.73</td><td>0.00</td><td>100</td><td>51</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	97.83	122.30	-24.47	87.51	35.71	11.34	36.73	0.00	100	51	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5785.00	97.83	122.30	-24.47	87.51	35.71	11.34	36.73	0.00	100	51	AVERAGE																																																																																	






Mode	11																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																									
ANT	CDD 1S4T																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<table><tr><th>Freq</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.96</td><td>59.34</td><td>110.99</td><td>-51.65</td><td>48.88</td><td>35.76</td><td>11.39</td><td>36.69</td><td>0.00</td><td>100</td><td>51</td><td>PEAK</td></tr><tr><td>2</td><td>5873.11</td><td>60.81</td><td>105.83</td><td>-45.02</td><td>50.32</td><td>35.77</td><td>11.40</td><td>36.68</td><td>0.00</td><td>100</td><td>51</td><td>PEAK</td></tr><tr><td>3</td><td>5924.92</td><td>60.16</td><td>68.36</td><td>-8.20</td><td>49.63</td><td>35.77</td><td>11.42</td><td>36.66</td><td>0.00</td><td>100</td><td>51</td><td>PEAK</td></tr><tr><td>4</td><td>5934.33</td><td>60.26</td><td>68.30</td><td>-8.04</td><td>49.72</td><td>35.77</td><td>11.43</td><td>36.66</td><td>0.00</td><td>100</td><td>51</td><td>PEAK</td></tr></table>	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5854.96	59.34	110.99	-51.65	48.88	35.76	11.39	36.69	0.00	100	51	PEAK	2	5873.11	60.81	105.83	-45.02	50.32	35.77	11.40	36.68	0.00	100	51	PEAK	3	5924.92	60.16	68.36	-8.20	49.63	35.77	11.42	36.66	0.00	100	51	PEAK	4	5934.33	60.26	68.30	-8.04	49.72	35.77	11.43	36.66	0.00	100	51	PEAK	Blank
Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																	
1	5854.96	59.34	110.99	-51.65	48.88	35.76	11.39	36.69	0.00	100	51	PEAK																																																														
2	5873.11	60.81	105.83	-45.02	50.32	35.77	11.40	36.68	0.00	100	51	PEAK																																																														
3	5924.92	60.16	68.36	-8.20	49.63	35.77	11.42	36.66	0.00	100	51	PEAK																																																														
4	5934.33	60.26	68.30	-8.04	49.72	35.77	11.43	36.66	0.00	100	51	PEAK																																																														






Mode	11																																																							
	Harmonic																																																							
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																							
ANT	CDD 1S4T																																																							
Pol.	Horizontal						Vertical																																																	
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>45.60</td><td>74.00</td><td>-28.40</td><td>52.67</td><td>38.68</td><td>16.26</td><td>62.01</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	45.60	74.00	-28.40	52.67	38.68	16.26	62.01	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	11570.00	45.60	74.00	-28.40	52.67	38.68	16.26	62.01	0.00	---	---	PEAK																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>45.70</td><td>74.00</td><td>-28.30</td><td>52.77</td><td>38.68</td><td>16.26</td><td>62.01</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	45.70	74.00	-28.30	52.77	38.68	16.26	62.01	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	11570.00	45.70	74.00	-28.30	52.77	38.68	16.26	62.01	0.00	---	---	PEAK																																												





Mode	12																																																																																																																																														
	Band Edge																																																																																																																																														
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																														
ANT	CDD 1S4T																																																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																																																								
Peak																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.75</td><td>57.41</td><td>111.47</td><td>-54.06</td><td>46.95</td><td>35.76</td><td>11.39</td><td>36.69</td><td>0.00</td><td>312</td><td>119</td><td>PEAK</td></tr><tr><td>2</td><td>5875.00</td><td>59.55</td><td>105.30</td><td>-45.75</td><td>49.06</td><td>35.77</td><td>11.40</td><td>36.68</td><td>0.00</td><td>312</td><td>119</td><td>PEAK</td></tr><tr><td>3</td><td>5925.00</td><td>59.94</td><td>68.30</td><td>-8.36</td><td>49.40</td><td>35.77</td><td>11.43</td><td>36.66</td><td>0.00</td><td>312</td><td>119</td><td>PEAK</td></tr><tr><td>4</td><td>5936.38</td><td>61.05</td><td>68.30</td><td>-7.25</td><td>50.51</td><td>35.77</td><td>11.43</td><td>36.66</td><td>0.00</td><td>312</td><td>119</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.75	57.41	111.47	-54.06	46.95	35.76	11.39	36.69	0.00	312	119	PEAK	2	5875.00	59.55	105.30	-45.75	49.06	35.77	11.40	36.68	0.00	312	119	PEAK	3	5925.00	59.94	68.30	-8.36	49.40	35.77	11.43	36.66	0.00	312	119	PEAK	4	5936.38	61.05	68.30	-7.25	50.51	35.77	11.43	36.66	0.00	312	119	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>104.15</td><td>-----</td><td>-----</td><td>93.74</td><td>35.74</td><td>11.38</td><td>36.71</td><td>0.00</td><td>312</td><td>119</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5825.00	104.15	-----	-----	93.74	35.74	11.38	36.71	0.00	312	119	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5854.75	57.41	111.47	-54.06	46.95	35.76	11.39	36.69	0.00	312	119	PEAK																																																																																																																																			
2	5875.00	59.55	105.30	-45.75	49.06	35.77	11.40	36.68	0.00	312	119	PEAK																																																																																																																																			
3	5925.00	59.94	68.30	-8.36	49.40	35.77	11.43	36.66	0.00	312	119	PEAK																																																																																																																																			
4	5936.38	61.05	68.30	-7.25	50.51	35.77	11.43	36.66	0.00	312	119	PEAK																																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																				
1	5825.00	104.15	-----	-----	93.74	35.74	11.38	36.71	0.00	312	119	PEAK																																																																																																																																			
Avg	Blank																																																																																																																																														
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>94.58</td><td>-----</td><td>-----</td><td>84.18</td><td>35.74</td><td>11.37</td><td>36.71</td><td>0.00</td><td>312</td><td>119</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5825.00	94.58	-----	-----	84.18	35.74	11.37	36.71	0.00	312	119	AVERAGE																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																				
1	5825.00	94.58	-----	-----	84.18	35.74	11.37	36.71	0.00	312	119	AVERAGE																																																																																																																																			






Mode	12																																																																																																																																				
	Band Edge																																																																																																																																				
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																				
ANT	CDD 1S4T																																																																																																																																				
Pol.	Vertical						Fundamental																																																																																																																														
Peak																																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.88</td><td>58.81</td><td>111.18</td><td>-52.37</td><td>48.35</td><td>35.76</td><td>11.39</td><td>36.69</td><td>0.00</td><td>100</td><td>2 PEAK</td></tr><tr><td>2</td><td>5873.25</td><td>60.99</td><td>105.79</td><td>-44.80</td><td>50.50</td><td>35.77</td><td>11.40</td><td>36.68</td><td>0.00</td><td>100</td><td>2 PEAK</td></tr><tr><td>3</td><td>5923.75</td><td>58.80</td><td>69.22</td><td>-10.42</td><td>48.27</td><td>35.77</td><td>11.42</td><td>36.66</td><td>0.00</td><td>100</td><td>2 PEAK</td></tr><tr><td>4</td><td>5937.13</td><td>60.69</td><td>68.30</td><td>-7.61</td><td>50.15</td><td>35.77</td><td>11.43</td><td>36.66</td><td>0.00</td><td>100</td><td>2 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.88	58.81	111.18	-52.37	48.35	35.76	11.39	36.69	0.00	100	2 PEAK	2	5873.25	60.99	105.79	-44.80	50.50	35.77	11.40	36.68	0.00	100	2 PEAK	3	5923.75	58.80	69.22	-10.42	48.27	35.77	11.42	36.66	0.00	100	2 PEAK	4	5937.13	60.69	68.30	-7.61	50.15	35.77	11.43	36.66	0.00	100	2 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>108.55</td><td>-----</td><td>-----</td><td>98.14</td><td>35.74</td><td>11.38</td><td>36.71</td><td>0.00</td><td>100</td><td>2 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	108.55	-----	-----	98.14	35.74	11.38	36.71	0.00	100	2 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5854.88	58.81	111.18	-52.37	48.35	35.76	11.39	36.69	0.00	100	2 PEAK																																																																																																																										
2	5873.25	60.99	105.79	-44.80	50.50	35.77	11.40	36.68	0.00	100	2 PEAK																																																																																																																										
3	5923.75	58.80	69.22	-10.42	48.27	35.77	11.42	36.66	0.00	100	2 PEAK																																																																																																																										
4	5937.13	60.69	68.30	-7.61	50.15	35.77	11.43	36.66	0.00	100	2 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5825.00	108.55	-----	-----	98.14	35.74	11.38	36.71	0.00	100	2 PEAK																																																																																																																										
Avg	Blank																																																																																																																																				
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>98.79</td><td>-----</td><td>-----</td><td>88.39</td><td>35.74</td><td>11.37</td><td>36.71</td><td>0.00</td><td>100</td><td>2 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	98.79	-----	-----	88.39	35.74	11.37	36.71	0.00	100	2 AVERAGE																																																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5825.00	98.79	-----	-----	88.39	35.74	11.37	36.71	0.00	100	2 AVERAGE																																																																																																																										






		12																																																									
Mode		Harmonic																																																									
		U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																									
ANT		CDD 1S4T																																																									
Pol.		Horizontal																																																									
Peak Avg																																																											
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11650.00</td><td>45.56</td><td>74.00</td><td>-28.44</td><td>52.52</td><td>38.71</td><td>16.31</td><td>61.98</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11650.00	45.56	74.00	-28.44	52.52	38.71	16.31	61.98	0.00	---	---	PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1 11650.00	45.56	74.00	-28.44	52.52	38.71	16.31	61.98	0.00	---	---	PEAK																																																
		Vertical																																																									
Peak Avg																																																											
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11650.00</td><td>45.51</td><td>74.00</td><td>-28.49</td><td>52.47</td><td>38.71</td><td>16.31</td><td>61.98</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11650.00	45.51	74.00	-28.49	52.47	38.71	16.31	61.98	0.00	---	---	PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1 11650.00	45.51	74.00	-28.49	52.47	38.71	16.31	61.98	0.00	---	---	PEAK																																																





Mode	13																																																																																																																															
	Band Edge																																																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz																																																																																																																															
ANT	CDD 1S4T																																																																																																																															
Pol.	Horizontal	Fundamental																																																																																																																														
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5614.21</td><td>61.17</td><td>68.30</td><td>-7.13</td><td></td><td>51.38</td><td>35.47</td><td>11.14</td><td>36.82</td><td>0.00</td><td>300</td><td>105</td><td>PEAK</td></tr><tr><td>2</td><td>5650.32</td><td>57.42</td><td>68.53</td><td>-11.11</td><td></td><td>47.52</td><td>35.52</td><td>11.18</td><td>36.80</td><td>0.00</td><td>300</td><td>105</td><td>PEAK</td></tr><tr><td>3</td><td>5702.95</td><td>58.84</td><td>106.13</td><td>-47.29</td><td></td><td>48.82</td><td>35.58</td><td>11.23</td><td>36.79</td><td>0.00</td><td>300</td><td>105</td><td>PEAK</td></tr><tr><td>4</td><td>5720.64</td><td>59.58</td><td>112.36</td><td>-52.78</td><td></td><td>49.49</td><td>35.61</td><td>11.26</td><td>36.78</td><td>0.00</td><td>300</td><td>105</td><td>PEAK</td></tr></tbody></table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5614.21	61.17	68.30	-7.13		51.38	35.47	11.14	36.82	0.00	300	105	PEAK	2	5650.32	57.42	68.53	-11.11		47.52	35.52	11.18	36.80	0.00	300	105	PEAK	3	5702.95	58.84	106.13	-47.29		48.82	35.58	11.23	36.79	0.00	300	105	PEAK	4	5720.64	59.58	112.36	-52.78		49.49	35.61	11.26	36.78	0.00	300	105	PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>102.97</td><td>-----</td><td>-----</td><td></td><td>92.81</td><td>35.64</td><td>11.28</td><td>36.76</td><td>0.00</td><td>300</td><td>105</td><td>PEAK</td></tr></tbody></table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5745.00	102.97	-----	-----		92.81	35.64	11.28	36.76	0.00	300	105	PEAK
	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																			
1	5614.21	61.17	68.30	-7.13		51.38	35.47	11.14	36.82	0.00	300	105	PEAK																																																																																																																			
2	5650.32	57.42	68.53	-11.11		47.52	35.52	11.18	36.80	0.00	300	105	PEAK																																																																																																																			
3	5702.95	58.84	106.13	-47.29		48.82	35.58	11.23	36.79	0.00	300	105	PEAK																																																																																																																			
4	5720.64	59.58	112.36	-52.78		49.49	35.61	11.26	36.78	0.00	300	105	PEAK																																																																																																																			
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																			
1	5745.00	102.97	-----	-----		92.81	35.64	11.28	36.76	0.00	300	105	PEAK																																																																																																																			
Avg	Blank	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>92.03</td><td>122.30</td><td>-30.27</td><td></td><td>81.87</td><td>35.64</td><td>11.28</td><td>36.76</td><td>0.00</td><td>300</td><td>105</td><td>AVERAGE</td></tr></tbody></table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5745.00	92.03	122.30	-30.27		81.87	35.64	11.28	36.76	0.00	300	105	AVERAGE																																																																																				
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																			
1	5745.00	92.03	122.30	-30.27		81.87	35.64	11.28	36.76	0.00	300	105	AVERAGE																																																																																																																			






Mode	13																																																																																																																																															
	Band Edge																																																																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz																																																																																																																																															
ANT	CDD 1S4T																																																																																																																																															
Pol.	Vertical						Fundamental																																																																																																																																									
Peak																																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5639.30</td><td>60.14</td><td>68.30</td><td>-8.16</td><td>50.28</td><td>35.50</td><td>11.17</td><td>36.81</td><td>0.00</td><td>100</td><td>51 PEAK</td></tr><tr><td>2</td><td>5651.77</td><td>58.24</td><td>69.61</td><td>-11.37</td><td>48.34</td><td>35.52</td><td>11.18</td><td>36.80</td><td>0.00</td><td>100</td><td>51 PEAK</td></tr><tr><td>3</td><td>5704.98</td><td>60.69</td><td>106.70</td><td>-46.01</td><td>50.65</td><td>35.59</td><td>11.24</td><td>36.79</td><td>0.00</td><td>100</td><td>51 PEAK</td></tr><tr><td>4</td><td>5720.06</td><td>58.77</td><td>111.04</td><td>-52.27</td><td>48.68</td><td>35.61</td><td>11.26</td><td>36.78</td><td>0.00</td><td>100</td><td>51 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5639.30	60.14	68.30	-8.16	50.28	35.50	11.17	36.81	0.00	100	51 PEAK	2	5651.77	58.24	69.61	-11.37	48.34	35.52	11.18	36.80	0.00	100	51 PEAK	3	5704.98	60.69	106.70	-46.01	50.65	35.59	11.24	36.79	0.00	100	51 PEAK	4	5720.06	58.77	111.04	-52.27	48.68	35.61	11.26	36.78	0.00	100	51 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.00</td><td>67.76</td><td>74.00</td><td>-6.24</td><td>58.84</td><td>35.83</td><td>10.69</td><td>36.80</td><td>0.00</td><td>100</td><td>51 PEAK</td></tr><tr><td>2</td><td>5745.00</td><td>111.41</td><td>-----</td><td>-----</td><td>101.23</td><td>35.65</td><td>11.29</td><td>36.76</td><td>0.00</td><td>100</td><td>51 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5146.00	67.76	74.00	-6.24	58.84	35.83	10.69	36.80	0.00	100	51 PEAK	2	5745.00	111.41	-----	-----	101.23	35.65	11.29	36.76	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																						
1	5639.30	60.14	68.30	-8.16	50.28	35.50	11.17	36.81	0.00	100	51 PEAK																																																																																																																																					
2	5651.77	58.24	69.61	-11.37	48.34	35.52	11.18	36.80	0.00	100	51 PEAK																																																																																																																																					
3	5704.98	60.69	106.70	-46.01	50.65	35.59	11.24	36.79	0.00	100	51 PEAK																																																																																																																																					
4	5720.06	58.77	111.04	-52.27	48.68	35.61	11.26	36.78	0.00	100	51 PEAK																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																						
1	5146.00	67.76	74.00	-6.24	58.84	35.83	10.69	36.80	0.00	100	51 PEAK																																																																																																																																					
2	5745.00	111.41	-----	-----	101.23	35.65	11.29	36.76	0.00	100	51 PEAK																																																																																																																																					
Avg	Blank																																																																																																																																															
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>99.26</td><td>122.30</td><td>-23.04</td><td>89.08</td><td>35.65</td><td>11.29</td><td>36.76</td><td>0.00</td><td>100</td><td>51 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	99.26	122.30	-23.04	89.08	35.65	11.29	36.76	0.00	100	51 AVERAGE																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																						
1	5745.00	99.26	122.30	-23.04	89.08	35.65	11.29	36.76	0.00	100	51 AVERAGE																																																																																																																																					




Mode	13																																																																																																								
	Harmonic																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz																																																																																																								
ANT	CDD 1S4T																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11490.00</td><td>45.19</td><td>74.00</td><td>-28.81</td><td>52.37</td><td>38.66</td><td>16.20</td><td>62.04</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11490.00	45.19	74.00	-28.81	52.37	38.66	16.20	62.04	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11490.00</td><td>45.29</td><td>74.00</td><td>-28.71</td><td>52.47</td><td>38.66</td><td>16.20</td><td>62.04</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11490.00	45.29	74.00	-28.71	52.47	38.66	16.20	62.04	0.00	---	---
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 11490.00	45.19	74.00	-28.81	52.37	38.66	16.20	62.04	0.00	---	---	PEAK																																																																																														
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 11490.00	45.29	74.00	-28.71	52.47	38.66	16.20	62.04	0.00	---	---	PEAK																																																																																														






Mode	14																																																																																																																						
	Band Edge - L																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz																																																																																																																						
ANT	CDD 1S4T																																																																																																																						
Pol.	Horizontal					Fundamental																																																																																																																	
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5608.88</td><td>60.45</td><td>68.30</td><td>-7.85</td><td>50.67</td><td>35.46</td><td>11.14</td><td>36.82</td><td>0.00</td><td>300 119 PEAK</td></tr><tr><td>2 5650.14</td><td>58.06</td><td>68.40</td><td>-10.34</td><td>48.16</td><td>35.52</td><td>11.18</td><td>36.80</td><td>0.00</td><td>300 119 PEAK</td></tr><tr><td>3 5701.01</td><td>57.90</td><td>105.58</td><td>-47.68</td><td>47.88</td><td>35.58</td><td>11.23</td><td>36.79</td><td>0.00</td><td>300 119 PEAK</td></tr><tr><td>4 5720.44</td><td>56.65</td><td>111.89</td><td>-55.24</td><td>46.56</td><td>35.61</td><td>11.26</td><td>36.78</td><td>0.00</td><td>300 119 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 5608.88	60.45	68.30	-7.85	50.67	35.46	11.14	36.82	0.00	300 119 PEAK	2 5650.14	58.06	68.40	-10.34	48.16	35.52	11.18	36.80	0.00	300 119 PEAK	3 5701.01	57.90	105.58	-47.68	47.88	35.58	11.23	36.79	0.00	300 119 PEAK	4 5720.44	56.65	111.89	-55.24	46.56	35.61	11.26	36.78	0.00	300 119 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5785.00</td><td>102.13</td><td>-----</td><td>-----</td><td>91.82</td><td>35.70</td><td>11.34</td><td>36.73</td><td>0.00</td><td>300 119 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 5785.00	102.13	-----	-----	91.82	35.70	11.34	36.73	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																														
1 5608.88	60.45	68.30	-7.85	50.67	35.46	11.14	36.82	0.00	300 119 PEAK																																																																																																														
2 5650.14	58.06	68.40	-10.34	48.16	35.52	11.18	36.80	0.00	300 119 PEAK																																																																																																														
3 5701.01	57.90	105.58	-47.68	47.88	35.58	11.23	36.79	0.00	300 119 PEAK																																																																																																														
4 5720.44	56.65	111.89	-55.24	46.56	35.61	11.26	36.78	0.00	300 119 PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																														
1 5785.00	102.13	-----	-----	91.82	35.70	11.34	36.73	0.00	300 119 PEAK																																																																																																														
Avg	Blank																																																																																																																						
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5785.00</td><td>93.03</td><td>-----</td><td>-----</td><td>82.71</td><td>35.71</td><td>11.34</td><td>36.73</td><td>0.00</td><td>300 119 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 5785.00	93.03	-----	-----	82.71	35.71	11.34	36.73	0.00	300 119 AVERAGE																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																														
1 5785.00	93.03	-----	-----	82.71	35.71	11.34	36.73	0.00	300 119 AVERAGE																																																																																																														




Mode	14																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz																																																																																				
ANT	CDD 1S4T																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.96</td><td>57.26</td><td>110.99</td><td>-53.73</td><td>46.80</td><td>35.76</td><td>11.39</td><td>36.69</td><td>0.00</td><td>300</td><td>119</td><td>PEAK</td></tr><tr><td>2</td><td>5873.28</td><td>58.73</td><td>105.78</td><td>-47.05</td><td>48.24</td><td>35.77</td><td>11.40</td><td>36.68</td><td>0.00</td><td>300</td><td>119</td><td>PEAK</td></tr><tr><td>3</td><td>5924.43</td><td>59.91</td><td>68.72</td><td>-8.81</td><td>49.38</td><td>35.77</td><td>11.42</td><td>36.66</td><td>0.00</td><td>300</td><td>119</td><td>PEAK</td></tr><tr><td>4</td><td>5944.72</td><td>59.93</td><td>68.30</td><td>-8.37</td><td>49.38</td><td>35.76</td><td>11.44</td><td>36.65</td><td>0.00</td><td>300</td><td>119</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.96	57.26	110.99	-53.73	46.80	35.76	11.39	36.69	0.00	300	119	PEAK	2	5873.28	58.73	105.78	-47.05	48.24	35.77	11.40	36.68	0.00	300	119	PEAK	3	5924.43	59.91	68.72	-8.81	49.38	35.77	11.42	36.66	0.00	300	119	PEAK	4	5944.72	59.93	68.30	-8.37	49.38	35.76	11.44	36.65	0.00	300	119	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.96	57.26	110.99	-53.73	46.80	35.76	11.39	36.69	0.00	300	119	PEAK																																																																									
2	5873.28	58.73	105.78	-47.05	48.24	35.77	11.40	36.68	0.00	300	119	PEAK																																																																									
3	5924.43	59.91	68.72	-8.81	49.38	35.77	11.42	36.66	0.00	300	119	PEAK																																																																									
4	5944.72	59.93	68.30	-8.37	49.38	35.76	11.44	36.65	0.00	300	119	PEAK																																																																									





Mode	14																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz																																																																																																																																									
ANT	CDD 1S4T																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5606.29</td><td>60.63</td><td>68.30</td><td>-7.67</td><td>50.85</td><td>35.46</td><td>11.14</td><td>36.82</td><td>0.00</td><td>100</td><td>49</td><td>PEAK</td></tr><tr><td>2</td><td>5650.51</td><td>58.32</td><td>68.68</td><td>-10.36</td><td>48.42</td><td>35.52</td><td>11.18</td><td>36.80</td><td>0.00</td><td>100</td><td>49</td><td>PEAK</td></tr><tr><td>3</td><td>5701.20</td><td>59.40</td><td>105.64</td><td>-46.24</td><td>49.38</td><td>35.58</td><td>11.23</td><td>36.79</td><td>0.00</td><td>100</td><td>49</td><td>PEAK</td></tr><tr><td>4</td><td>5720.81</td><td>60.45</td><td>112.74</td><td>-52.29</td><td>50.36</td><td>35.61</td><td>11.26</td><td>36.78</td><td>0.00</td><td>100</td><td>49</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5606.29	60.63	68.30	-7.67	50.85	35.46	11.14	36.82	0.00	100	49	PEAK	2	5650.51	58.32	68.68	-10.36	48.42	35.52	11.18	36.80	0.00	100	49	PEAK	3	5701.20	59.40	105.64	-46.24	49.38	35.58	11.23	36.79	0.00	100	49	PEAK	4	5720.81	60.45	112.74	-52.29	50.36	35.61	11.26	36.78	0.00	100	49	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>108.59</td><td>-----</td><td>-----</td><td>98.31</td><td>35.69</td><td>11.33</td><td>36.74</td><td>0.00</td><td>100</td><td>49</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5785.00	108.59	-----	-----	98.31	35.69	11.33	36.74	0.00	100	49
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5606.29	60.63	68.30	-7.67	50.85	35.46	11.14	36.82	0.00	100	49	PEAK																																																																																																																														
2	5650.51	58.32	68.68	-10.36	48.42	35.52	11.18	36.80	0.00	100	49	PEAK																																																																																																																														
3	5701.20	59.40	105.64	-46.24	49.38	35.58	11.23	36.79	0.00	100	49	PEAK																																																																																																																														
4	5720.81	60.45	112.74	-52.29	50.36	35.61	11.26	36.78	0.00	100	49	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5785.00	108.59	-----	-----	98.31	35.69	11.33	36.74	0.00	100	49	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>97.23</td><td>-----</td><td>-----</td><td>86.88</td><td>35.72</td><td>11.35</td><td>36.72</td><td>0.00</td><td>100</td><td>49</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5785.00	97.23	-----	-----	86.88	35.72	11.35	36.72	0.00	100	49	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5785.00	97.23	-----	-----	86.88	35.72	11.35	36.72	0.00	100	49	AVERAGE																																																																																																																														






Mode	14																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz																																																																																				
ANT	CDD 1S4T																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.96</td><td>57.07</td><td>110.99</td><td>-53.92</td><td>46.61</td><td>35.76</td><td>11.39</td><td>36.69</td><td>0.00</td><td>100</td><td>49</td><td>PEAK</td></tr><tr><td>2</td><td>5874.43</td><td>59.13</td><td>105.46</td><td>-46.33</td><td>48.64</td><td>35.77</td><td>11.40</td><td>36.68</td><td>0.00</td><td>100</td><td>49</td><td>PEAK</td></tr><tr><td>3</td><td>5924.76</td><td>59.39</td><td>68.48</td><td>-9.09</td><td>48.86</td><td>35.77</td><td>11.42</td><td>36.66</td><td>0.00</td><td>100</td><td>49</td><td>PEAK</td></tr><tr><td>4</td><td>5929.38</td><td>59.79</td><td>68.30</td><td>-8.51</td><td>49.25</td><td>35.77</td><td>11.43</td><td>36.66</td><td>0.00</td><td>100</td><td>49</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.96	57.07	110.99	-53.92	46.61	35.76	11.39	36.69	0.00	100	49	PEAK	2	5874.43	59.13	105.46	-46.33	48.64	35.77	11.40	36.68	0.00	100	49	PEAK	3	5924.76	59.39	68.48	-9.09	48.86	35.77	11.42	36.66	0.00	100	49	PEAK	4	5929.38	59.79	68.30	-8.51	49.25	35.77	11.43	36.66	0.00	100	49	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.96	57.07	110.99	-53.92	46.61	35.76	11.39	36.69	0.00	100	49	PEAK																																																																									
2	5874.43	59.13	105.46	-46.33	48.64	35.77	11.40	36.68	0.00	100	49	PEAK																																																																									
3	5924.76	59.39	68.48	-9.09	48.86	35.77	11.42	36.66	0.00	100	49	PEAK																																																																									
4	5929.38	59.79	68.30	-8.51	49.25	35.77	11.43	36.66	0.00	100	49	PEAK																																																																									






Mode	14																																																																																																								
	Harmonic																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz																																																																																																								
ANT	CDD 1S4T																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11570.00</td><td>45.41</td><td>74.00</td><td>-28.59</td><td>52.48</td><td>38.68</td><td>16.26</td><td>62.01</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11570.00	45.41	74.00	-28.59	52.48	38.68	16.26	62.01	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11570.00</td><td>45.10</td><td>74.00</td><td>-28.90</td><td>52.17</td><td>38.68</td><td>16.26</td><td>62.01</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11570.00	45.10	74.00	-28.90	52.17	38.68	16.26	62.01	0.00	---	---	PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 11570.00	45.41	74.00	-28.59	52.48	38.68	16.26	62.01	0.00	---	---	PEAK																																																																																														
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 11570.00	45.10	74.00	-28.90	52.17	38.68	16.26	62.01	0.00	---	---	PEAK																																																																																														





Mode	15																																																																																																																																																												
	Band Edge - L																																																																																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz																																																																																																																																																												
ANT	CDD 1S4T																																																																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																																																																						
Peak																																																																																																																																																													
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5855.00</td><td>54.65</td><td>110.90</td><td>-56.25</td><td>44.19</td><td>35.76</td><td>11.39</td><td>36.69</td><td>0.00</td><td>100</td><td>87</td><td>PEAK</td></tr><tr><td>2</td><td>5874.38</td><td>55.89</td><td>105.47</td><td>-49.58</td><td>45.40</td><td>35.77</td><td>11.40</td><td>36.68</td><td>0.00</td><td>100</td><td>87</td><td>PEAK</td></tr><tr><td>3</td><td>5924.75</td><td>51.67</td><td>68.48</td><td>-16.81</td><td>41.14</td><td>35.77</td><td>11.42</td><td>36.66</td><td>0.00</td><td>100</td><td>87</td><td>PEAK</td></tr><tr><td>4</td><td>5934.63</td><td>54.18</td><td>68.30</td><td>-14.12</td><td>43.64</td><td>35.77</td><td>11.43</td><td>36.66</td><td>0.00</td><td>100</td><td>87</td><td>PEAK</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	5855.00	54.65	110.90	-56.25	44.19	35.76	11.39	36.69	0.00	100	87	PEAK	2	5874.38	55.89	105.47	-49.58	45.40	35.77	11.40	36.68	0.00	100	87	PEAK	3	5924.75	51.67	68.48	-16.81	41.14	35.77	11.42	36.66	0.00	100	87	PEAK	4	5934.63	54.18	68.30	-14.12	43.64	35.77	11.43	36.66	0.00	100	87	PEAK	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5218.00</td><td>66.14</td><td>68.30</td><td>-2.16</td><td>57.07</td><td>35.10</td><td>10.78</td><td>36.81</td><td>0.00</td><td>100</td><td>87</td><td>PEAK</td></tr><tr><td>2</td><td>5824.00</td><td>109.28</td><td>-----</td><td>-----</td><td>98.88</td><td>35.74</td><td>11.37</td><td>36.71</td><td>0.00</td><td>100</td><td>87</td><td>PEAK</td></tr><tr><td>3</td><td>6412.00</td><td>62.73</td><td>68.30</td><td>-5.57</td><td>51.71</td><td>35.60</td><td>11.88</td><td>36.46</td><td>0.00</td><td>100</td><td>87</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	5218.00	66.14	68.30	-2.16	57.07	35.10	10.78	36.81	0.00	100	87	PEAK	2	5824.00	109.28	-----	-----	98.88	35.74	11.37	36.71	0.00	100	87	PEAK	3	6412.00	62.73	68.30	-5.57	51.71	35.60	11.88	36.46	0.00	100	87
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																	
1	5855.00	54.65	110.90	-56.25	44.19	35.76	11.39	36.69	0.00	100	87	PEAK																																																																																																																																																	
2	5874.38	55.89	105.47	-49.58	45.40	35.77	11.40	36.68	0.00	100	87	PEAK																																																																																																																																																	
3	5924.75	51.67	68.48	-16.81	41.14	35.77	11.42	36.66	0.00	100	87	PEAK																																																																																																																																																	
4	5934.63	54.18	68.30	-14.12	43.64	35.77	11.43	36.66	0.00	100	87	PEAK																																																																																																																																																	
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																	
1	5218.00	66.14	68.30	-2.16	57.07	35.10	10.78	36.81	0.00	100	87	PEAK																																																																																																																																																	
2	5824.00	109.28	-----	-----	98.88	35.74	11.37	36.71	0.00	100	87	PEAK																																																																																																																																																	
3	6412.00	62.73	68.30	-5.57	51.71	35.60	11.88	36.46	0.00	100	87	PEAK																																																																																																																																																	
Avg	Blank																																																																																																																																																												
							<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>99.15</td><td>122.30</td><td>-23.15</td><td>88.74</td><td>35.74</td><td>11.38</td><td>36.71</td><td>0.00</td><td>100</td><td>87</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	5825.00	99.15	122.30	-23.15	88.74	35.74	11.38	36.71	0.00	100	87	AVERAGE																																																																																																									
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																	
1	5825.00	99.15	122.30	-23.15	88.74	35.74	11.38	36.71	0.00	100	87	AVERAGE																																																																																																																																																	






Mode	15																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz																																																																																																																																									
ANT	CDD 1S4T																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>51.24</td><td>110.90</td><td>-59.66</td><td>40.78</td><td>35.76</td><td>11.39</td><td>36.69</td><td>0.00</td><td>385</td><td>25</td><td>PEAK</td></tr><tr><td>2</td><td>5875.00</td><td>52.34</td><td>105.30</td><td>-52.96</td><td>41.85</td><td>35.77</td><td>11.40</td><td>36.68</td><td>0.00</td><td>385</td><td>25</td><td>PEAK</td></tr><tr><td>3</td><td>5923.63</td><td>53.38</td><td>69.31</td><td>-15.93</td><td>42.85</td><td>35.77</td><td>11.42</td><td>36.66</td><td>0.00</td><td>385</td><td>25</td><td>PEAK</td></tr><tr><td>4</td><td>5940.13</td><td>52.79</td><td>68.30</td><td>-15.51</td><td>42.25</td><td>35.76</td><td>11.43</td><td>36.65</td><td>0.00</td><td>385</td><td>25</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5855.00	51.24	110.90	-59.66	40.78	35.76	11.39	36.69	0.00	385	25	PEAK	2	5875.00	52.34	105.30	-52.96	41.85	35.77	11.40	36.68	0.00	385	25	PEAK	3	5923.63	53.38	69.31	-15.93	42.85	35.77	11.42	36.66	0.00	385	25	PEAK	4	5940.13	52.79	68.30	-15.51	42.25	35.76	11.43	36.65	0.00	385	25	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>106.78</td><td>-----</td><td>-----</td><td>96.38</td><td>35.74</td><td>11.37</td><td>36.71</td><td>0.00</td><td>385</td><td>25</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	106.78	-----	-----	96.38	35.74	11.37	36.71	0.00	385	25
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5855.00	51.24	110.90	-59.66	40.78	35.76	11.39	36.69	0.00	385	25	PEAK																																																																																																																														
2	5875.00	52.34	105.30	-52.96	41.85	35.77	11.40	36.68	0.00	385	25	PEAK																																																																																																																														
3	5923.63	53.38	69.31	-15.93	42.85	35.77	11.42	36.66	0.00	385	25	PEAK																																																																																																																														
4	5940.13	52.79	68.30	-15.51	42.25	35.76	11.43	36.65	0.00	385	25	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	106.78	-----	-----	96.38	35.74	11.37	36.71	0.00	385	25	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>94.29</td><td>122.30</td><td>-28.01</td><td>83.89</td><td>35.74</td><td>11.37</td><td>36.71</td><td>0.00</td><td>385</td><td>25</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	94.29	122.30	-28.01	83.89	35.74	11.37	36.71	0.00	385	25	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	94.29	122.30	-28.01	83.89	35.74	11.37	36.71	0.00	385	25	AVERAGE																																																																																																																														




Mode	15																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz																																																																																																																																											
ANT	CDD 1S4T																																																																																																																																											
Pol.	Horizontal												Vertical																																																																																																																															
Peak Avg																																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>45.86</td><td>74.00</td><td>-28.14</td><td>52.82</td><td>38.71</td><td>16.31</td><td>61.98</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>17472.00</td><td>54.51</td><td>68.30</td><td>-13.79</td><td>57.78</td><td>42.16</td><td>20.02</td><td>65.45</td><td>0.00</td><td>100</td><td></td><td>2</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	45.86	74.00	-28.14	52.82	38.71	16.31	61.98	0.00	---	---	PEAK	2	17472.00	54.51	68.30	-13.79	57.78	42.16	20.02	65.45	0.00	100		2	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>47.06</td><td>74.00</td><td>-26.94</td><td>54.02</td><td>38.71</td><td>16.31</td><td>61.98</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>17483.00</td><td>61.07</td><td>68.30</td><td>-7.23</td><td>64.32</td><td>42.18</td><td>20.02</td><td>65.45</td><td>0.00</td><td>100</td><td>12</td><td>12</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	47.06	74.00	-26.94	54.02	38.71	16.31	61.98	0.00	---	---	PEAK	2	17483.00	61.07	68.30	-7.23	64.32	42.18	20.02	65.45	0.00	100	12	12
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1	11650.00	45.86	74.00	-28.14	52.82	38.71	16.31	61.98	0.00	---	---	PEAK																																																																																																																																
2	17472.00	54.51	68.30	-13.79	57.78	42.16	20.02	65.45	0.00	100		2																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1	11650.00	47.06	74.00	-26.94	54.02	38.71	16.31	61.98	0.00	---	---	PEAK																																																																																																																																
2	17483.00	61.07	68.30	-7.23	64.32	42.18	20.02	65.45	0.00	100	12	12																																																																																																																																






Mode	16																																																																																																																																																																	
	Band Edge - L																																																																																																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																																																																																																	
ANT	CDD 1S4T																																																																																																																																																																	
Pol.	Horizontal						Fundamental																																																																																																																																																											
Peak																																																																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5641.85</td><td>56.44</td><td>68.30</td><td>-11.86</td><td>46.58</td><td>35.50</td><td>11.17</td><td>36.81</td><td>0.00</td><td>137</td><td>86</td><td>PEAK</td></tr><tr><td>2</td><td>5652.08</td><td>55.43</td><td>69.85</td><td>-14.42</td><td>45.53</td><td>35.52</td><td>11.18</td><td>36.80</td><td>0.00</td><td>137</td><td>86</td><td>PEAK</td></tr><tr><td>3</td><td>5701.53</td><td>57.42</td><td>105.73</td><td>-48.31</td><td>47.40</td><td>35.58</td><td>11.23</td><td>36.79</td><td>0.00</td><td>137</td><td>86</td><td>PEAK</td></tr><tr><td>4</td><td>5721.37</td><td>62.03</td><td>114.01</td><td>-51.98</td><td>51.94</td><td>35.61</td><td>11.26</td><td>36.78</td><td>0.00</td><td>137</td><td>86</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5641.85	56.44	68.30	-11.86	46.58	35.50	11.17	36.81	0.00	137	86	PEAK	2	5652.08	55.43	69.85	-14.42	45.53	35.52	11.18	36.80	0.00	137	86	PEAK	3	5701.53	57.42	105.73	-48.31	47.40	35.58	11.23	36.79	0.00	137	86	PEAK	4	5721.37	62.03	114.01	-51.98	51.94	35.61	11.26	36.78	0.00	137	86	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5164.00</td><td>63.53</td><td>68.30</td><td>-4.77</td><td>54.59</td><td>35.04</td><td>10.71</td><td>36.81</td><td>0.00</td><td>137</td><td>86</td><td>PEAK</td></tr><tr><td>2</td><td>5755.00</td><td>110.33</td><td>-----</td><td>100.12</td><td>35.66</td><td>11.30</td><td>36.75</td><td>0.00</td><td>137</td><td>86</td><td>PEAK</td></tr><tr><td>3</td><td>6352.00</td><td>67.62</td><td>68.30</td><td>-0.68</td><td>56.67</td><td>35.62</td><td>11.81</td><td>36.48</td><td>0.00</td><td>137</td><td>86</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5164.00	63.53	68.30	-4.77	54.59	35.04	10.71	36.81	0.00	137	86	PEAK	2	5755.00	110.33	-----	100.12	35.66	11.30	36.75	0.00	137	86	PEAK	3	6352.00	67.62	68.30	-0.68	56.67	35.62	11.81	36.48	0.00	137	86
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																								
1	5641.85	56.44	68.30	-11.86	46.58	35.50	11.17	36.81	0.00	137	86	PEAK																																																																																																																																																						
2	5652.08	55.43	69.85	-14.42	45.53	35.52	11.18	36.80	0.00	137	86	PEAK																																																																																																																																																						
3	5701.53	57.42	105.73	-48.31	47.40	35.58	11.23	36.79	0.00	137	86	PEAK																																																																																																																																																						
4	5721.37	62.03	114.01	-51.98	51.94	35.61	11.26	36.78	0.00	137	86	PEAK																																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																								
1	5164.00	63.53	68.30	-4.77	54.59	35.04	10.71	36.81	0.00	137	86	PEAK																																																																																																																																																						
2	5755.00	110.33	-----	100.12	35.66	11.30	36.75	0.00	137	86	PEAK																																																																																																																																																							
3	6352.00	67.62	68.30	-0.68	56.67	35.62	11.81	36.48	0.00	137	86	PEAK																																																																																																																																																						
Avg	Blank																																																																																																																																																																	
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>98.66</td><td>122.30</td><td>-23.64</td><td>88.45</td><td>35.66</td><td>11.30</td><td>36.75</td><td>0.00</td><td>137</td><td>86</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	98.66	122.30	-23.64	88.45	35.66	11.30	36.75	0.00	137	86	AVERAGE																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																								
1	5755.00	98.66	122.30	-23.64	88.45	35.66	11.30	36.75	0.00	137	86	AVERAGE																																																																																																																																																						




Mode	16																																																																																								
	Band Edge - R																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																								
ANT	CDD 1S4T																																																																																								
Pol.	Horizontal						Fundamental																																																																																		
Peak	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5826.76</td><td>56.42</td><td>122.30</td><td>-65.88</td><td>46.02</td><td>35.74</td><td>11.37</td><td>36.71</td><td>0.00</td><td>137</td><td>86</td><td>PEAK</td></tr><tr><td>2</td><td>5874.34</td><td>55.13</td><td>105.48</td><td>-50.35</td><td>44.64</td><td>35.77</td><td>11.40</td><td>36.68</td><td>0.00</td><td>137</td><td>86</td><td>PEAK</td></tr><tr><td>3</td><td>5897.16</td><td>54.50</td><td>88.87</td><td>-34.37</td><td>43.98</td><td>35.78</td><td>11.41</td><td>36.67</td><td>0.00</td><td>137</td><td>86</td><td>PEAK</td></tr><tr><td>4</td><td>5934.99</td><td>53.51</td><td>68.30</td><td>-14.79</td><td>42.97</td><td>35.77</td><td>11.43</td><td>36.66</td><td>0.00</td><td>137</td><td>86</td><td>PRAK</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	5826.76	56.42	122.30	-65.88	46.02	35.74	11.37	36.71	0.00	137	86	PEAK	2	5874.34	55.13	105.48	-50.35	44.64	35.77	11.40	36.68	0.00	137	86	PEAK	3	5897.16	54.50	88.87	-34.37	43.98	35.78	11.41	36.67	0.00	137	86	PEAK	4	5934.99	53.51	68.30	-14.79	42.97	35.77	11.43	36.66	0.00	137	86	PRAK	Blank				
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																														
1	5826.76	56.42	122.30	-65.88	46.02	35.74	11.37	36.71	0.00	137	86	PEAK																																																																													
2	5874.34	55.13	105.48	-50.35	44.64	35.77	11.40	36.68	0.00	137	86	PEAK																																																																													
3	5897.16	54.50	88.87	-34.37	43.98	35.78	11.41	36.67	0.00	137	86	PEAK																																																																													
4	5934.99	53.51	68.30	-14.79	42.97	35.77	11.43	36.66	0.00	137	86	PRAK																																																																													





Mode	16																																																																																																																																						
	Band Edge - L																																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																																																																						
ANT	CDD 1S4T																																																																																																																																						
Pol.	Vertical					Fundamental																																																																																																																																	
Peak																																																																																																																																							
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5614.11</td><td>53.18</td><td>68.30</td><td>-15.12</td><td>43.39</td><td>35.47</td><td>11.14</td><td>36.82</td><td>0.00</td><td>292</td><td>0</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>5650.07</td><td>50.32</td><td>68.35</td><td>-18.03</td><td>40.42</td><td>35.52</td><td>11.18</td><td>36.80</td><td>0.00</td><td>292</td><td>0</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>5701.99</td><td>51.32</td><td>105.86</td><td>-54.54</td><td>41.30</td><td>35.58</td><td>11.23</td><td>36.79</td><td>0.00</td><td>292</td><td>0</td><td>0</td><td>PEAK</td></tr><tr><td>4</td><td>5720.28</td><td>50.80</td><td>111.54</td><td>-60.74</td><td>40.71</td><td>35.61</td><td>11.26</td><td>36.78</td><td>0.00</td><td>292</td><td>0</td><td>0</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5614.11	53.18	68.30	-15.12	43.39	35.47	11.14	36.82	0.00	292	0	0	PEAK	2	5650.07	50.32	68.35	-18.03	40.42	35.52	11.18	36.80	0.00	292	0	0	PEAK	3	5701.99	51.32	105.86	-54.54	41.30	35.58	11.23	36.79	0.00	292	0	0	PEAK	4	5720.28	50.80	111.54	-60.74	40.71	35.61	11.26	36.78	0.00	292	0	0	PEAK	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>100.42</td><td>-----</td><td>-----</td><td>90.21</td><td>35.66</td><td>11.30</td><td>36.75</td><td>0.00</td><td>292</td><td>0</td><td>0</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5755.00	100.42	-----	-----	90.21	35.66	11.30	36.75	0.00	292	0	0
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5614.11	53.18	68.30	-15.12	43.39	35.47	11.14	36.82	0.00	292	0	0	PEAK																																																																																																																										
2	5650.07	50.32	68.35	-18.03	40.42	35.52	11.18	36.80	0.00	292	0	0	PEAK																																																																																																																										
3	5701.99	51.32	105.86	-54.54	41.30	35.58	11.23	36.79	0.00	292	0	0	PEAK																																																																																																																										
4	5720.28	50.80	111.54	-60.74	40.71	35.61	11.26	36.78	0.00	292	0	0	PEAK																																																																																																																										
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5755.00	100.42	-----	-----	90.21	35.66	11.30	36.75	0.00	292	0	0	PEAK																																																																																																																										
Avg	Blank																																																																																																																																						
						<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>90.22</td><td>122.30</td><td>-32.08</td><td>80.01</td><td>35.66</td><td>11.30</td><td>36.75</td><td>0.00</td><td>292</td><td>0</td><td>0</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5755.00	90.22	122.30	-32.08	80.01	35.66	11.30	36.75	0.00	292	0	0	AVERAGE																																																																																			
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5755.00	90.22	122.30	-32.08	80.01	35.66	11.30	36.75	0.00	292	0	0	AVERAGE																																																																																																																										






Mode	16																																																																					
	Band Edge - R																																																																					
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																					
ANT	CDD 1S4T																																																																					
Pol.	Vertical	Fundamental																																																																				
Peak	<table><tr><th>Freq</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.45</td><td>51.41</td><td>112.15</td><td>-60.74</td><td>40.95</td><td>35.76</td><td>11.39</td><td>36.69</td><td>0.00</td><td>292</td><td>0 PEAK</td></tr><tr><td>2</td><td>5872.98</td><td>51.10</td><td>105.87</td><td>-54.77</td><td>40.61</td><td>35.77</td><td>11.40</td><td>36.68</td><td>0.00</td><td>292</td><td>0 PEAK</td></tr><tr><td>3</td><td>5923.29</td><td>51.22</td><td>69.56</td><td>-18.34</td><td>40.69</td><td>35.77</td><td>11.42</td><td>36.66</td><td>0.00</td><td>292</td><td>0 PEAK</td></tr><tr><td>4</td><td>5927.19</td><td>53.61</td><td>68.30</td><td>-14.69</td><td>43.07</td><td>35.77</td><td>11.43</td><td>36.66</td><td>0.00</td><td>292</td><td>0 PEAK</td></tr></table>	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.45	51.41	112.15	-60.74	40.95	35.76	11.39	36.69	0.00	292	0 PEAK	2	5872.98	51.10	105.87	-54.77	40.61	35.77	11.40	36.68	0.00	292	0 PEAK	3	5923.29	51.22	69.56	-18.34	40.69	35.77	11.42	36.66	0.00	292	0 PEAK	4	5927.19	53.61	68.30	-14.69	43.07	35.77	11.43	36.66	0.00	292	0 PEAK	Blank
Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	5854.45	51.41	112.15	-60.74	40.95	35.76	11.39	36.69	0.00	292	0 PEAK																																																											
2	5872.98	51.10	105.87	-54.77	40.61	35.77	11.40	36.68	0.00	292	0 PEAK																																																											
3	5923.29	51.22	69.56	-18.34	40.69	35.77	11.42	36.66	0.00	292	0 PEAK																																																											
4	5927.19	53.61	68.30	-14.69	43.07	35.77	11.43	36.66	0.00	292	0 PEAK																																																											



Mode	16																																																																																																															
	Harmonic																																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																																															
ANT	CDD 1S4T																																																																																																															
Pol.	Horizontal						Vertical																																																																																																									
Peak Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11510.00</td><td>44.59</td><td>74.00</td><td>-29.41</td><td>51.74</td><td>38.67</td><td>16.22</td><td>62.04</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	44.59	74.00	-29.41	51.74	38.67	16.22	62.04	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11510.00</td><td>45.47</td><td>74.00</td><td>-28.53</td><td>52.62</td><td>38.67</td><td>16.22</td><td>62.04</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>12720.00</td><td>54.54</td><td>68.30</td><td>-13.76</td><td>60.95</td><td>39.43</td><td>16.98</td><td>62.82</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	45.47	74.00	-28.53	52.62	38.67	16.22	62.04	0.00	---	---	PEAK	2	12720.00	54.54	68.30	-13.76	60.95	39.43	16.98	62.82	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	11510.00	44.59	74.00	-29.41	51.74	38.67	16.22	62.04	0.00	---	---	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	11510.00	45.47	74.00	-28.53	52.62	38.67	16.22	62.04	0.00	---	---	PEAK																																																																																																				
2	12720.00	54.54	68.30	-13.76	60.95	39.43	16.98	62.82	0.00	---	---	PEAK																																																																																																				






Mode	17																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																																																																									
ANT	CDD 1S4T																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5607.22</td><td>60.26</td><td>68.30</td><td>-8.04</td><td>50.48</td><td>35.46</td><td>11.14</td><td>36.82</td><td>0.00</td><td>300</td><td>118</td><td>PEAK</td></tr><tr><td>2</td><td>5650.70</td><td>59.16</td><td>68.82</td><td>-9.66</td><td>49.26</td><td>35.52</td><td>11.18</td><td>36.00</td><td>0.00</td><td>300</td><td>118</td><td>PEAK</td></tr><tr><td>3</td><td>5705.89</td><td>63.98</td><td>106.95</td><td>-42.97</td><td>53.94</td><td>35.59</td><td>11.24</td><td>36.79</td><td>0.00</td><td>300</td><td>118</td><td>PEAK</td></tr><tr><td>4</td><td>5720.90</td><td>65.97</td><td>112.95</td><td>-46.98</td><td>55.88</td><td>35.61</td><td>11.26</td><td>36.78</td><td>0.00</td><td>300</td><td>118</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5607.22	60.26	68.30	-8.04	50.48	35.46	11.14	36.82	0.00	300	118	PEAK	2	5650.70	59.16	68.82	-9.66	49.26	35.52	11.18	36.00	0.00	300	118	PEAK	3	5705.89	63.98	106.95	-42.97	53.94	35.59	11.24	36.79	0.00	300	118	PEAK	4	5720.90	65.97	112.95	-46.98	55.88	35.61	11.26	36.78	0.00	300	118	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>113.07</td><td>-----</td><td>-----</td><td>102.75</td><td>35.71</td><td>11.34</td><td>36.73</td><td>0.00</td><td>300</td><td>118</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	113.07	-----	-----	102.75	35.71	11.34	36.73	0.00	300	118
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5607.22	60.26	68.30	-8.04	50.48	35.46	11.14	36.82	0.00	300	118	PEAK																																																																																																																														
2	5650.70	59.16	68.82	-9.66	49.26	35.52	11.18	36.00	0.00	300	118	PEAK																																																																																																																														
3	5705.89	63.98	106.95	-42.97	53.94	35.59	11.24	36.79	0.00	300	118	PEAK																																																																																																																														
4	5720.90	65.97	112.95	-46.98	55.88	35.61	11.26	36.78	0.00	300	118	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5795.00	113.07	-----	-----	102.75	35.71	11.34	36.73	0.00	300	118	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>103.40</td><td>-----</td><td>-----</td><td>93.00</td><td>35.71</td><td>11.34</td><td>36.73</td><td>0.00</td><td>300</td><td>118</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	103.40	-----	-----	93.00	35.71	11.34	36.73	0.00	300	118	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5795.00	103.40	-----	-----	93.00	35.71	11.34	36.73	0.00	300	118	AVERAGE																																																																																																																														




Mode	17																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																				
ANT	CDD 1S4T																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.99</td><td>70.84</td><td>110.93</td><td>-40.09</td><td>60.38</td><td>35.76</td><td>11.39</td><td>36.69</td><td>0.00</td><td>300</td><td>118</td><td>PEAK</td></tr><tr><td>2</td><td>5874.21</td><td>69.49</td><td>105.52</td><td>-36.03</td><td>59.00</td><td>35.77</td><td>11.40</td><td>36.68</td><td>0.00</td><td>300</td><td>118</td><td>PEAK</td></tr><tr><td>3</td><td>5923.19</td><td>60.89</td><td>69.64</td><td>-8.75</td><td>50.36</td><td>35.77</td><td>11.42</td><td>36.66</td><td>0.00</td><td>300</td><td>118</td><td>PEAK</td></tr><tr><td>4</td><td>5936.36</td><td>60.70</td><td>68.30</td><td>-7.60</td><td>50.16</td><td>35.77</td><td>11.43</td><td>36.66</td><td>0.00</td><td>300</td><td>118</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.99	70.84	110.93	-40.09	60.38	35.76	11.39	36.69	0.00	300	118	PEAK	2	5874.21	69.49	105.52	-36.03	59.00	35.77	11.40	36.68	0.00	300	118	PEAK	3	5923.19	60.89	69.64	-8.75	50.36	35.77	11.42	36.66	0.00	300	118	PEAK	4	5936.36	60.70	68.30	-7.60	50.16	35.77	11.43	36.66	0.00	300	118	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.99	70.84	110.93	-40.09	60.38	35.76	11.39	36.69	0.00	300	118	PEAK																																																																									
2	5874.21	69.49	105.52	-36.03	59.00	35.77	11.40	36.68	0.00	300	118	PEAK																																																																									
3	5923.19	60.89	69.64	-8.75	50.36	35.77	11.42	36.66	0.00	300	118	PEAK																																																																									
4	5936.36	60.70	68.30	-7.60	50.16	35.77	11.43	36.66	0.00	300	118	PEAK																																																																									





		17																																																																																																																																								
Mode	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																																																																									
ANT	CDD 1S4T																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5616.97</td><td>64.30</td><td>68.30</td><td>-4.00</td><td>54.49</td><td>35.47</td><td>11.15</td><td>36.81</td><td>0.00</td><td>100</td><td>50</td><td>PEAK</td></tr><tr><td>2</td><td>5651.87</td><td>66.08</td><td>69.69</td><td>-3.61</td><td>56.18</td><td>35.52</td><td>11.18</td><td>36.80</td><td>0.00</td><td>100</td><td>50</td><td>PEAK</td></tr><tr><td>3</td><td>5708.03</td><td>74.63</td><td>107.55</td><td>-32.92</td><td>64.58</td><td>35.59</td><td>11.24</td><td>36.78</td><td>0.00</td><td>100</td><td>50</td><td>PEAK</td></tr><tr><td>4</td><td>5728.12</td><td>73.27</td><td>111.17</td><td>-37.90</td><td>63.18</td><td>35.61</td><td>11.26</td><td>36.78</td><td>0.00</td><td>100</td><td>50</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5616.97	64.30	68.30	-4.00	54.49	35.47	11.15	36.81	0.00	100	50	PEAK	2	5651.87	66.08	69.69	-3.61	56.18	35.52	11.18	36.80	0.00	100	50	PEAK	3	5708.03	74.63	107.55	-32.92	64.58	35.59	11.24	36.78	0.00	100	50	PEAK	4	5728.12	73.27	111.17	-37.90	63.18	35.61	11.26	36.78	0.00	100	50	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>117.49</td><td>-----</td><td>-----</td><td>107.09</td><td>35.74</td><td>11.37</td><td>36.71</td><td>0.00</td><td>100</td><td>50</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	117.49	-----	-----	107.09	35.74	11.37	36.71	0.00	100	50
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5616.97	64.30	68.30	-4.00	54.49	35.47	11.15	36.81	0.00	100	50	PEAK																																																																																																																														
2	5651.87	66.08	69.69	-3.61	56.18	35.52	11.18	36.80	0.00	100	50	PEAK																																																																																																																														
3	5708.03	74.63	107.55	-32.92	64.58	35.59	11.24	36.78	0.00	100	50	PEAK																																																																																																																														
4	5728.12	73.27	111.17	-37.90	63.18	35.61	11.26	36.78	0.00	100	50	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5795.00	117.49	-----	-----	107.09	35.74	11.37	36.71	0.00	100	50	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>107.96</td><td>-----</td><td>-----</td><td>97.64</td><td>35.71</td><td>11.34</td><td>36.73</td><td>0.00</td><td>100</td><td>50</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	107.96	-----	-----	97.64	35.71	11.34	36.73	0.00	100	50	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5795.00	107.96	-----	-----	97.64	35.71	11.34	36.73	0.00	100	50	AVERAGE																																																																																																																														






Mode	17																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																													
ANT	CDD 1S4T																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.83</td><td>79.64</td><td>111.29</td><td>-31.65</td><td>69.18</td><td>35.76</td><td>11.39</td><td>36.69</td><td>0.00</td><td>100</td><td>50</td><td>PEAK</td></tr><tr><td>2</td><td>5872.19</td><td>76.53</td><td>106.09</td><td>-29.56</td><td>66.04</td><td>35.77</td><td>11.40</td><td>36.68</td><td>0.00</td><td>100</td><td>50</td><td>PEAK</td></tr><tr><td>3</td><td>5923.19</td><td>61.99</td><td>69.64</td><td>-7.65</td><td>51.46</td><td>35.77</td><td>11.42</td><td>36.66</td><td>0.00</td><td>100</td><td>50</td><td>PEAK</td></tr><tr><td>4</td><td>5928.92</td><td>62.98</td><td>68.30</td><td>-5.32</td><td>52.44</td><td>35.77</td><td>11.43</td><td>36.66</td><td>0.00</td><td>100</td><td>50</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.83	79.64	111.29	-31.65	69.18	35.76	11.39	36.69	0.00	100	50	PEAK	2	5872.19	76.53	106.09	-29.56	66.04	35.77	11.40	36.68	0.00	100	50	PEAK	3	5923.19	61.99	69.64	-7.65	51.46	35.77	11.42	36.66	0.00	100	50	PEAK	4	5928.92	62.98	68.30	-5.32	52.44	35.77	11.43	36.66	0.00	100	50	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.83	79.64	111.29	-31.65	69.18	35.76	11.39	36.69	0.00	100	50	PEAK																																																																																		
2	5872.19	76.53	106.09	-29.56	66.04	35.77	11.40	36.68	0.00	100	50	PEAK																																																																																		
3	5923.19	61.99	69.64	-7.65	51.46	35.77	11.42	36.66	0.00	100	50	PEAK																																																																																		
4	5928.92	62.98	68.30	-5.32	52.44	35.77	11.43	36.66	0.00	100	50	PEAK																																																																																		




Mode	17																																																																																																																																																					
	Harmonic																																																																																																																																																					
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																																																																																					
ANT	CDD 1S4T																																																																																																																																																					
Pol.	Horizontal												Vertical																																																																																																																																									
Peak Avg																																																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11590.00</td><td>51.53</td><td>74.00</td><td>-22.47</td><td>58.57</td><td>38.69</td><td>16.27</td><td>62.00</td><td>0.00</td><td>189</td><td>360</td><td>PEAK</td></tr><tr><td>2 11590.00</td><td>42.86</td><td>54.00</td><td>-11.14</td><td>49.90</td><td>38.69</td><td>16.27</td><td>62.00</td><td>0.00</td><td>189</td><td>360</td><td>AVERAGE</td></tr><tr><td>3 17406.00</td><td>59.76</td><td>68.30</td><td>-8.54</td><td>63.15</td><td>42.07</td><td>19.99</td><td>65.45</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11590.00	51.53	74.00	-22.47	58.57	38.69	16.27	62.00	0.00	189	360	PEAK	2 11590.00	42.86	54.00	-11.14	49.90	38.69	16.27	62.00	0.00	189	360	AVERAGE	3 17406.00	59.76	68.30	-8.54	63.15	42.07	19.99	65.45	0.00	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11590.00</td><td>50.83</td><td>74.00</td><td>-23.17</td><td>57.87</td><td>38.69</td><td>16.27</td><td>62.00</td><td>0.00</td><td>135</td><td>171</td><td>PEAK</td></tr><tr><td>2 11590.00</td><td>42.05</td><td>54.00</td><td>-11.95</td><td>49.09</td><td>38.69</td><td>16.27</td><td>62.00</td><td>0.00</td><td>135</td><td>171</td><td>AVERAGE</td></tr><tr><td>3 17385.00</td><td>56.22</td><td>68.30</td><td>-12.08</td><td>59.65</td><td>42.04</td><td>19.98</td><td>65.45</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11590.00	50.83	74.00	-23.17	57.87	38.69	16.27	62.00	0.00	135	171	PEAK	2 11590.00	42.05	54.00	-11.95	49.09	38.69	16.27	62.00	0.00	135	171	AVERAGE	3 17385.00	56.22	68.30	-12.08	59.65	42.04	19.98	65.45	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																												
1 11590.00	51.53	74.00	-22.47	58.57	38.69	16.27	62.00	0.00	189	360	PEAK																																																																																																																																											
2 11590.00	42.86	54.00	-11.14	49.90	38.69	16.27	62.00	0.00	189	360	AVERAGE																																																																																																																																											
3 17406.00	59.76	68.30	-8.54	63.15	42.07	19.99	65.45	0.00	---	---	Peak																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																												
1 11590.00	50.83	74.00	-23.17	57.87	38.69	16.27	62.00	0.00	135	171	PEAK																																																																																																																																											
2 11590.00	42.05	54.00	-11.95	49.09	38.69	16.27	62.00	0.00	135	171	AVERAGE																																																																																																																																											
3 17385.00	56.22	68.30	-12.08	59.65	42.04	19.98	65.45	0.00	---	---	PEAK																																																																																																																																											






		18																																																																																																																																																																																	
Mode		Band Edge - L																																																																																																																																																																																	
		U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																																																																																																																	
ANT		CDD 1S4T																																																																																																																																																																																	
Pol.	Horizontal											Fundamental																																																																																																																																																																							
Peak																																																																																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5637.28</td><td>61.63</td><td>68.30</td><td>-6.67</td><td>51.77</td><td>35.50</td><td>11.17</td><td>36.81</td><td>0.00</td><td>100</td><td>92</td><td>PEAK</td></tr><tr><td>2</td><td>5651.45</td><td>60.97</td><td>69.38</td><td>-8.41</td><td>51.07</td><td>35.52</td><td>11.18</td><td>36.80</td><td>0.00</td><td>100</td><td>92</td><td>PEAK</td></tr><tr><td>3</td><td>5706.05</td><td>67.75</td><td>107.00</td><td>-39.25</td><td>57.71</td><td>35.59</td><td>11.24</td><td>36.79</td><td>0.00</td><td>100</td><td>92</td><td>PEAK</td></tr><tr><td>4</td><td>5720.05</td><td>66.72</td><td>111.01</td><td>-44.29</td><td>56.63</td><td>35.61</td><td>11.26</td><td>36.78</td><td>0.00</td><td>100</td><td>92</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5637.28	61.63	68.30	-6.67	51.77	35.50	11.17	36.81	0.00	100	92	PEAK	2	5651.45	60.97	69.38	-8.41	51.07	35.52	11.18	36.80	0.00	100	92	PEAK	3	5706.05	67.75	107.00	-39.25	57.71	35.59	11.24	36.79	0.00	100	92	PEAK	4	5720.05	66.72	111.01	-44.29	56.63	35.61	11.26	36.78	0.00	100	92	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5164.00</td><td>67.49</td><td>68.30</td><td>-0.81</td><td>58.55</td><td>35.04</td><td>10.71</td><td>36.81</td><td>0.00</td><td>100</td><td>92</td><td>PEAK</td></tr><tr><td>2</td><td>5775.00</td><td>111.55</td><td>-----</td><td>101.39</td><td>35.64</td><td>11.28</td><td>36.76</td><td>0.00</td><td>100</td><td>100</td><td>92</td><td>PEAK</td></tr><tr><td>3</td><td>6352.00</td><td>66.13</td><td>68.30</td><td>-2.17</td><td>55.18</td><td>35.62</td><td>11.81</td><td>36.48</td><td>0.00</td><td>100</td><td>92</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5164.00	67.49	68.30	-0.81	58.55	35.04	10.71	36.81	0.00	100	92	PEAK	2	5775.00	111.55	-----	101.39	35.64	11.28	36.76	0.00	100	100	92	PEAK	3	6352.00	66.13	68.30	-2.17	55.18	35.62	11.81	36.48	0.00	100	92	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																								
1	5637.28	61.63	68.30	-6.67	51.77	35.50	11.17	36.81	0.00	100	92	PEAK																																																																																																																																																																							
2	5651.45	60.97	69.38	-8.41	51.07	35.52	11.18	36.80	0.00	100	92	PEAK																																																																																																																																																																							
3	5706.05	67.75	107.00	-39.25	57.71	35.59	11.24	36.79	0.00	100	92	PEAK																																																																																																																																																																							
4	5720.05	66.72	111.01	-44.29	56.63	35.61	11.26	36.78	0.00	100	92	PEAK																																																																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																									
1	5164.00	67.49	68.30	-0.81	58.55	35.04	10.71	36.81	0.00	100	92	PEAK																																																																																																																																																																							
2	5775.00	111.55	-----	101.39	35.64	11.28	36.76	0.00	100	100	92	PEAK																																																																																																																																																																							
3	6352.00	66.13	68.30	-2.17	55.18	35.62	11.81	36.48	0.00	100	92	PEAK																																																																																																																																																																							
Avg	Blank																																																																																																																																																																																		
												<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>98.49</td><td>122.30</td><td>-23.81</td><td>88.26</td><td>35.67</td><td>11.31</td><td>36.75</td><td>0.00</td><td>100</td><td>92</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	98.49	122.30	-23.81	88.26	35.67	11.31	36.75	0.00	100	92	AVERAGE																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																									
1	5775.00	98.49	122.30	-23.81	88.26	35.67	11.31	36.75	0.00	100	92	AVERAGE																																																																																																																																																																							




Mode	18																																																																																									
	Band Edge - R																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																									
ANT	CDD 1S4T																																																																																									
Pol.	Horizontal						Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>61.61</td><td>111.36</td><td>-49.75</td><td>51.15</td><td>35.76</td><td>11.39</td><td>36.69</td><td>0.00</td><td>100</td><td>92 PEAK</td></tr><tr><td>2</td><td>5865.65</td><td>63.95</td><td>107.92</td><td>-43.97</td><td>53.49</td><td>35.76</td><td>11.39</td><td>36.69</td><td>0.00</td><td>100</td><td>92 PEAK</td></tr><tr><td>3</td><td>5923.23</td><td>60.12</td><td>69.61</td><td>-9.49</td><td>49.59</td><td>35.77</td><td>11.42</td><td>36.66</td><td>0.00</td><td>100</td><td>92 PEAK</td></tr><tr><td>4</td><td>5926.38</td><td>60.91</td><td>68.30</td><td>-7.39</td><td>50.37</td><td>35.77</td><td>11.43</td><td>36.66</td><td>0.00</td><td>100</td><td>92 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	61.61	111.36	-49.75	51.15	35.76	11.39	36.69	0.00	100	92 PEAK	2	5865.65	63.95	107.92	-43.97	53.49	35.76	11.39	36.69	0.00	100	92 PEAK	3	5923.23	60.12	69.61	-9.49	49.59	35.77	11.42	36.66	0.00	100	92 PEAK	4	5926.38	60.91	68.30	-7.39	50.37	35.77	11.43	36.66	0.00	100	92 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5854.80	61.61	111.36	-49.75	51.15	35.76	11.39	36.69	0.00	100	92 PEAK																																																																															
2	5865.65	63.95	107.92	-43.97	53.49	35.76	11.39	36.69	0.00	100	92 PEAK																																																																															
3	5923.23	60.12	69.61	-9.49	49.59	35.77	11.42	36.66	0.00	100	92 PEAK																																																																															
4	5926.38	60.91	68.30	-7.39	50.37	35.77	11.43	36.66	0.00	100	92 PEAK																																																																															





Mode	18																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																																																																									
ANT	CDD 1S4T																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5602.63</td><td>59.80</td><td>68.30</td><td>-8.50</td><td>50.04</td><td>35.45</td><td>11.13</td><td>36.82</td><td>0.00</td><td>294</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5651.63</td><td>57.72</td><td>69.51</td><td>-11.79</td><td>47.82</td><td>35.52</td><td>11.18</td><td>36.80</td><td>0.00</td><td>294</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5700.45</td><td>58.61</td><td>105.43</td><td>-46.82</td><td>48.59</td><td>35.58</td><td>11.23</td><td>36.79</td><td>0.00</td><td>294</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5720.05</td><td>58.33</td><td>111.01</td><td>-52.68</td><td>48.24</td><td>35.61</td><td>11.26</td><td>36.78</td><td>0.00</td><td>294</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5602.63	59.80	68.30	-8.50	50.04	35.45	11.13	36.82	0.00	294	360	PEAK	2	5651.63	57.72	69.51	-11.79	47.82	35.52	11.18	36.80	0.00	294	360	PEAK	3	5700.45	58.61	105.43	-46.82	48.59	35.58	11.23	36.79	0.00	294	360	PEAK	4	5720.05	58.33	111.01	-52.68	48.24	35.61	11.26	36.78	0.00	294	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>103.59</td><td>-----</td><td>-----</td><td>93.41</td><td>35.65</td><td>11.29</td><td>36.76</td><td>0.00</td><td>294</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	103.59	-----	-----	93.41	35.65	11.29	36.76	0.00	294	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5602.63	59.80	68.30	-8.50	50.04	35.45	11.13	36.82	0.00	294	360	PEAK																																																																																																																														
2	5651.63	57.72	69.51	-11.79	47.82	35.52	11.18	36.80	0.00	294	360	PEAK																																																																																																																														
3	5700.45	58.61	105.43	-46.82	48.59	35.58	11.23	36.79	0.00	294	360	PEAK																																																																																																																														
4	5720.05	58.33	111.01	-52.68	48.24	35.61	11.26	36.78	0.00	294	360	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5775.00	103.59	-----	-----	93.41	35.65	11.29	36.76	0.00	294	360	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>90.45</td><td>122.30</td><td>-31.85</td><td>80.24</td><td>35.66</td><td>11.30</td><td>36.75</td><td>0.00</td><td>294</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	90.45	122.30	-31.85	80.24	35.66	11.30	36.75	0.00	294	360	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5775.00	90.45	122.30	-31.85	80.24	35.66	11.30	36.75	0.00	294	360	AVERAGE																																																																																																																														





Mode	18																																																																							
	Band Edge - R																																																																							
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																							
ANT	CDD 1S4T																																																																							
Pol.	Vertical	Fundamental																																																																						
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>5854.98</td><td>58.20</td><td>110.96</td><td>-52.76</td><td>47.74</td><td>35.76</td><td>11.39</td><td>36.69</td><td>0.00 294 360 PEAK</td></tr><tr><td>2</td><td>5873.88</td><td>59.29</td><td>105.61</td><td>-46.32</td><td>48.80</td><td>35.77</td><td>11.40</td><td>36.68</td><td>0.00 294 360 PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>58.54</td><td>68.45</td><td>-9.91</td><td>48.01</td><td>35.77</td><td>11.42</td><td>36.66</td><td>0.00 294 360 PEAK</td></tr><tr><td>4</td><td>5938.98</td><td>59.93</td><td>68.30</td><td>-8.37</td><td>49.39</td><td>35.76</td><td>11.43</td><td>36.65</td><td>0.00 294 360 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	5854.98	58.20	110.96	-52.76	47.74	35.76	11.39	36.69	0.00 294 360 PEAK	2	5873.88	59.29	105.61	-46.32	48.80	35.77	11.40	36.68	0.00 294 360 PEAK	3	5924.80	58.54	68.45	-9.91	48.01	35.77	11.42	36.66	0.00 294 360 PEAK	4	5938.98	59.93	68.30	-8.37	49.39	35.76	11.43	36.65	0.00 294 360 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																															
1	5854.98	58.20	110.96	-52.76	47.74	35.76	11.39	36.69	0.00 294 360 PEAK																																																															
2	5873.88	59.29	105.61	-46.32	48.80	35.77	11.40	36.68	0.00 294 360 PEAK																																																															
3	5924.80	58.54	68.45	-9.91	48.01	35.77	11.42	36.66	0.00 294 360 PEAK																																																															
4	5938.98	59.93	68.30	-8.37	49.39	35.76	11.43	36.65	0.00 294 360 PEAK																																																															





		18																																																																																											
Mode		Harmonic																																																																																											
		U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																											
ANT		CDD 1S4T																																																																																											
Pol.		Horizontal						Vertical																																																																																					
Peak Avg																																																																																													
																																																																																													
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th colspan="2"></th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>44.43</td><td>74.00</td><td>-29.57</td><td>51.53</td><td>38.68</td><td>16.24</td><td>62.02</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos				Freq		Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Remark	MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	dB	dB	dB	dB	dB	cm	deg	1	11550.00	44.43	74.00	-29.57	51.53	38.68	16.24	62.02	0.00	---	---	---	---	---	---	---	---	---	PEAK
		Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos																																																																													
Freq		Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Remark																																																																										
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	dB	dB	dB	dB	dB	cm	deg																																																																										
1	11550.00	44.43	74.00	-29.57	51.53	38.68	16.24	62.02	0.00	---	---	---	---	---	---	---	---	---	PEAK																																																																										
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th colspan="2"></th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>44.92</td><td>74.00</td><td>-29.08</td><td>52.02</td><td>38.68</td><td>16.24</td><td>62.02</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos				Freq		Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Remark	MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	dB	dB	dB	dB	dB	cm	deg	1	11550.00	44.92	74.00	-29.08	52.02	38.68	16.24	62.02	0.00	---	---	---	---	---	---	---	---	---	PEAK
		Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos																																																																													
Freq		Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Remark																																																																										
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	dB	dB	dB	dB	dB	cm	deg																																																																										
1	11550.00	44.92	74.00	-29.08	52.02	38.68	16.24	62.02	0.00	---	---	---	---	---	---	---	---	---	PEAK																																																																										







		1																																																																																																																																																																																																										
Mode	30M-1G																																																																																																																																																																																																											
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																																																																																																																											
ANT	CDD 1S4T																																																																																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																																																																																					
Peak QP	 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>Read</th><th>Cable</th><th>Antenna</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Pol/Phase</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>30.97</td><td>21.33</td><td>-18.67</td><td>40.00</td><td>28.68</td><td>0.70</td><td>24.25</td><td>32.30</td><td>-7.35</td><td>---</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>191.99</td><td>27.69</td><td>-15.81</td><td>43.50</td><td>42.68</td><td>2.03</td><td>15.15</td><td>32.17</td><td>-14.99</td><td>---</td><td>HORIZONTAL</td></tr><tr><td>3</td><td>216.24</td><td>28.78</td><td>-17.22</td><td>46.00</td><td>42.82</td><td>2.15</td><td>15.98</td><td>32.17</td><td>-14.04</td><td>---</td><td>HORIZONTAL</td></tr><tr><td>4</td><td>320.03</td><td>23.54</td><td>-22.46</td><td>46.00</td><td>33.38</td><td>2.62</td><td>19.73</td><td>32.19</td><td>-9.84</td><td>---</td><td>HORIZONTAL</td></tr><tr><td>5</td><td>402.48</td><td>26.63</td><td>-19.37</td><td>46.00</td><td>34.09</td><td>2.94</td><td>21.86</td><td>32.26</td><td>-7.46</td><td>---</td><td>HORIZONTAL</td></tr><tr><td>6</td><td>561.56</td><td>30.75</td><td>-15.25</td><td>46.00</td><td>34.89</td><td>3.49</td><td>24.84</td><td>32.47</td><td>-4.14</td><td>---</td><td>HORIZONTAL</td></tr></tbody></table>							Freq	Level	Over	Limit	Read	Cable	Antenna	Preamp	A/Pos	T/Pos	Pol/Phase		MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor	Factor	cm	deg	1	30.97	21.33	-18.67	40.00	28.68	0.70	24.25	32.30	-7.35	---	HORIZONTAL	2	191.99	27.69	-15.81	43.50	42.68	2.03	15.15	32.17	-14.99	---	HORIZONTAL	3	216.24	28.78	-17.22	46.00	42.82	2.15	15.98	32.17	-14.04	---	HORIZONTAL	4	320.03	23.54	-22.46	46.00	33.38	2.62	19.73	32.19	-9.84	---	HORIZONTAL	5	402.48	26.63	-19.37	46.00	34.09	2.94	21.86	32.26	-7.46	---	HORIZONTAL	6	561.56	30.75	-15.25	46.00	34.89	3.49	24.84	32.47	-4.14	---	HORIZONTAL	 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>Read</th><th>Cable</th><th>Antenna</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Pol/Phase</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>30.00</td><td>22.39</td><td>-17.61</td><td>40.00</td><td>29.20</td><td>0.68</td><td>24.80</td><td>32.29</td><td>-6.81</td><td>---</td><td>VERTICAL</td></tr><tr><td>2</td><td>63.95</td><td>20.69</td><td>-19.31</td><td>40.00</td><td>40.08</td><td>1.13</td><td>11.92</td><td>32.44</td><td>-19.39</td><td>---</td><td>VERTICAL</td></tr><tr><td>3</td><td>191.99</td><td>19.68</td><td>-23.82</td><td>43.50</td><td>34.67</td><td>2.03</td><td>15.15</td><td>32.17</td><td>-14.99</td><td>---</td><td>VERTICAL</td></tr><tr><td>4</td><td>216.24</td><td>18.13</td><td>-27.87</td><td>46.00</td><td>32.17</td><td>2.15</td><td>15.98</td><td>32.17</td><td>-14.04</td><td>---</td><td>VERTICAL</td></tr><tr><td>5</td><td>420.91</td><td>24.19</td><td>-21.81</td><td>46.00</td><td>31.32</td><td>3.01</td><td>22.22</td><td>32.36</td><td>-7.13</td><td>---</td><td>VERTICAL</td></tr><tr><td>6</td><td>560.59</td><td>34.78</td><td>-11.22</td><td>46.00</td><td>38.94</td><td>3.49</td><td>24.82</td><td>32.47</td><td>-4.16</td><td>---</td><td>VERTICAL</td></tr></tbody></table>							Freq	Level	Over	Limit	Read	Cable	Antenna	Preamp	A/Pos	T/Pos	Pol/Phase		MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor	Factor	cm	deg	1	30.00	22.39	-17.61	40.00	29.20	0.68	24.80	32.29	-6.81	---	VERTICAL	2	63.95	20.69	-19.31	40.00	40.08	1.13	11.92	32.44	-19.39	---	VERTICAL	3	191.99	19.68	-23.82	43.50	34.67	2.03	15.15	32.17	-14.99	---	VERTICAL	4	216.24	18.13	-27.87	46.00	32.17	2.15	15.98	32.17	-14.04	---	VERTICAL	5	420.91	24.19	-21.81	46.00	31.32	3.01	22.22	32.36	-7.13	---	VERTICAL	6	560.59	34.78	-11.22	46.00	38.94	3.49	24.82	32.47	-4.16	---	VERTICAL
	Freq	Level	Over	Limit	Read	Cable	Antenna	Preamp	A/Pos	T/Pos	Pol/Phase																																																																																																																																																																																																	
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor	Factor	cm	deg																																																																																																																																																																																																	
1	30.97	21.33	-18.67	40.00	28.68	0.70	24.25	32.30	-7.35	---	HORIZONTAL																																																																																																																																																																																																	
2	191.99	27.69	-15.81	43.50	42.68	2.03	15.15	32.17	-14.99	---	HORIZONTAL																																																																																																																																																																																																	
3	216.24	28.78	-17.22	46.00	42.82	2.15	15.98	32.17	-14.04	---	HORIZONTAL																																																																																																																																																																																																	
4	320.03	23.54	-22.46	46.00	33.38	2.62	19.73	32.19	-9.84	---	HORIZONTAL																																																																																																																																																																																																	
5	402.48	26.63	-19.37	46.00	34.09	2.94	21.86	32.26	-7.46	---	HORIZONTAL																																																																																																																																																																																																	
6	561.56	30.75	-15.25	46.00	34.89	3.49	24.84	32.47	-4.14	---	HORIZONTAL																																																																																																																																																																																																	
	Freq	Level	Over	Limit	Read	Cable	Antenna	Preamp	A/Pos	T/Pos	Pol/Phase																																																																																																																																																																																																	
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor	Factor	cm	deg																																																																																																																																																																																																	
1	30.00	22.39	-17.61	40.00	29.20	0.68	24.80	32.29	-6.81	---	VERTICAL																																																																																																																																																																																																	
2	63.95	20.69	-19.31	40.00	40.08	1.13	11.92	32.44	-19.39	---	VERTICAL																																																																																																																																																																																																	
3	191.99	19.68	-23.82	43.50	34.67	2.03	15.15	32.17	-14.99	---	VERTICAL																																																																																																																																																																																																	
4	216.24	18.13	-27.87	46.00	32.17	2.15	15.98	32.17	-14.04	---	VERTICAL																																																																																																																																																																																																	
5	420.91	24.19	-21.81	46.00	31.32	3.01	22.22	32.36	-7.13	---	VERTICAL																																																																																																																																																																																																	
6	560.59	34.78	-11.22	46.00	38.94	3.49	24.82	32.47	-4.16	---	VERTICAL																																																																																																																																																																																																	



Mode	1	
	18G-40G	
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz	
ANT	CDD 1S4T	
Pol.	Horizontal	Vertical
Peak		
Avg		





Co-location

		19																																																					
Mode		Band Edge - L																																																					
		2400-2483.5_2400-2483.5_802.11ax HE40_CH03_2422MHz																																																					
ANT		CDD 1S3T																																																					
Pol.		Horizontal																																																					
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.51</td><td>65.80</td><td>74.00</td><td>-8.20</td><td>58.60</td><td>30.96</td><td>7.16</td><td>36.92</td><td>6.00</td><td>156</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.51	65.80	74.00	-8.20	58.60	30.96	7.16	36.92	6.00	156	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2388.51	65.80	74.00	-8.20	58.60	30.96	7.16	36.92	6.00	156	360	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>112.38</td><td>-----</td><td>-----</td><td>105.07</td><td>31.03</td><td>7.21</td><td>36.93</td><td>6.00</td><td>156</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	112.38	-----	-----	105.07	31.03	7.21	36.93	6.00	156	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2422.00	112.38	-----	-----	105.07	31.03	7.21	36.93	6.00	156	360	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.97</td><td>51.91</td><td>54.00</td><td>-2.09</td><td>44.71</td><td>30.96</td><td>7.16</td><td>36.92</td><td>6.00</td><td>156</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.97	51.91	54.00	-2.09	44.71	30.96	7.16	36.92	6.00	156	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2389.97	51.91	54.00	-2.09	44.71	30.96	7.16	36.92	6.00	156	360	AVERAGE																																											
AVERAGE																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>102.83</td><td>-----</td><td>-----</td><td>95.52</td><td>31.03</td><td>7.21</td><td>36.93</td><td>6.00</td><td>156</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	102.83	-----	-----	95.52	31.03	7.21	36.93	6.00	156	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2422.00	102.83	-----	-----	95.52	31.03	7.21	36.93	6.00	156	360	AVERAGE																																											




		19																																																						
Mode		Band Edge - L																																																						
		2400-2483.5_2400-2483.5_802.11ax HE40_CH03_2422MHz																																																						
ANT		CDD 1S3T																																																						
Pol.		Vertical						Fundamental																																																
Peak																																																								
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2379.78</td><td>65.58</td><td>74.00</td><td>-8.42</td><td>58.42</td><td>30.93</td><td>7.15</td><td>36.92</td><td>6.00</td><td>112</td><td>79</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	2379.78	65.58	74.00	-8.42	58.42	30.93	7.15	36.92	6.00	112	79
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																														
1	2379.78	65.58	74.00	-8.42	58.42	30.93	7.15	36.92	6.00	112	79	PEAK																																												
Fundamental																																																								
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>110.73</td><td>-----</td><td>-----</td><td>103.43</td><td>31.02</td><td>7.20</td><td>36.92</td><td>6.00</td><td>112</td><td>79</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	2422.00	110.73	-----	-----	103.43	31.02	7.20	36.92	6.00	112	79
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																														
1	2422.00	110.73	-----	-----	103.43	31.02	7.20	36.92	6.00	112	79	PEAK																																												
Avg																																																								
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.63</td><td>48.56</td><td>54.00</td><td>-5.44</td><td>41.36</td><td>30.96</td><td>7.16</td><td>36.92</td><td>6.00</td><td>112</td><td>79</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	2389.63	48.56	54.00	-5.44	41.36	30.96	7.16	36.92	6.00	112	79
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																														
1	2389.63	48.56	54.00	-5.44	41.36	30.96	7.16	36.92	6.00	112	79	AVERAGE																																												
Avg																																																								
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>100.77</td><td>-----</td><td>-----</td><td>93.47</td><td>31.02</td><td>7.20</td><td>36.92</td><td>6.00</td><td>112</td><td>79</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	2422.00	100.77	-----	-----	93.47	31.02	7.20	36.92	6.00	112	79
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																														
1	2422.00	100.77	-----	-----	93.47	31.02	7.20	36.92	6.00	112	79	AVERAGE																																												







Mode	19																																												
	Band Edge - R																																												
	2400-2483.5_2400-2483.5_802.11ax HE40_CH03_2422MHz																																												
ANT	CDD 1S3T																																												
Pol.	Vertical	Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.04</td><td>53.65</td><td>74.00</td><td>-20.35</td><td>46.13</td><td>31.15</td><td>7.33</td><td>36.96</td><td>6.00</td><td>112</td><td>79 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.04	53.65	74.00	-20.35	46.13	31.15	7.33	36.96	6.00	112	79 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	2486.04	53.65	74.00	-20.35	46.13	31.15	7.33	36.96	6.00	112	79 PEAK																																		
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.93</td><td>43.00</td><td>54.00</td><td>-10.92</td><td>35.58</td><td>31.14</td><td>7.32</td><td>36.96</td><td>6.00</td><td>112</td><td>79 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.93	43.00	54.00	-10.92	35.58	31.14	7.32	36.96	6.00	112	79 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	2483.93	43.00	54.00	-10.92	35.58	31.14	7.32	36.96	6.00	112	79 AVERAGE																																		







		19																																																																					
Mode		Harmonic																																																																					
		2400-2483.5_2400-2483.5_802.11ax HE40_CH03_2422MHz																																																																					
ANT		CDD 1S3T																																																																					
Pol.		Horizontal						Vertical																																																															
Peak Avg																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4844.00</td><td>39.79</td><td>74.00</td><td>-34.21</td><td>59.01</td><td>34.59</td><td>10.27</td><td>64.08</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7266.00</td><td>43.67</td><td>74.00</td><td>-30.33</td><td>58.15</td><td>36.55</td><td>12.70</td><td>63.73</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4844.00	39.79	74.00	-34.21	59.01	34.59	10.27	64.08	0.00	---	---	PEAK	2	7266.00	43.67	74.00	-30.33	58.15	36.55	12.70	63.73	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	4844.00	39.79	74.00	-34.21	59.01	34.59	10.27	64.08	0.00	---	---	PEAK																																																											
2	7266.00	43.67	74.00	-30.33	58.15	36.55	12.70	63.73	0.00	---	---	PEAK																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4844.00</td><td>39.16</td><td>74.00</td><td>-34.84</td><td>58.38</td><td>34.59</td><td>10.27</td><td>64.08</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7266.00</td><td>44.80</td><td>74.00</td><td>-29.20</td><td>59.28</td><td>36.55</td><td>12.70</td><td>63.73</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4844.00	39.16	74.00	-34.84	58.38	34.59	10.27	64.08	0.00	---	---	PEAK	2	7266.00	44.80	74.00	-29.20	59.28	36.55	12.70	63.73	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	4844.00	39.16	74.00	-34.84	58.38	34.59	10.27	64.08	0.00	---	---	PEAK																																																											
2	7266.00	44.80	74.00	-29.20	59.28	36.55	12.70	63.73	0.00	---	---	PEAK																																																											





		19																																																																					
Mode	Band Edge																																																																						
	U-NII-1_5.15-5.25_802.11a_CH36_Full RU_5180MHz																																																																						
ANT	CDD 1S4T																																																																						
Pol.	Horizontal																																																																						
Peak	Fundamental																																																																						
Peak																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5138.00</td><td>63.93</td><td>74.00</td><td>-10.07</td><td>55.03</td><td>35.02</td><td>10.68</td><td>36.00</td><td>0.00</td><td>271</td><td>248</td><td>PEAK</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5138.00	63.93	74.00	-10.07	55.03	35.02	10.68	36.00	0.00	271	248	PEAK														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	5138.00	63.93	74.00	-10.07	55.03	35.02	10.68	36.00	0.00	271	248	PEAK																																																											
Avg																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.92</td><td>53.33</td><td>54.00</td><td>-0.67</td><td>44.41</td><td>35.03</td><td>10.69</td><td>36.00</td><td>0.00</td><td>271</td><td>248</td><td>AVERAGE</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.92	53.33	54.00	-0.67	44.41	35.03	10.69	36.00	0.00	271	248	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	5149.92	53.33	54.00	-0.67	44.41	35.03	10.69	36.00	0.00	271	248	AVERAGE																																																											
Peak																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>103.57</td><td>-----</td><td>-----</td><td>102.24</td><td>31.04</td><td>7.22</td><td>36.93</td><td>0.00</td><td>271</td><td>248</td><td>AVERAGE</td></tr><tr><td>2</td><td>5180.00</td><td>118.70</td><td>-----</td><td>-----</td><td>109.73</td><td>35.06</td><td>10.72</td><td>36.81</td><td>0.00</td><td>271</td><td>248</td><td>PEAK</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2422.00	103.57	-----	-----	102.24	31.04	7.22	36.93	0.00	271	248	AVERAGE	2	5180.00	118.70	-----	-----	109.73	35.06	10.72	36.81	0.00	271	248	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	2422.00	103.57	-----	-----	102.24	31.04	7.22	36.93	0.00	271	248	AVERAGE																																																											
2	5180.00	118.70	-----	-----	109.73	35.06	10.72	36.81	0.00	271	248	PEAK																																																											
Avg																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>94.62</td><td>-----</td><td>-----</td><td>93.29</td><td>31.04</td><td>7.22</td><td>36.93</td><td>0.00</td><td>271</td><td>248</td><td>AVERAGE</td></tr><tr><td>2</td><td>5180.00</td><td>109.80</td><td>-----</td><td>-----</td><td>100.83</td><td>35.06</td><td>10.72</td><td>36.81</td><td>0.00</td><td>271</td><td>248</td><td>AVERAGE</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2422.00	94.62	-----	-----	93.29	31.04	7.22	36.93	0.00	271	248	AVERAGE	2	5180.00	109.80	-----	-----	100.83	35.06	10.72	36.81	0.00	271	248
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	2422.00	94.62	-----	-----	93.29	31.04	7.22	36.93	0.00	271	248	AVERAGE																																																											
2	5180.00	109.80	-----	-----	100.83	35.06	10.72	36.81	0.00	271	248	AVERAGE																																																											



		19																																																																																																											
Mode	Band Edge																																																																																																												
	U-NII-1_5.15-5.25_802.11a_CH36_Full RU_5180MHz																																																																																																												
ANT	CDD 1S4T																																																																																																												
Pol.	Vertical						Fundamental																																																																																																						
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>5148.16</td><td>72.15</td><td>74.00</td><td>-1.85</td><td>63.23</td><td>35.03</td><td>10.69</td><td>36.80</td><td>0.00</td><td>100</td><td>285</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	5148.16	72.15	74.00	-1.85	63.23	35.03	10.69	36.80	0.00	100	285	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>2422.00</td><td>106.88</td><td>-----</td><td>105.55</td><td>31.04</td><td>7.22</td><td>36.93</td><td>0.00</td><td>100</td><td>285</td><td>AVERAGE</td></tr><tr><td>2</td><td>5180.00</td><td>116.71</td><td>-----</td><td>107.71</td><td>35.07</td><td>10.74</td><td>36.81</td><td>0.00</td><td>100</td><td>285</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	2422.00	106.88	-----	105.55	31.04	7.22	36.93	0.00	100	285	AVERAGE	2	5180.00	116.71	-----	107.71	35.07	10.74	36.81	0.00	100	285	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																					
1	5148.16	72.15	74.00	-1.85	63.23	35.03	10.69	36.80	0.00	100	285	PEAK																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																					
1	2422.00	106.88	-----	105.55	31.04	7.22	36.93	0.00	100	285	AVERAGE																																																																																																		
2	5180.00	116.71	-----	107.71	35.07	10.74	36.81	0.00	100	285	PEAK																																																																																																		
Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>5146.56</td><td>51.85</td><td>54.00</td><td>-2.15</td><td>42.93</td><td>35.03</td><td>10.69</td><td>36.80</td><td>0.00</td><td>100</td><td>285</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	5146.56	51.85	54.00	-2.15	42.93	35.03	10.69	36.80	0.00	100	285	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>2422.00</td><td>97.63</td><td>-----</td><td>96.30</td><td>31.04</td><td>7.22</td><td>36.93</td><td>0.00</td><td>100</td><td>285</td><td>AVERAGE</td></tr><tr><td>2</td><td>5180.00</td><td>108.25</td><td>-----</td><td>99.25</td><td>35.07</td><td>10.74</td><td>36.81</td><td>0.00</td><td>100</td><td>285</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	2422.00	97.63	-----	96.30	31.04	7.22	36.93	0.00	100	285	AVERAGE	2	5180.00	108.25	-----	99.25	35.07	10.74	36.81	0.00	100	285
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																					
1	5146.56	51.85	54.00	-2.15	42.93	35.03	10.69	36.80	0.00	100	285	AVERAGE																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																					
1	2422.00	97.63	-----	96.30	31.04	7.22	36.93	0.00	100	285	AVERAGE																																																																																																		
2	5180.00	108.25	-----	99.25	35.07	10.74	36.81	0.00	100	285	AVERAGE																																																																																																		




		19																																																					
Mode		Harmonic																																																					
		U-NII-1_5.15-5.25_802.11a_CH36_Full RU_5180MHz																																																					
ANT		CDD 1S4T																																																					
Pol.		Horizontal																																																					
Peak Avg																																																							
	<table><tr><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10360.00</td><td>45.66</td><td>68.30</td><td>-22.64</td><td>54.54</td><td>38.32</td><td>15.54</td><td>62.74</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10360.00	45.66	68.30	-22.64	54.54	38.32	15.54	62.74	0.00	---	---	PEAK	
	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 10360.00	45.66	68.30	-22.64	54.54	38.32	15.54	62.74	0.00	---	---	PEAK																																												
																																																							
		<table><tr><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10360.00</td><td>45.33</td><td>68.30</td><td>-22.97</td><td>54.21</td><td>38.32</td><td>15.54</td><td>62.74</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10360.00	45.33	68.30	-22.97	54.21	38.32	15.54	62.74	0.00	---	---	PEAK
Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 10360.00	45.33	68.30	-22.97	54.21	38.32	15.54	62.74	0.00	---	---	PEAK																																												




Appendix D. Duty Cycle Plots

Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
0+1+2+3	5GHz 802.11a	95.32	2.065	0.484	0.51kHz
0+1+2+3	5GHz 802.11ax HE20	98.09	-	-	10Hz
0+1+2+3	5GHz 802.11ax HE40	96.07	0.780	1.283	1.3kHz
0+1+2+3	5GHz 802.11ax HE80	92.81	0.412	2.430	2.7kHz


802.11a



802.11ax HE20



802.11ax HE40



802.11ax HE80

