


5250MHz-5350MHz

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11a		

5260MHz




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	49.359419	19.3	40.0	20.7	13.6	32.6	0.8	H
2	99.702770	22.4	43.5	21.1	10.1	32.9	1.4	H
3	172.296442	19.6	43.5	23.9	12.8	32.8	1.8	H
4	335.446505	20.8	46.0	25.2	13.2	32.6	2.7	H
5	515.437388	23.1	46.0	22.9	14.9	32.4	2.9	H
6	970.634069	24.3	54.0	29.7	20.4	31.2	3.8	H

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11a		

5260 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1110.461813	32.7	74.0	41.3	25.5	60.7	2.2	H
2	1643.425275	32.9	74.0	41.1	25.2	61.2	2.5	H
3	2612.548069	37.5	74.0	36.5	28.1	59.0	2.9	H
4	4779.871742	42.3	74.0	31.7	32.2	57.6	3.6	H
5	8523.690139	52.1	74.0	21.9	37.7	56.0	5.1	H
6	13008.021838	53.7	74.0	20.3	39.8	57.8	6.2	H
Avg								
1	1110.461813	22.4	54.0	31.6	25.5	60.7	2.2	H
2	1643.425275	22.1	54.0	31.9	25.2	61.2	2.5	H
3	2612.548069	26.0	54.0	28.0	28.1	59.0	2.9	H
4	4779.871742	31.9	54.0	22.1	32.2	57.6	3.6	H
5	8523.690139	42.2	54.0	11.8	37.7	56.0	5.1	H
6	13008.021838	44.3	54.0	9.7	39.8	57.8	6.2	H

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11a		

5260 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	34.821189	24.7	40.0	15.3	13.4	32.2	0.8	V
2	75.578767	18.6	40.0	21.4	10.0	32.9	0.9	V
3	155.092197	16.8	43.5	26.7	14.1	32.9	1.4	V
4	331.936213	25.0	46.0	21.0	13.5	32.6	2.7	V
5	499.424690	22.9	46.0	23.1	16.5	32.5	2.8	V
6	932.271537	25.6	46.0	20.4	22.0	31.4	3.7	V

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11a		

5260 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1097.750000	32.9	74.0	41.1	25.5	60.6	2.2	V
2	1977.500000	33.9	74.0	40.1	26.3	60.9	2.7	V
3	3127.125000	38.4	74.0	35.6	29.7	58.6	3.0	V
4	5426.375000	43.7	74.0	30.3	32.7	58.0	3.9	V
5	9891.000000	52.4	74.0	21.6	38.4	59.7	5.4	V
6	17802.375000	54.7	74.0	19.3	41.1	57.8	7.0	V
Avg								
1	1097.750000	22.6	54.0	31.4	25.5	60.6	2.2	V
2	1977.500000	23.8	54.0	30.2	26.3	60.9	2.7	V
3	3127.125000	28.5	54.0	25.5	29.7	58.6	3.0	V
4	5426.375000	33.9	54.0	20.1	32.7	58.0	3.9	V
5	9891.000000	42.7	54.0	11.3	38.4	59.7	5.4	V
6	17802.375000	45.5	54.0	8.5	41.1	57.8	7.0	V

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11a		

5320 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	49.359419	18.3	40.0	21.7	13.6	32.6	0.8	H
2	104.536051	23.3	43.5	20.2	10.6	32.9	1.4	H
3	178.132703	20.5	43.5	23.0	12.0	32.8	1.9	H
4	271.324560	20.3	46.0	25.7	12.1	32.7	2.6	H
5	462.345544	22.0	46.0	24.0	14.4	32.4	2.8	H
6	965.542095	23.7	54.0	30.3	20.4	31.2	3.8	H

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11a		

5320 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1229.500000	32.6	74.0	41.4	25.8	60.9	2.3	H
2	2117.750000	34.2	74.0	39.8	27.2	60.8	2.7	H
3	4278.875000	40.1	74.0	33.9	31.3	58.2	3.4	H
4	7285.750000	48.9	74.0	25.1	36.8	57.6	4.5	H
5	12808.625000	53.6	74.0	20.4	39.5	57.9	6.1	H
6	17683.375000	54.7	74.0	19.3	40.4	57.9	6.9	H
Avg								
1	1229.500000	23.1	54.0	30.9	25.8	60.9	2.3	H
2	2117.750000	24.2	54.0	29.8	27.2	60.8	2.7	H
3	4278.875000	30.5	54.0	23.5	31.3	58.2	3.4	H
4	7285.750000	39.1	54.0	14.9	36.8	57.6	4.5	H
5	12808.625000	44.0	54.0	10.0	39.5	57.9	6.1	H
6	17683.375000	44.9	54.0	9.1	40.4	57.9	6.9	H

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11a		

5320 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	39.645155	24.1	40.0	15.9	14.0	32.4	0.8	V
2	76.512057	19.4	40.0	20.6	9.8	32.9	0.9	V
3	155.910105	16.8	43.5	26.7	14.1	32.9	1.5	V
4	331.936213	22.8	46.0	23.2	13.5	32.6	2.7	V
5	499.424690	22.1	46.0	23.9	16.5	32.5	2.8	V
6	972.337354	25.2	54.0	28.8	22.2	31.1	3.8	V

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11a		

5320 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1420.743276	33.1	74.0	40.9	25.5	61.4	2.4	V
2	2183.134463	35.4	74.0	38.6	27.2	60.6	2.7	V
3	3942.609034	39.0	74.0	35.0	30.8	58.5	3.2	V
4	7398.084726	48.6	74.0	25.4	36.5	57.5	4.6	V
5	12802.867726	53.4	74.0	20.6	39.5	57.9	6.1	V
6	17588.561638	55.1	74.0	18.9	39.8	58.0	6.9	V
Avg								
1	1420.743276	22.0	54.0	32.0	25.5	61.4	2.4	V
2	2183.134463	24.8	54.0	29.2	27.2	60.6	2.7	V
3	3942.609034	29.6	54.0	24.4	30.8	58.5	3.2	V
4	7398.084726	39.7	54.0	14.3	36.5	57.5	4.6	V
5	12802.867726	44.4	54.0	9.6	39.5	57.9	6.1	V
6	17588.561638	45.3	54.0	8.7	39.8	58.0	6.9	V

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11ac20		

5260 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	49.359419	19.9	40.0	20.1	13.6	32.6	0.8	H
2	100.228572	22.4	43.5	21.1	10.2	32.9	1.4	H
3	216.023992	20.2	46.0	25.8	10.5	32.8	2.4	H
4	271.800685	20.6	46.0	25.4	12.1	32.7	2.6	H
5	460.727141	22.3	46.0	23.7	14.4	32.4	2.8	H
6	972.337354	23.9	54.0	30.1	20.5	31.1	3.8	H

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11ac20		

5260 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1218.875000	33.3	74.0	40.7	25.7	60.9	2.3	H
2	2124.125000	34.9	74.0	39.1	27.2	60.8	2.7	H
3	3556.375000	37.9	74.0	36.1	29.5	59.0	3.2	H
4	5825.875000	45.6	74.0	28.4	33.9	58.1	4.1	H
5	9472.375000	51.8	74.0	22.2	38.6	59.7	5.4	H
6	17687.625000	54.6	74.0	19.4	40.4	57.9	6.9	H
Avg								
1	1218.875000	23.4	54.0	30.6	25.7	60.9	2.3	H
2	2124.125000	23.9	54.0	30.1	27.2	60.8	2.7	H
3	3556.375000	28.3	54.0	25.7	29.5	59.0	3.2	H
4	5825.875000	35.3	54.0	18.7	33.9	58.1	4.1	H
5	9472.375000	42.9	54.0	11.1	38.6	59.7	5.4	H
6	17687.625000	44.9	54.0	9.1	40.4	57.9	6.9	H

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11ac20		

5260 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	34.882294	23.6	40.0	16.4	13.4	32.2	0.8	V
2	76.512057	19.0	40.0	21.0	9.8	32.9	0.9	V
3	156.457773	16.3	43.5	27.2	14.1	32.9	1.5	V
4	331.936213	23.0	46.0	23.0	13.5	32.6	2.7	V
5	499.424690	22.5	46.0	23.5	16.5	32.5	2.8	V
6	938.832645	24.8	46.0	21.2	22.0	31.4	3.7	V

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11ac20		

5260 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1227.375000	33.8	74.0	40.2	25.8	60.9	2.3	V
2	2047.625000	34.2	74.0	39.8	26.8	60.9	2.7	V
3	3522.375000	38.2	74.0	35.8	29.5	59.0	3.1	V
4	5534.750000	44.7	74.0	29.3	32.8	58.1	4.0	V
5	8446.000000	52.3	74.0	21.7	37.5	56.2	5.1	V
6	12923.375000	54.1	74.0	19.9	39.7	57.8	6.1	V
Avg								
1	1227.375000	22.9	54.0	31.1	25.8	60.9	2.3	V
2	2047.625000	23.9	54.0	30.1	26.8	60.9	2.7	V
3	3522.375000	27.9	54.0	26.1	29.5	59.0	3.1	V
4	5534.750000	34.5	54.0	19.5	32.8	58.1	4.0	V
5	8446.000000	41.2	54.0	12.8	37.5	56.2	5.1	V
6	12923.375000	44.3	54.0	9.7	39.7	57.8	6.1	V

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11ac20		

5320 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	49.359419	18.7	40.0	21.3	13.6	32.6	0.8	H
2	101.288509	22.1	43.5	21.4	10.3	32.9	1.4	H
3	179.072120	19.5	43.5	24.0	11.8	32.8	1.9	H
4	271.800685	21.0	46.0	25.0	12.1	32.7	2.6	H
5	499.424690	21.7	46.0	24.3	14.7	32.5	2.8	H
6	963.850713	23.4	54.0	30.6	20.4	31.2	3.8	H

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11ac20		

5320 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1225.250000	33.2	74.0	40.8	25.8	60.9	2.3	H
2	2302.625000	36.1	74.0	37.9	27.2	59.9	2.8	H
3	5003.500000	43.9	74.0	30.1	33.0	57.4	3.6	H
4	7394.125000	49.3	74.0	24.7	36.5	57.5	4.6	H
5	12795.875000	54.3	74.0	19.7	39.5	57.9	6.1	H
6	17806.625000	55.4	74.0	18.6	41.2	57.8	7.0	H
Avg								
1	1225.250000	23.5	54.0	30.5	25.8	60.9	2.3	H
2	2302.625000	25.2	54.0	28.8	27.2	59.9	2.8	H
3	5003.500000	34.0	54.0	20.0	33.0	57.4	3.6	H
4	7394.125000	40.0	54.0	14.0	36.5	57.5	4.6	H
5	12795.875000	44.7	54.0	9.3	39.5	57.9	6.1	H
6	17806.625000	46.4	54.0	7.6	41.2	57.8	7.0	H

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11ac20		

5320 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	39.645155	24.1	40.0	15.9	14.0	32.4	0.8	V
2	100.228572	19.5	43.5	24.0	10.2	32.9	1.4	V
3	155.092197	16.6	43.5	26.9	14.1	32.9	1.4	V
4	331.936213	21.7	46.0	24.3	13.5	32.6	2.7	V
5	499.424690	22.3	46.0	23.7	16.5	32.5	2.8	V
6	965.542095	25.7	54.0	28.3	22.2	31.2	3.8	V

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11ac20		

5320 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1138.125000	33.1	74.0	40.9	25.6	60.7	2.2	V
2	1941.375000	32.8	74.0	41.2	26.0	60.9	2.6	V
3	3747.625000	38.7	74.0	35.3	30.1	58.9	3.2	V
4	6372.000000	46.7	74.0	27.3	34.5	58.0	4.2	V
5	10105.625000	53.0	74.0	21.0	38.6	60.4	5.4	V
6	17904.375000	57.0	74.0	17.0	41.8	57.7	7.0	V
Avg								
1	1138.125000	23.3	54.0	30.7	25.6	60.7	2.2	V
2	1941.375000	23.5	54.0	30.5	26.0	60.9	2.6	V
3	3747.625000	29.2	54.0	24.8	30.1	58.9	3.2	V
4	6372.000000	36.0	54.0	18.0	34.5	58.0	4.2	V
5	10105.625000	43.0	54.0	11.0	38.6	60.4	5.4	V
6	17904.375000	46.0	54.0	8.0	41.8	57.7	7.0	V

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11n40		

5270 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	49.359419	19.1	40.0	20.9	13.6	32.6	0.8	H
2	97.798319	22.6	43.5	20.9	10.0	32.9	1.3	H
3	177.820660	21.0	43.5	22.5	12.0	32.8	1.9	H
4	271.324560	20.3	46.0	25.7	12.1	32.7	2.6	H
5	499.424690	21.5	46.0	24.5	14.7	32.5	2.8	H
6	972.337354	23.4	54.0	30.6	20.5	31.1	3.8	H

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11n40		

5270 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1112.625000	33.0	74.0	41.0	25.5	60.7	2.2	H
2	1669.375000	32.8	74.0	41.2	25.1	61.2	2.5	H
3	3233.375000	38.6	74.0	35.4	29.7	58.4	3.0	H
4	5851.375000	45.8	74.0	28.2	33.9	58.1	4.1	H
5	9455.375000	52.4	74.0	21.6	38.6	59.6	5.4	H
6	17585.625000	55.0	74.0	19.0	39.8	58.1	6.9	H
Avg								
1	1112.625000	23.0	54.0	31.0	25.5	60.7	2.2	H
2	1669.375000	22.7	54.0	31.3	25.1	61.2	2.5	H
3	3233.375000	28.6	54.0	25.4	29.7	58.4	3.0	H
4	5851.375000	34.3	54.0	19.7	33.9	58.1	4.1	H
5	9455.375000	42.2	54.0	11.8	38.6	59.6	5.4	H
6	17585.625000	46.2	54.0	7.8	39.8	58.1	6.9	H

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11n40		

5270 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	39.645155	23.8	40.0	16.2	14.0	32.4	0.8	V
2	92.462436	18.1	43.5	25.4	9.6	32.9	1.2	V
3	154.549309	16.9	43.5	26.6	14.2	32.9	1.4	V
4	331.936213	21.5	46.0	24.5	13.5	32.6	2.7	V
5	499.424690	22.7	46.0	23.3	16.5	32.5	2.8	V
6	896.996522	25.1	46.0	20.9	21.6	31.6	3.6	V

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11n40		

5270 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1110.500000	33.2	74.0	40.8	25.5	60.7	2.2	V
2	2077.375000	35.5	74.0	38.5	27.0	60.9	2.7	V
3	3339.625000	38.2	74.0	35.8	29.6	58.2	3.1	V
4	5830.125000	46.6	74.0	27.4	33.9	58.1	4.1	V
5	9876.125000	52.4	74.0	21.6	38.3	59.6	5.4	V
6	17898.000000	55.6	74.0	18.4	41.7	57.7	7.0	V
Avg								
1	1110.500000	23.0	54.0	31.0	25.5	60.7	2.2	V
2	2077.375000	24.6	54.0	29.4	27.0	60.9	2.7	V
3	3339.625000	28.0	54.0	26.0	29.6	58.2	3.1	V
4	5830.125000	35.6	54.0	18.4	33.9	58.1	4.1	V
5	9876.125000	42.0	54.0	12.0	38.3	59.6	5.4	V
6	17898.000000	46.1	54.0	7.9	41.7	57.7	7.0	V

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11n40		

5310 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	49.359419	18.7	40.0	21.3	13.6	32.6	0.8	H
2	100.228572	24.0	43.5	19.5	10.2	32.9	1.4	H
3	208.946278	20.1	43.5	23.4	10.2	32.8	2.4	H
4	343.782228	18.4	46.0	27.6	13.4	32.5	2.7	H
5	499.424690	21.4	46.0	24.6	14.7	32.5	2.8	H
6	972.337354	24.7	54.0	29.3	20.5	31.1	3.8	H

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11n40		

5310 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1214.625000	33.2	74.0	40.8	25.7	60.9	2.3	H
2	1631.125000	33.0	74.0	41.0	25.2	61.2	2.5	H
3	2702.125000	37.4	74.0	36.6	28.2	59.4	2.9	H
4	4997.125000	43.0	74.0	31.0	33.0	57.4	3.6	H
5	9457.500000	52.2	74.0	21.8	38.6	59.6	5.4	H
6	17881.000000	55.7	74.0	18.3	41.6	57.7	7.0	H
Avg								
1	1214.625000	23.9	54.0	30.1	25.7	60.9	2.3	H
2	1631.125000	22.9	54.0	31.1	25.2	61.2	2.5	H
3	2702.125000	26.6	54.0	27.4	28.2	59.4	2.9	H
4	4997.125000	33.3	54.0	20.7	33.0	57.4	3.6	H
5	9457.500000	42.6	54.0	11.4	38.6	59.6	5.4	H
6	17881.000000	46.1	54.0	7.9	41.6	57.7	7.0	H

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11n40		

5310 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	39.645155	24.0	40.0	16.0	14.0	32.4	0.8	V
2	99.702770	21.6	43.5	21.9	10.1	32.9	1.4	V
3	155.910105	16.5	43.5	27.0	14.1	32.9	1.5	V
4	331.936213	21.3	46.0	24.7	13.5	32.6	2.7	V
5	499.424690	22.6	46.0	23.4	16.5	32.5	2.8	V
6	963.850713	24.5	54.0	29.5	22.2	31.2	3.8	V

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11n40		

5310 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1221.000000	32.8	74.0	41.2	25.7	60.9	2.3	V
2	2067.969485	34.2	74.0	39.8	26.9	60.9	2.7	V
3	3858.125000	40.1	74.0	33.9	30.6	58.7	3.2	V
4	6352.875000	46.5	74.0	27.5	34.5	58.0	4.2	V
5	10730.375000	52.3	74.0	21.7	38.9	61.1	5.6	V
6	17594.125000	55.4	74.0	18.6	39.8	58.0	6.9	V
Avg								
1	1221.000000	23.1	54.0	30.9	25.7	60.9	2.3	V
2	2067.969485	24.9	54.0	29.1	26.9	60.9	2.7	V
3	3858.125000	29.8	54.0	24.2	30.6	58.7	3.2	V
4	6352.875000	37.3	54.0	16.7	34.5	58.0	4.2	V
5	10730.375000	41.5	54.0	12.5	38.9	61.1	5.6	V
6	17594.125000	45.6	54.0	8.4	39.8	58.0	6.9	V

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11ax80		

5290 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	49.359419	18.7	40.0	21.3	13.6	32.6	0.8	H
2	101.644307	23.3	43.5	20.2	10.3	32.9	1.4	H
3	176.887808	20.0	43.5	23.5	12.1	32.8	1.9	H
4	269.901183	21.8	46.0	24.2	12.1	32.7	2.6	H
5	458.310154	21.7	46.0	24.3	14.4	32.4	2.8	H
6	960.476834	23.6	54.0	30.4	20.4	31.2	3.8	H

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11ax80		

5290 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1102.000000	32.7	74.0	41.3	25.5	60.7	2.2	H
2	1669.375000	33.2	74.0	40.8	25.1	61.2	2.5	H
3	2485.375000	37.1	74.0	36.9	27.7	58.9	2.8	H
4	5116.125000	43.8	74.0	30.2	33.1	57.5	3.7	H
5	9574.375000	53.1	74.0	20.9	38.5	59.1	5.4	H
6	17596.250000	55.5	74.0	18.5	39.8	58.0	6.9	H
Avg								
1	1102.000000	23.4	54.0	30.6	25.5	60.7	2.2	H
2	1669.375000	22.6	54.0	31.4	25.1	61.2	2.5	H
3	2485.375000	27.4	54.0	26.6	27.7	58.9	2.8	H
4	5116.125000	34.4	54.0	19.6	33.1	57.5	3.7	H
5	9574.375000	42.6	54.0	11.4	38.5	59.1	5.4	H
6	17596.250000	45.9	54.0	8.1	39.8	58.0	6.9	H

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11ax80		

5290 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	35.811840	24.3	40.0	15.7	358	32.3	0.8	V
2	75.578767	19.2	40.0	20.8	221	32.9	0.9	V
3	155.092197	16.3	43.5	27.2	82	32.9	1.4	V
4	343.782228	21.6	46.0	24.4	319	32.5	2.7	V
5	499.424690	22.7	46.0	23.3	299	32.5	2.8	V
6	965.542095	25.3	54.0	28.7	279	31.2	3.8	V

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11ax80		

5290 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1235.801480	33.1	74.0	40.9	25.8	60.9	2.3	V
2	2072.457248	34.8	74.0	39.2	27.0	60.9	2.7	V
3	3948.310956	40.2	74.0	33.8	30.8	58.5	3.2	V
4	7390.070364	50.5	74.0	23.5	36.6	57.5	4.6	V
5	12923.700776	55.3	74.0	18.7	39.7	57.8	6.1	V
6	17588.561638	56.0	74.0	18.0	39.8	58.0	6.9	V
Avg								
1	1235.801480	23.4	54.0	30.6	25.8	60.9	2.3	V
2	2072.457248	25.5	54.0	28.5	27.0	60.9	2.7	V
3	3948.310956	30.5	54.0	23.5	30.8	58.5	3.2	V
4	7390.070364	39.7	54.0	14.3	36.6	57.5	4.6	V
5	12923.700776	45.1	54.0	8.9	39.7	57.8	6.1	V
6	17588.561638	46.0	54.0	8.0	39.8	58.0	6.9	V

5470MHz-5725MHz

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11a		

5500 MHz




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	49.359419	18.9	40.0	21.1	13.6	32.6	0.8	H
2	101.644307	22.5	43.5	21.0	10.3	32.9	1.4	H
3	176.887808	19.8	43.5	23.7	12.1	32.8	1.9	H
4	271.324560	20.9	46.0	25.1	12.1	32.7	2.6	H
5	514.534474	22.4	46.0	23.6	14.9	32.4	2.9	H
6	958.794326	23.3	46.0	22.7	20.3	31.2	3.8	H

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11a		

5500 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1208.250000	32.7	74.0	41.3	25.7	60.8	2.3	H
2	2185.750000	35.0	74.0	39.0	27.2	60.6	2.7	H
3	3227.000000	38.1	74.0	35.9	29.7	58.4	3.0	H
4	5213.875000	43.2	74.0	30.8	32.9	57.6	3.8	H
5	8550.125000	51.4	74.0	22.6	37.8	56.4	5.1	H
6	17581.375000	54.7	74.0	19.3	39.7	58.1	6.9	H
Avg								
1	1208.250000	23.3	54.0	30.7	25.7	60.8	2.3	H
2	2185.750000	24.8	54.0	29.2	27.2	60.6	2.7	H
3	3227.000000	28.1	54.0	25.9	29.7	58.4	3.0	H
4	5213.875000	33.9	54.0	20.1	32.9	57.6	3.8	H
5	8550.125000	40.7	54.0	13.3	37.8	56.4	5.1	H
6	17581.375000	45.0	54.0	9.0	39.7	58.1	6.9	H

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11a		

5500 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	39.645155	23.9	40.0	16.1	14.0	32.4	0.8	V
2	76.512057	19.2	40.0	20.8	9.8	32.9	0.9	V
3	115.320547	18.8	43.5	24.7	11.7	32.9	1.4	V
4	204.596108	14.3	43.5	29.2	10.1	32.8	2.4	V
5	459.920066	21.3	46.0	24.7	16.1	32.4	2.8	V
6	957.114764	24.3	46.0	21.7	22.2	31.2	3.8	V

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11a		

5500 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1108.375000	32.4	74.0	41.6	25.5	60.7	2.2	V
2	1597.125000	31.8	74.0	42.2	25.3	61.2	2.5	V
3	3016.625000	37.9	74.0	36.1	29.4	58.8	3.0	V
4	5411.500000	43.6	74.0	30.4	32.7	58.0	3.9	V
5	9978.125000	52.2	74.0	21.8	38.5	60.1	5.4	V
6	17685.500000	54.8	74.0	19.2	40.4	57.9	6.9	V
Avg								
1	1108.375000	22.8	54.0	31.2	25.5	60.7	2.2	V
2	1597.125000	22.4	54.0	31.6	25.3	61.2	2.5	V
3	3016.625000	27.2	54.0	26.8	29.4	58.8	3.0	V
4	5411.500000	33.8	54.0	20.2	32.7	58.0	3.9	V
5	9978.125000	42.0	54.0	12.0	38.5	60.1	5.4	V
6	17685.500000	45.4	54.0	8.6	40.4	57.9	6.9	V

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11a		

5700 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	49.359419	17.9	40.0	22.1	13.6	32.6	0.8	H
2	99.353769	22.1	43.5	21.4	10.1	32.9	1.4	H
3	177.198214	20.5	43.5	23.0	12.1	32.8	1.9	H
4	270.849269	20.0	46.0	26.0	12.1	32.7	2.6	H
5	515.437388	23.9	46.0	22.1	14.9	32.4	2.9	H
6	977.465163	24.3	54.0	29.7	20.5	31.1	3.8	H

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11a		

5700 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1221.000000	32.5	74.0	41.5	25.7	60.9	2.3	H
2	2068.875000	33.9	74.0	40.1	26.9	60.9	2.7	H
3	3853.875000	39.8	74.0	34.2	30.6	58.7	3.2	H
4	6350.750000	46.9	74.0	27.1	34.4	58.0	4.2	H
5	10007.875000	52.7	74.0	21.3	38.6	60.2	5.4	H
6	17587.750000	55.2	74.0	18.8	39.8	58.0	6.9	H
Avg								
1	1221.000000	23.5	54.0	30.5	25.7	60.9	2.3	H
2	2068.875000	24.6	54.0	29.4	26.9	60.9	2.7	H
3	3853.875000	29.8	54.0	24.2	30.6	58.7	3.2	H
4	6350.750000	36.2	54.0	17.8	34.4	58.0	4.2	H
5	10007.875000	42.7	54.0	11.3	38.6	60.2	5.4	H
6	17587.750000	45.4	54.0	8.6	39.8	58.0	6.9	H

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11a		

5700 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	40.134716	24.2	40.0	15.8	14.1	32.4	0.8	V
2	76.915558	18.5	40.0	21.5	9.8	32.9	0.9	V
3	125.006589	16.1	43.5	27.4	12.5	32.9	1.4	V
4	171.092334	16.1	43.5	27.4	13.0	32.9	1.8	V
5	433.304719	28.6	46.0	17.4	15.6	32.4	2.7	V
6	972.337354	24.7	54.0	29.3	22.2	31.1	3.8	V

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11a		

5700 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1224.689472	32.5	74.0	41.5	25.7	60.9	2.3	V
2	1939.250000	33.2	74.0	40.8	26.0	60.9	2.6	V
3	3333.250000	38.1	74.0	35.9	29.6	58.2	3.1	V
4	6036.250000	45.8	74.0	28.2	34.0	58.0	4.1	V
5	10095.000000	52.1	74.0	21.9	38.6	60.4	5.4	V
6	17364.625000	55.0	74.0	19.0	39.0	58.9	6.9	V
Avg								
1	1224.689472	23.3	54.0	30.7	25.7	60.9	2.3	V
2	1939.250000	23.3	54.0	30.7	26.0	60.9	2.6	V
3	3333.250000	28.8	54.0	25.2	29.6	58.2	3.1	V
4	6036.250000	36.1	54.0	17.9	34.0	58.0	4.1	V
5	10095.000000	42.8	54.0	11.2	38.6	60.4	5.4	V
6	17364.625000	44.0	54.0	10.0	39.0	58.9	6.9	V

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11ac20		

5500 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	48.842895	18.4	40.0	21.6	13.6	32.6	0.8	H
2	101.644307	22.8	43.5	20.7	10.3	32.9	1.4	H
3	181.283406	20.3	43.5	23.2	11.5	32.8	2.0	H
4	271.324560	21.5	46.0	24.5	12.1	32.7	2.6	H
5	499.424690	21.8	46.0	24.2	14.7	32.5	2.8	H
6	968.933767	23.3	54.0	30.7	20.4	31.2	3.8	H

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11ac20		

5500 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1223.125000	32.4	74.0	41.6	25.7	60.9	2.3	H
2	2510.875000	36.4	74.0	37.6	27.8	58.8	2.8	H
3	4474.375000	41.3	74.0	32.7	31.6	58.0	3.5	H
4	8018.875000	49.9	74.0	24.1	37.2	57.1	4.9	H
5	12917.000000	54.7	74.0	19.3	39.7	57.8	6.1	H
6	17677.000000	55.3	74.0	18.7	40.3	57.9	6.9	H
Avg								
1	1223.125000	23.5	54.0	30.5	25.7	60.9	2.3	H
2	2510.875000	27.1	54.0	26.9	27.8	58.8	2.8	H
3	4474.375000	31.7	54.0	22.3	31.6	58.0	3.5	H
4	8018.875000	40.3	54.0	13.7	37.2	57.1	4.9	H
5	12917.000000	44.8	54.0	9.2	39.7	57.8	6.1	H
6	17677.000000	45.1	54.0	8.9	40.3	57.9	6.9	H

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11ac20		

5500 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	39.161565	24.6	40.0	15.4	14.0	32.4	0.8	V
2	76.915558	18.8	40.0	21.2	9.8	32.9	0.9	V
3	155.910105	16.5	43.5	27.0	14.1	32.9	1.5	V
4	343.782228	21.0	46.0	25.0	13.7	32.5	2.7	V
5	499.424690	22.8	46.0	23.2	16.5	32.5	2.8	V
6	937.188052	24.7	46.0	21.3	22.0	31.4	3.7	V

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11ac20		

5500 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1235.875000	32.7	74.0	41.3	25.8	60.9	2.3	V
2	2115.625000	34.2	74.0	39.8	27.2	60.8	2.7	V
3	3853.875000	39.6	74.0	34.4	30.6	58.7	3.2	V
4	8324.875000	50.2	74.0	23.8	37.2	56.7	5.0	V
5	13010.500000	54.5	74.0	19.5	39.8	57.8	6.2	V
6	17813.000000	54.6	74.0	19.4	41.2	57.8	7.0	V
Avg								
1	1235.875000	22.9	54.0	31.1	25.8	60.9	2.3	V
2	2115.625000	24.4	54.0	29.6	27.2	60.8	2.7	V
3	3853.875000	29.5	54.0	24.5	30.6	58.7	3.2	V
4	8324.875000	40.1	54.0	13.9	37.2	56.7	5.0	V
5	13010.500000	44.8	54.0	9.2	39.8	57.8	6.2	V
6	17813.000000	45.3	54.0	8.7	41.2	57.8	7.0	V

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11ac20		

5700 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	49.359419	18.8	40.0	21.2	13.6	32.6	0.8	H
2	100.228572	23.4	43.5	20.1	10.2	32.9	1.4	H
3	206.036007	20.2	43.5	23.3	10.1	32.8	2.4	H
4	339.588791	17.9	46.0	28.1	13.3	32.5	2.7	H
5	515.437388	22.5	46.0	23.5	14.9	32.4	2.9	H
6	953.764464	23.1	46.0	22.9	20.3	31.3	3.8	H

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11ac20		

5700 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1206.125000	32.6	74.0	41.4	25.7	60.8	2.3	H
2	2051.875000	34.2	74.0	39.8	26.8	60.9	2.7	H
3	3433.125000	38.4	74.0	35.6	29.5	58.4	3.1	H
4	6040.500000	44.9	74.0	29.1	34.0	58.0	4.1	H
5	9480.875000	51.9	74.0	22.1	38.6	59.8	5.4	H
6	17587.750000	55.0	74.0	19.0	39.8	58.0	6.9	H
Avg								
1	1206.125000	22.1	54.0	31.9	25.7	60.8	2.3	H
2	2051.875000	23.8	54.0	30.2	26.8	60.9	2.7	H
3	3433.125000	28.0	54.0	26.0	29.5	58.4	3.1	H
4	6040.500000	35.6	54.0	18.4	34.0	58.0	4.1	H
5	9480.875000	42.5	54.0	11.5	38.6	59.8	5.4	H
6	17587.750000	45.8	54.0	8.2	39.8	58.0	6.9	H

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11ac20		

5700 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	39.161565	24.2	40.0	15.8	14.0	32.4	0.8	V
2	74.005250	19.0	40.0	21.0	10.2	32.9	0.9	V
3	117.154681	19.2	43.5	24.3	11.9	32.9	1.4	V
4	203.522791	14.4	43.5	29.1	10.0	32.8	2.4	V
5	433.304719	21.5	46.0	24.5	15.6	32.4	2.7	V
6	974.043628	25.0	54.0	29.0	22.2	31.1	3.8	V

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11ac20		

5700 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1199.726268	32.3	74.0	41.7	25.7	60.8	2.2	V
2	2072.457248	34.8	74.0	39.2	27.0	60.9	2.7	V
3	3858.061701	39.3	74.0	34.7	30.6	58.7	3.2	V
4	7286.670310	49.1	74.0	24.9	36.8	57.6	4.5	V
5	12919.032332	54.1	74.0	19.9	39.7	57.8	6.1	V
6	17367.548000	54.8	74.0	19.2	39.0	58.9	6.9	V
Avg								
1	1199.726268	23.0	54.0	31.0	25.7	60.8	2.2	V
2	2072.457248	24.5	54.0	29.5	27.0	60.9	2.7	V
3	3858.061701	29.9	54.0	24.1	30.6	58.7	3.2	V
4	7286.670310	39.5	54.0	14.5	36.8	57.6	4.5	V
5	12919.032332	44.7	54.0	9.3	39.7	57.8	6.1	V
6	17367.548000	44.5	54.0	9.5	39.0	58.9	6.9	V

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11n40		

5510 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	49.359419	19.2	40.0	20.8	13.6	32.6	0.8	H
2	95.426993	22.0	43.5	21.5	9.8	32.9	1.3	H
3	168.118752	19.9	43.5	23.6	13.4	32.9	1.7	H
4	271.324560	20.5	46.0	25.5	12.1	32.7	2.6	H
5	461.535633	22.8	46.0	23.2	14.4	32.4	2.8	H
6	972.337354	24.1	54.0	29.9	20.5	31.1	3.8	H

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11n40		

5510 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1235.875000	32.7	74.0	41.3	25.8	60.9	2.3	H
2	2128.375000	34.3	74.0	39.7	27.2	60.8	2.7	H
3	4166.250000	40.6	74.0	33.4	30.9	58.2	3.4	H
4	7298.500000	48.6	74.0	25.4	36.8	57.6	4.5	H
5	9988.750000	52.4	74.0	21.6	38.6	60.1	5.4	H
6	17881.000000	54.4	74.0	19.6	41.6	57.7	7.0	H
Avg								
1	1235.875000	22.4	54.0	31.6	25.8	60.9	2.3	H
2	2128.375000	23.9	54.0	30.1	27.2	60.8	2.7	H
3	4166.250000	30.7	54.0	23.3	30.9	58.2	3.4	H
4	7298.500000	39.0	54.0	15.0	36.8	57.6	4.5	H
5	9988.750000	42.2	54.0	11.8	38.6	60.1	5.4	H
6	17881.000000	45.6	54.0	8.4	41.6	57.7	7.0	H

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11n40		

5510 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	39.575706	24.7	40.0	15.3	14.0	32.4	0.8	V
2	82.358861	19.7	40.0	20.3	9.3	32.9	1.0	V
3	140.835059	16.1	43.5	27.4	13.6	32.9	1.4	V
4	204.596108	14.5	43.5	29.0	10.1	32.8	2.4	V
5	433.304719	27.5	46.0	18.5	15.6	32.4	2.7	V
6	895.425214	24.0	46.0	22.0	21.6	31.6	3.6	V

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11n40		

5510 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1216.311218	32.5	74.0	41.5	25.7	60.9	2.3	V
2	2072.457248	34.3	74.0	39.7	27.0	60.9	2.7	V
3	3956.879305	40.0	74.0	34.0	30.8	58.5	3.2	V
4	8539.101951	51.6	74.0	22.4	37.8	56.2	5.1	V
5	12923.700776	55.0	74.0	19.0	39.7	57.8	6.1	V
6	17380.102203	54.3	74.0	19.7	39.0	58.7	6.9	V
Avg								
1	1216.311218	23.4	54.0	30.6	25.7	60.9	2.3	V
2	2072.457248	24.6	54.0	29.4	27.0	60.9	2.7	V
3	3956.879305	30.7	54.0	23.3	30.8	58.5	3.2	V
4	8539.101951	42.4	54.0	11.6	37.8	56.2	5.1	V
5	12923.700776	43.9	54.0	10.1	39.7	57.8	6.1	V
6	17380.102203	44.1	54.0	9.9	39.0	58.7	6.9	V

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11n40		

5670 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	49.359419	18.1	40.0	21.9	13.6	32.6	0.8	H
2	101.644307	22.5	43.5	21.0	10.3	32.9	1.4	H
3	204.955137	19.2	43.5	24.3	10.1	32.8	2.4	H
4	268.485274	19.7	46.0	26.3	12.0	32.7	2.6	H
5	456.705877	22.6	46.0	23.4	14.4	32.4	2.8	H
6	972.337354	23.1	54.0	30.9	20.5	31.1	3.8	H

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11n40		

5670 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1119.000000	32.8	74.0	41.2	25.5	60.7	2.2	H
2	1629.000000	32.0	74.0	42.0	25.2	61.2	2.5	H
3	3127.125000	38.7	74.0	35.3	29.7	58.6	3.0	H
4	5726.000000	44.8	74.0	29.2	33.5	58.1	4.0	H
5	9988.750000	52.1	74.0	21.9	38.6	60.1	5.4	H
6	17685.500000	54.9	74.0	19.1	40.4	57.9	6.9	H
Avg								
1	1119.000000	22.8	54.0	31.2	25.5	60.7	2.2	H
2	1629.000000	22.8	54.0	31.2	25.2	61.2	2.5	H
3	3127.125000	28.3	54.0	25.7	29.7	58.6	3.0	H
4	5726.000000	35.1	54.0	18.9	33.5	58.1	4.0	H
5	9988.750000	42.3	54.0	11.7	38.6	60.1	5.4	H
6	17685.500000	45.2	54.0	8.8	40.4	57.9	6.9	H

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11n40		

5670 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	36.254065	24.9	40.0	15.1	13.6	32.3	0.8	V
2	75.578767	20.0	40.0	20.0	10.0	32.9	0.9	V
3	169.896642	15.4	43.5	28.1	13.2	32.9	1.7	V
4	335.446505	22.6	46.0	23.4	13.5	32.6	2.7	V
5	499.424690	22.6	46.0	23.4	16.5	32.5	2.8	V
6	929.008198	24.8	46.0	21.2	21.9	31.4	3.7	V

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11n40		

5670 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1223.125000	33.1	74.0	40.9	25.7	60.9	2.3	V
2	2281.375000	35.0	74.0	39.0	27.2	60.1	2.8	V
3	4072.750000	39.9	74.0	34.1	30.8	58.3	3.3	V
4	7287.875000	48.7	74.0	25.3	36.8	57.6	4.5	V
5	9449.000000	52.8	74.0	21.2	38.6	59.6	5.4	V
6	17789.625000	54.5	74.0	19.5	41.0	57.8	7.0	V
Avg								
1	1223.125000	23.4	54.0	30.6	25.7	60.9	2.3	V
2	2281.375000	24.8	54.0	29.2	27.2	60.1	2.8	V
3	4072.750000	29.8	54.0	24.2	30.8	58.3	3.3	V
4	7287.875000	39.5	54.0	14.5	36.8	57.6	4.5	V
5	9449.000000	41.4	54.0	12.6	38.6	59.6	5.4	V
6	17789.625000	44.9	54.0	9.1	41.0	57.8	7.0	V

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11ax80		

5530 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	49.359419	18.4	40.0	21.6	13.6	32.6	0.8	H
2	101.644307	23.2	43.5	20.3	10.3	32.9	1.4	H
3	179.701149	20.6	43.5	22.9	11.7	32.8	1.9	H
4	271.324560	20.7	46.0	25.3	12.1	32.7	2.6	H
5	460.727141	22.9	46.0	23.1	14.4	32.4	2.8	H
6	947.099003	23.0	46.0	23.0	20.2	31.3	3.7	H

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11ax80		

5530 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1223.125000	33.0	74.0	41.0	25.7	60.9	2.3	H
2	2313.250000	35.2	74.0	38.8	27.2	59.9	2.8	H
3	4378.750000	41.0	74.0	33.0	31.5	58.1	3.5	H
4	7285.750000	49.7	74.0	24.3	36.8	57.6	4.5	H
5	12804.375000	53.7	74.0	20.3	39.5	57.9	6.1	H
6	17789.625000	55.0	74.0	19.0	41.0	57.8	7.0	H
Avg								
1	1223.125000	23.3	54.0	30.7	25.7	60.9	2.3	H
2	2313.250000	24.9	54.0	29.1	27.2	59.9	2.8	H
3	4378.750000	31.7	54.0	22.3	31.5	58.1	3.5	H
4	7285.750000	38.9	54.0	15.1	36.8	57.6	4.5	H
5	12804.375000	43.9	54.0	10.1	39.5	57.9	6.1	H
6	17789.625000	45.0	54.0	9.0	41.0	57.8	7.0	H

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11ax80		

5530 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	39.645155	24.2	40.0	15.8	14.0	32.4	0.8	V
2	90.855440	19.2	43.5	24.3	9.5	32.9	1.1	V
3	157.007364	15.4	43.5	28.1	14.1	32.9	1.5	V
4	331.936213	21.3	46.0	24.7	13.5	32.6	2.7	V
5	499.424690	22.9	46.0	23.1	16.5	32.5	2.8	V
6	904.894515	26.1	46.0	19.9	21.7	31.6	3.7	V

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11ax80		

5530 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1146.625000	32.5	74.0	41.5	25.6	60.7	2.2	V
2	2326.000000	34.5	74.0	39.5	27.2	59.8	2.8	V
3	3864.500000	39.0	74.0	35.0	30.6	58.7	3.2	V
4	6567.500000	46.4	74.0	27.6	35.3	58.1	4.2	V
5	9986.625000	51.9	74.0	22.1	38.6	60.1	5.4	V
6	17898.000000	54.8	74.0	19.2	41.7	57.7	7.0	V
Avg								
1	1146.625000	22.8	54.0	31.2	25.6	60.7	2.2	V
2	2326.000000	25.0	54.0	29.0	27.2	59.8	2.8	V
3	3864.500000	29.6	54.0	24.4	30.6	58.7	3.2	V
4	6567.500000	36.8	54.0	17.2	35.3	58.1	4.2	V
5	9986.625000	41.7	54.0	12.3	38.6	60.1	5.4	V
6	17898.000000	45.2	54.0	8.8	41.7	57.7	7.0	V

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11ax80		

5610 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	49.359419	20.4	40.0	19.6	13.6	32.6	0.8	H
2	97.798319	22.6	43.5	20.9	10.0	32.9	1.3	H
3	178.758432	21.1	43.5	22.4	11.9	32.8	1.9	H
4	270.849269	20.9	46.0	25.1	12.1	32.7	2.6	H
5	459.114404	23.6	46.0	22.4	14.4	32.4	2.8	H
6	935.546339	23.4	46.0	22.6	20.1	31.4	3.7	H

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11ax80		

5610 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1340.000000	32.7	74.0	41.3	25.7	61.2	2.3	H
2	2508.750000	36.1	74.0	37.9	27.8	58.8	2.8	H
3	4992.875000	42.9	74.0	31.1	32.9	57.4	3.6	H
4	8437.500000	51.4	74.0	22.6	37.5	56.3	5.1	H
5	12927.625000	53.8	74.0	20.2	39.7	57.8	6.1	H
6	17870.375000	54.6	74.0	19.4	41.6	57.7	7.0	H
Avg								
1	1340.000000	22.9	54.0	31.1	25.7	61.2	2.3	H
2	2508.750000	27.4	54.0	26.6	27.8	58.8	2.8	H
3	4992.875000	33.2	54.0	20.8	32.9	57.4	3.6	H
4	8437.500000	42.0	54.0	12.0	37.5	56.3	5.1	H
5	12927.625000	44.1	54.0	9.9	39.7	57.8	6.1	H
6	17870.375000	44.4	54.0	9.6	41.6	57.7	7.0	H

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11ax80		

5610 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	39.161565	24.1	40.0	15.9	14.0	32.4	0.8	V
2	79.940317	19.2	40.0	20.8	9.3	32.9	0.9	V
3	115.320547	18.6	43.5	24.9	11.7	32.9	1.4	V
4	204.955137	14.4	43.5	29.1	10.1	32.8	2.4	V
5	433.304719	22.7	46.0	23.3	15.6	32.4	2.7	V
6	898.570586	24.5	46.0	21.5	21.6	31.6	3.6	V

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11ax80		

5610 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1225.132028	32.3	74.0	41.7	25.8	60.9	2.3	V
2	1962.421584	32.8	74.0	41.2	26.2	60.9	2.7	V
3	3116.275983	38.2	74.0	35.8	29.7	58.7	3.0	V
4	5830.640006	44.5	74.0	29.5	33.9	58.1	4.1	V
5	9472.074384	52.0	74.0	22.0	38.6	59.7	5.4	V
6	17671.366856	54.8	74.0	19.2	40.3	58.0	6.9	V
Avg								
1	1225.132028	22.6	54.0	31.4	25.8	60.9	2.3	V
2	1962.421584	23.9	54.0	30.1	26.2	60.9	2.7	V
3	3116.275983	27.9	54.0	26.1	29.7	58.7	3.0	V
4	5830.640006	35.8	54.0	18.2	33.9	58.1	4.1	V
5	9472.074384	43.0	54.0	11.0	38.6	59.7	5.4	V
6	17671.366856	44.1	54.0	9.9	40.3	58.0	6.9	V

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11ac160		

5570 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	49.359419	18.7	40.0	21.3	13.6	32.6	0.8	H
2	95.930246	22.6	43.5	20.9	9.9	32.9	1.3	H
3	178.132703	20.0	43.5	23.5	12.0	32.8	1.9	H
4	270.374810	20.8	46.0	25.2	12.1	32.7	2.6	H
5	459.920066	23.7	46.0	22.3	14.4	32.4	2.8	H
6	953.764464	22.8	46.0	23.2	20.3	31.3	3.8	H

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11ac160		

5570 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1223.125000	33.0	74.0	41.0	25.7	60.9	2.3	H
2	2075.250000	33.9	74.0	40.1	27.0	60.9	2.7	H
3	3122.875000	38.0	74.0	36.0	29.7	58.7	3.0	H
4	5417.875000	43.5	74.0	30.5	32.7	58.0	3.9	H
5	9476.625000	52.6	74.0	21.4	38.6	59.8	5.4	H
6	17572.875000	54.4	74.0	19.6	39.7	58.1	6.9	H
Avg								
1	1223.125000	23.0	54.0	31.0	25.7	60.9	2.3	H
2	2075.250000	24.5	54.0	29.5	27.0	60.9	2.7	H
3	3122.875000	28.0	54.0	26.0	29.7	58.7	3.0	H
4	5417.875000	33.6	54.0	20.4	32.7	58.0	3.9	H
5	9476.625000	42.4	54.0	11.6	38.6	59.8	5.4	H
6	17572.875000	45.2	54.0	8.8	39.7	58.1	6.9	H

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11ac160		

5570 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	39.161565	24.2	40.0	15.8	14.0	32.4	0.8	V
2	78.001995	19.6	40.0	20.4	9.6	32.9	0.9	V
3	125.006589	15.6	43.5	27.9	12.5	32.9	1.4	V
4	316.034381	21.2	46.0	24.8	13.1	32.6	2.7	V
5	499.424690	23.2	46.0	22.8	16.5	32.5	2.8	V
6	898.570586	24.2	46.0	21.8	21.6	31.6	3.6	V

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11ac160		

5570 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1212.500000	32.8	74.0	41.2	25.7	60.9	2.3	V
2	2064.625000	34.3	74.0	39.7	26.9	60.9	2.7	V
3	3122.875000	37.9	74.0	36.1	29.7	58.7	3.0	V
4	4899.375000	43.2	74.0	30.8	32.7	57.4	3.6	V
5	9476.625000	51.8	74.0	22.2	38.6	59.8	5.4	V
6	17677.000000	54.5	74.0	19.5	40.3	57.9	6.9	V
Avg								
1	1212.500000	23.0	54.0	31.0	25.7	60.9	2.3	V
2	2064.625000	24.5	54.0	29.5	26.9	60.9	2.7	V
3	3122.875000	28.6	54.0	25.4	29.7	58.7	3.0	V
4	4899.375000	33.1	54.0	20.9	32.7	57.4	3.6	V
5	9476.625000	43.1	54.0	10.9	38.6	59.8	5.4	V
6	17677.000000	44.9	54.0	9.1	40.3	57.9	6.9	V

5725MHz-5850MHz

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11a		

5745 MHz




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	48.842895	19.1	40.0	20.9	13.6	32.6	0.8	H
2	100.228572	22.2	43.5	21.3	10.2	32.9	1.4	H
3	179.072120	20.8	43.5	22.7	11.8	32.8	1.9	H
4	269.428386	19.8	46.0	26.2	12.1	32.7	2.6	H
5	459.920066	23.7	46.0	22.3	14.4	32.4	2.8	H
6	955.438145	22.8	46.0	23.2	20.3	31.3	3.8	H

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11a		

5745 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1274.125000	32.8	74.0	41.2	25.8	61.0	2.3	H
2	2190.000000	35.0	74.0	39.0	27.2	60.6	2.7	H
3	3125.000000	38.1	74.0	35.9	29.7	58.6	3.0	H
4	5203.250000	43.7	74.0	30.3	32.9	57.6	3.8	H
5	8439.625000	51.6	74.0	22.4	37.5	56.2	5.1	H
6	17572.875000	55.0	74.0	19.0	39.7	58.1	6.9	H
Avg								
1	1274.125000	22.1	54.0	31.9	25.8	61.0	2.3	H
2	2190.000000	24.7	54.0	29.3	27.2	60.6	2.7	H
3	3125.000000	28.3	54.0	25.7	29.7	58.6	3.0	H
4	5203.250000	33.6	54.0	20.4	32.9	57.6	3.8	H
5	8439.625000	41.9	54.0	12.1	37.5	56.2	5.1	H
6	17572.875000	44.7	54.0	9.3	39.7	58.1	6.9	H

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11a		

5745 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	39.161565	24.1	40.0	15.9	14.0	32.4	0.8	V
2	76.915558	21.3	40.0	18.7	9.8	32.9	0.9	V
3	125.006589	17.2	43.5	26.3	12.5	32.9	1.4	V
4	321.060802	20.8	46.0	25.2	13.2	32.6	2.7	V
5	499.424690	23.0	46.0	23.0	16.5	32.5	2.8	V
6	929.008198	25.0	46.0	21.0	21.9	31.4	3.7	V

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11a		

5745 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1144.500000	32.4	74.0	41.6	25.6	60.7	2.2	V
2	1550.375000	32.5	74.0	41.5	25.3	61.3	2.5	V
3	2714.875000	36.9	74.0	37.1	28.2	59.4	2.9	V
4	4791.000000	41.4	74.0	32.6	32.2	57.5	3.6	V
5	8528.875000	51.8	74.0	22.2	37.7	56.1	5.1	V
6	17575.000000	54.7	74.0	19.3	39.7	58.1	6.9	V
Avg								
1	1144.500000	22.0	54.0	32.0	25.6	60.7	2.2	V
2	1550.375000	22.3	54.0	31.7	25.3	61.3	2.5	V
3	2714.875000	26.6	54.0	27.4	28.2	59.4	2.9	V
4	4791.000000	32.7	54.0	21.3	32.2	57.5	3.6	V
5	8528.875000	41.9	54.0	12.1	37.7	56.1	5.1	V
6	17575.000000	44.9	54.0	9.1	39.7	58.1	6.9	V

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11a		

5825 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	48.842895	18.4	40.0	21.6	13.6	32.6	0.8	H
2	94.926381	22.9	43.5	20.6	9.8	32.9	1.3	H
3	172.296442	20.5	43.5	23.0	12.8	32.8	1.8	H
4	270.374810	19.7	46.0	26.3	12.1	32.7	2.6	H
5	460.727141	22.9	46.0	23.1	14.4	32.4	2.8	H
6	965.542095	23.9	54.0	30.1	20.4	31.2	3.8	H

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11a		

5825 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1216.750000	32.6	74.0	41.4	25.7	60.9	2.3	H
2	1963.840128	32.9	74.0	41.1	26.2	60.9	2.7	H
3	3428.875000	37.9	74.0	36.1	29.5	58.4	3.1	H
4	5730.250000	44.3	74.0	29.7	33.5	58.1	4.0	H
5	8431.125000	51.3	74.0	22.7	37.5	56.3	5.1	H
6	17581.375000	54.2	74.0	19.8	39.7	58.1	6.9	H
Avg								
1	1216.750000	22.6	54.0	31.4	25.7	60.9	2.3	H
2	1963.840128	24.1	54.0	29.9	26.2	60.9	2.7	H
3	3428.875000	27.7	54.0	26.3	29.5	58.4	3.1	H
4	5730.250000	34.7	54.0	19.3	33.5	58.1	4.0	H
5	8431.125000	41.4	54.0	12.6	37.5	56.3	5.1	H
6	17581.375000	45.0	54.0	9.0	39.7	58.1	6.9	H

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11a		

5825 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	39.645155	24.7	40.0	15.3	14.0	32.4	0.8	V
2	75.050579	18.8	40.0	21.2	10.0	32.9	0.9	V
3	115.725635	19.1	43.5	24.4	11.8	32.9	1.4	V
4	204.955137	13.3	43.5	30.2	10.1	32.8	2.4	V
5	499.424690	22.8	46.0	23.2	16.5	32.5	2.8	V
6	958.794326	25.1	46.0	20.9	22.2	31.2	3.8	V

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11a		

5825 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1225.250000	32.5	74.0	41.5	25.8	60.9	2.3	V
2	1843.625000	32.9	74.0	41.1	25.3	61.2	2.6	V
3	3010.250000	38.0	74.0	36.0	29.4	58.8	3.0	V
4	5205.375000	43.3	74.0	30.7	32.9	57.6	3.8	V
5	8520.375000	51.7	74.0	22.3	37.7	55.9	5.1	V
6	12912.750000	54.3	74.0	19.7	39.7	57.8	6.1	V
Avg								
1	1225.250000	23.4	54.0	30.6	25.8	60.9	2.3	V
2	1843.625000	23.1	54.0	30.9	25.3	61.2	2.6	V
3	3010.250000	27.6	54.0	26.4	29.4	58.8	3.0	V
4	5205.375000	33.3	54.0	20.7	32.9	57.6	3.8	V
5	8520.375000	40.3	54.0	13.7	37.7	55.9	5.1	V
6	12912.750000	44.3	54.0	9.7	39.7	57.8	6.1	V

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11ac20		

5745 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	48.842895	19.8	40.0	20.2	13.6	32.6	0.8	H
2	101.288509	22.3	43.5	21.2	10.3	32.9	1.4	H
3	175.959849	20.2	43.5	23.3	12.3	32.8	1.9	H
4	268.956417	20.4	46.0	25.6	12.0	32.7	2.6	H
5	455.905846	23.5	46.0	22.5	14.4	32.4	2.8	H
6	932.271537	23.6	46.0	22.4	20.0	31.4	3.7	H

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11ac20		

5745 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1242.250000	32.6	74.0	41.4	25.8	60.9	2.3	H
2	2071.000000	34.1	74.0	39.9	27.0	60.9	2.7	H
3	3520.250000	39.4	74.0	34.6	29.5	59.0	3.1	H
4	6059.625000	45.4	74.0	28.6	34.0	58.0	4.1	H
5	17589.875000	54.4	74.0	19.6	39.8	58.0	6.9	H
6								
Avg	1242.250000	22.8	54.0	31.2	25.8	60.9	2.3	H
1	2071.000000	25.0	54.0	29.0	27.0	60.9	2.7	H
2	3520.250000	27.9	54.0	26.1	29.5	59.0	3.1	H
3	6059.625000	35.9	54.0	18.1	34.0	58.0	4.1	H
4	17589.875000	45.5	54.0	8.5	39.8	58.0	6.9	H
5	1242.250000	32.6	74.0	41.4	25.8	60.9	2.3	H
6	2071.000000	34.1	74.0	39.9	27.0	60.9	2.7	H

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11ac20		

5745 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	39.645155	24.3	40.0	15.7	14.0	32.4	0.8	V
2	91.977376	18.9	43.5	24.6	9.6	32.9	1.2	V
3	140.835059	15.4	43.5	28.1	13.6	32.9	1.4	V
4	316.588964	21.6	46.0	24.4	13.1	32.6	2.7	V
5	499.424690	23.2	46.0	22.8	16.5	32.5	2.8	V
6	924.134595	25.5	46.0	20.5	21.9	31.5	3.7	V

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11ac20		

5745 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1223.125000	33.1	74.0	40.9	25.7	60.9	2.3	V
2	2034.875000	33.7	74.0	40.3	26.7	60.9	2.7	V
3	3329.000000	38.8	74.0	35.2	29.6	58.2	3.1	V
4	6556.875000	46.5	74.0	27.5	35.2	58.0	4.2	V
5	10728.250000	51.8	74.0	22.2	38.9	61.1	5.6	V
6	12802.250000	54.2	74.0	19.8	39.5	57.9	6.1	V
Avg								
1	1223.125000	23.6	54.0	30.4	25.7	60.9	2.3	V
2	2034.875000	24.5	54.0	29.5	26.7	60.9	2.7	V
3	3329.000000	28.0	54.0	26.0	29.6	58.2	3.1	V
4	6556.875000	36.6	54.0	17.4	35.2	58.0	4.2	V
5	10728.250000	41.4	54.0	12.6	38.9	61.1	5.6	V
6	12802.250000	44.1	54.0	9.9	39.5	57.9	6.1	V

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11ac20		

5825 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	49.359419	19.5	40.0	20.5	13.6	32.6	0.8	H
2	101.644307	23.4	43.5	20.1	10.3	32.9	1.4	H
3	177.820660	21.0	43.5	22.5	12.0	32.8	1.9	H
4	270.849269	20.2	46.0	25.8	12.1	32.7	2.6	H
5	459.920066	23.2	46.0	22.8	14.4	32.4	2.8	H
6	963.850713	23.8	54.0	30.2	20.4	31.2	3.8	H

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11ac20		

5825 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1112.625000	32.3	74.0	41.7	25.5	60.7	2.2	H
2	1548.250000	32.6	74.0	41.4	25.3	61.3	2.5	H
3	2683.000000	37.5	74.0	36.5	28.2	59.3	2.9	H
4	4574.250000	42.1	74.0	31.9	31.6	57.9	3.6	H
5	8531.000000	51.0	74.0	23.0	37.7	56.1	5.1	H
6	17377.375000	53.8	74.0	20.2	39.0	58.8	6.9	H
Avg								
1	1112.625000	23.0	54.0	31.0	25.5	60.7	2.2	H
2	1548.250000	22.9	54.0	31.1	25.3	61.3	2.5	H
3	2683.000000	26.9	54.0	27.1	28.2	59.3	2.9	H
4	4574.250000	31.6	54.0	22.4	31.6	57.9	3.6	H
5	8531.000000	42.3	54.0	11.7	37.7	56.1	5.1	H
6	17377.375000	45.1	54.0	8.9	39.0	58.8	6.9	H

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11ac20		

5825 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	39.645155	24.3	40.0	15.7	14.0	32.4	0.8	V
2	78.413354	19.6	40.0	20.4	9.5	32.9	0.9	V
3	157.007364	15.8	43.5	27.7	14.1	32.9	1.5	V
4	316.588964	21.0	46.0	25.0	13.1	32.6	2.7	V
5	499.424690	23.8	46.0	22.2	16.5	32.5	2.8	V
6	890.727788	24.7	46.0	21.3	21.5	31.7	3.6	V

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11ac20		

5825 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1222.920846	32.8	74.0	41.2	25.7	60.9	2.3	V
2	2034.619573	34.8	74.0	39.2	26.7	60.9	2.7	V
3	3526.133999	38.5	74.0	35.5	29.5	59.0	3.1	V
4	6564.209009	45.9	74.0	28.1	35.3	58.0	4.2	V
5	12798.242931	53.8	74.0	20.2	39.5	57.9	6.1	V
6	17594.917471	54.6	74.0	19.4	39.8	58.0	6.9	V
Avg								
1	1222.920846	23.8	54.0	30.2	25.7	60.9	2.3	V
2	2034.619573	24.0	54.0	30.0	26.7	60.9	2.7	V
3	3526.133999	28.3	54.0	25.7	29.5	59.0	3.1	V
4	6564.209009	36.5	54.0	17.5	35.3	58.0	4.2	V
5	12798.242931	44.1	54.0	9.9	39.5	57.9	6.1	V
6	17594.917471	45.3	54.0	8.7	39.8	58.0	6.9	V

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11n40		

5755 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	49.359419	19.2	40.0	20.8	13.6	32.6	0.8	H
2	97.285267	23.0	43.5	20.5	10.0	32.9	1.3	H
3	176.268627	20.2	43.5	23.3	12.2	32.8	1.9	H
4	270.849269	19.6	46.0	26.4	12.1	32.7	2.6	H
5	460.727141	23.5	46.0	22.5	14.4	32.4	2.8	H
6	955.438145	23.2	46.0	22.8	20.3	31.3	3.8	H

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11n40		

5755 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1221.000000	32.5	74.0	41.5	25.7	60.9	2.3	H
2	2096.500000	33.9	74.0	40.1	27.1	60.9	2.7	H
3	3541.500000	38.3	74.0	35.7	29.5	59.0	3.1	H
4	6873.500000	46.9	74.0	27.1	35.8	58.6	4.3	H
5	9478.750000	52.1	74.0	21.9	38.6	59.8	5.4	H
6	17787.500000	54.5	74.0	19.5	41.0	57.8	7.0	H
Avg								
1	1221.000000	22.9	54.0	31.1	25.7	60.9	2.3	H
2	2096.500000	24.3	54.0	29.7	27.1	60.9	2.7	H
3	3541.500000	28.2	54.0	25.8	29.5	59.0	3.1	H
4	6873.500000	36.7	54.0	17.3	35.8	58.6	4.3	H
5	9478.750000	42.5	54.0	11.5	38.6	59.8	5.4	H
6	17787.500000	45.1	54.0	8.9	41.0	57.8	7.0	H

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11n40		

5755 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	39.645155	24.6	40.0	15.4	14.0	32.4	0.8	V
2	78.001995	18.9	40.0	21.1	9.6	32.9	0.9	V
3	146.373497	15.4	43.5	28.1	13.9	32.9	1.3	V
4	316.588964	22.4	46.0	23.6	13.1	32.6	2.7	V
5	499.424690	23.6	46.0	22.4	16.5	32.5	2.8	V
6	900.147413	25.6	46.0	20.4	21.6	31.6	3.7	V

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11n40		

5755 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1216.750000	32.9	74.0	41.1	25.7	60.9	2.3	V
2	2147.500000	36.2	74.0	37.8	27.2	60.7	2.7	V
3	3031.500000	37.7	74.0	36.3	29.5	58.8	3.0	V
4	5526.250000	44.4	74.0	29.6	32.8	58.1	4.0	V
5	9476.625000	52.6	74.0	21.4	38.6	59.8	5.4	V
6	17893.750000	55.2	74.0	18.8	41.7	57.7	7.0	V
Avg								
1	1216.750000	23.1	54.0	30.9	25.7	60.9	2.3	V
2	2147.500000	24.4	54.0	29.6	27.2	60.7	2.7	V
3	3031.500000	28.2	54.0	25.8	29.5	58.8	3.0	V
4	5526.250000	34.3	54.0	19.7	32.8	58.1	4.0	V
5	9476.625000	42.9	54.0	11.1	38.6	59.8	5.4	V
6	17893.750000	45.8	54.0	8.2	41.7	57.7	7.0	V

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11n40		

5795 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	49.272954	18.9	40.0	21.1	13.6	32.6	0.8	H
2	98.832556	23.0	43.5	20.5	10.1	32.9	1.4	H
3	178.132703	20.3	43.5	23.2	12.0	32.8	1.9	H
4	270.374810	20.0	46.0	26.0	12.1	32.7	2.6	H
5	460.727141	23.2	46.0	22.8	14.4	32.4	2.8	H
6	955.438145	23.4	46.0	22.6	20.3	31.3	3.8	H

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11n40		

5795 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1112.625000	33.1	74.0	40.9	25.5	60.7	2.2	H
2	1660.875000	33.0	74.0	41.0	25.2	61.2	2.5	H
3	2700.000000	36.8	74.0	37.2	28.2	59.4	2.9	H
4	4482.875000	42.8	74.0	31.2	31.6	58.0	3.5	H
5	9468.125000	52.0	74.0	22.0	38.6	59.7	5.4	H
6	17587.750000	55.0	74.0	19.0	39.8	58.0	6.9	H
Avg								
1	1112.625000	23.0	54.0	31.0	25.5	60.7	2.2	H
2	1660.875000	22.2	54.0	31.8	25.2	61.2	2.5	H
3	2700.000000	26.8	54.0	27.2	28.2	59.4	2.9	H
4	4482.875000	31.6	54.0	22.4	31.6	58.0	3.5	H
5	9468.125000	42.8	54.0	11.2	38.6	59.7	5.4	H
6	17587.750000	45.1	54.0	8.9	39.8	58.0	6.9	H

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11n40		

5795 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	39.645155	24.4	40.0	15.6	14.0	32.4	0.8	V
2	76.512057	19.1	40.0	20.9	9.8	32.9	0.9	V
3	140.835059	16.2	43.5	27.3	13.6	32.9	1.4	V
4	316.588964	22.0	46.0	24.0	13.1	32.6	2.7	V
5	499.424690	22.6	46.0	23.4	16.5	32.5	2.8	V
6	920.899738	24.6	46.0	21.4	21.8	31.5	3.7	V

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11n40		

5795 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1335.750000	33.0	74.0	41.0	25.7	61.2	2.3	V
2	2485.375000	35.5	74.0	38.5	27.7	58.9	2.8	V
3	3751.875000	38.1	74.0	35.9	30.2	58.9	3.2	V
4	5947.000000	46.0	74.0	28.0	34.0	58.0	4.1	V
5	10316.000000	52.2	74.0	21.8	38.8	60.8	5.5	V
6	17883.125000	55.2	74.0	18.8	41.6	57.7	7.0	V
Avg								
1	1335.750000	22.7	54.0	31.3	25.7	61.2	2.3	V
2	2485.375000	27.0	54.0	27.0	27.7	58.9	2.8	V
3	3751.875000	29.1	54.0	24.9	30.2	58.9	3.2	V
4	5947.000000	35.5	54.0	18.5	34.0	58.0	4.1	V
5	10316.000000	41.4	54.0	12.6	38.8	60.8	5.5	V
6	17883.125000	45.2	54.0	8.8	41.6	57.7	7.0	V

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11ax80		

5775 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	49.359419	18.5	40.0	21.5	13.6	32.6	0.8	H
2	101.644307	23.3	43.5	20.2	10.3	32.9	1.4	H
3	181.283406	20.2	43.5	23.3	11.5	32.8	2.0	H
4	270.374810	20.1	46.0	25.9	12.1	32.7	2.6	H
5	456.705877	23.6	46.0	22.4	14.4	32.4	2.8	H
6	965.542095	23.7	54.0	30.3	20.4	31.2	3.8	H

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11ax80		

5775 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1227.375000	32.9	74.0	41.1	25.8	60.9	2.3	H
2	1718.250000	32.5	74.0	41.5	25.1	61.2	2.6	H
3	3025.125000	37.3	74.0	36.7	29.5	58.8	3.0	H
4	5003.500000	43.5	74.0	30.5	33.0	57.4	3.6	H
5	8537.375000	52.0	74.0	22.0	37.8	56.2	5.1	H
6	17883.125000	55.9	74.0	18.1	41.6	57.7	7.0	H
Avg								
1	1227.375000	23.1	54.0	30.9	25.8	60.9	2.3	H
2	1718.250000	22.2	54.0	31.8	25.1	61.2	2.6	H
3	3025.125000	27.9	54.0	26.1	29.5	58.8	3.0	H
4	5003.500000	33.1	54.0	20.9	33.0	57.4	3.6	H
5	8537.375000	42.2	54.0	11.8	37.8	56.2	5.1	H
6	17883.125000	45.4	54.0	8.6	41.6	57.7	7.0	H

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11ax80		

5775 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	39.645155	24.9	40.0	15.1	14.0	32.4	0.8	V
2	75.578767	18.8	40.0	21.2	10.0	32.9	0.9	V
3	125.006589	16.1	43.5	27.4	12.5	32.9	1.4	V
4	320.498386	22.1	46.0	23.9	13.2	32.6	2.7	V
5	499.424690	23.3	46.0	22.7	16.5	32.5	2.8	V
6	958.794326	24.9	46.0	21.1	22.2	31.2	3.8	V

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11ax80		

5775 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1212.362601	33.1	74.0	40.9	25.7	60.9	2.3	V
2	2034.619573	33.8	74.0	40.2	26.7	60.9	2.7	V
3	3330.482686	38.2	74.0	35.8	29.6	58.2	3.1	V
4	5529.050999	44.4	74.0	29.6	32.8	58.1	4.0	V
5	9589.147700	52.5	74.0	21.5	38.5	58.9	5.4	V
6	17883.319760	54.4	74.0	19.6	41.6	57.7	7.0	V
Avg								
1	1212.362601	22.5	54.0	31.5	25.7	60.9	2.3	V
2	2034.619573	24.3	54.0	29.7	26.7	60.9	2.7	V
3	3330.482686	28.0	54.0	26.0	29.6	58.2	3.1	V
4	5529.050999	34.0	54.0	20.0	32.8	58.1	4.0	V
5	9589.147700	41.5	54.0	12.5	38.5	58.9	5.4	V
6	17883.319760	45.6	54.0	8.4	41.6	57.7	7.0	V

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11ac160		

5570 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	39.437175	14.3	40.0	25.7	14.0	32.4	0.8	H
2	76.512057	19.7	40.0	20.3	9.8	32.9	0.9	H
3	121.975541	17.9	43.5	25.6	12.3	32.9	1.4	H
4	199.635245	25.5	43.5	18.0	9.9	32.8	2.3	H
5	333.686743	16.7	46.0	29.3	13.2	32.6	2.7	H
6	559.710646	40.3	46.0	5.7	15.5	32.4	3.1	H

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11ac160		

5570 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1296.650000	32.5	74.0	41.5	25.8	61.1	2.3	H
2	1986.850000	34.4	74.0	39.6	26.4	60.9	2.7	H
3	3204.050000	38.6	74.0	35.4	29.7	58.5	3.0	H
4	5110.600000	43.6	74.0	30.4	33.1	57.5	3.7	H
5	7601.950000	48.2	74.0	25.8	36.3	57.7	4.7	H
6	17575.850000	56.3	74.0	17.7	39.7	58.1	6.9	H
Avg								
1	1296.650000	23.7	54.0	30.3	25.8	61.1	2.3	H
2	1986.850000	25.7	54.0	28.3	26.4	60.9	2.7	H
3	3204.050000	29.4	54.0	24.6	29.7	58.5	3.0	H
4	5110.600000	34.5	54.0	19.5	33.1	57.5	3.7	H
5	7601.950000	39.0	54.0	15.0	36.3	57.7	4.7	H
6	17575.850000	47.5	54.0	6.5	39.7	58.1	6.9	H

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11ac160		

5570 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	38.683874	21.7	40.0	18.3	13.9	32.3	0.8	V
2	66.266167	18.2	40.0	21.8	11.5	32.8	0.8	V
3	109.988639	20.7	43.5	22.8	11.1	32.9	1.4	V
4	187.424085	15.5	43.5	28.0	10.8	32.8	2.1	V
5	302.481173	19.0	46.0	27.0	12.9	32.7	2.7	V
6	559.710646	36.7	46.0	9.3	17.6	32.4	3.1	V

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11ac160		

5570 Vertical




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1294.950000	32.4	74.0	41.6	25.8	61.0	2.3	V
2	2284.350000	35.8	74.0	38.2	27.2	60.0	2.8	V
3	3956.300000	40.6	74.0	33.4	30.8	58.5	3.2	V
4	6553.900000	46.6	74.0	27.4	35.2	58.0	4.2	V
5	11556.150000	51.0	74.0	23.0	39.1	60.9	5.8	V
6	17820.650000	56.4	74.0	17.6	41.2	57.8	7.0	V
Avg								
1	1294.950000	23.4	54.0	30.6	25.8	61.0	2.3	V
2	2284.350000	27.0	54.0	27.0	27.2	60.0	2.8	V
3	3956.300000	32.0	54.0	22.0	30.8	58.5	3.2	V
4	6553.900000	37.9	54.0	16.1	35.2	58.0	4.2	V
5	11556.150000	42.7	54.0	11.3	39.1	60.9	5.8	V
6	17820.650000	47.3	54.0	6.7	41.2	57.8	7.0	V

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11ax80		

5775 Horizontal




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	38.683874	14.0	40.0	26.0	13.9	32.3	0.8	H
2	78.413354	20.8	40.0	19.2	9.5	32.9	0.9	H
3	139.117161	18.9	43.5	24.6	13.4	32.9	1.4	H
4	199.985568	25.7	43.5	17.8	9.9	32.8	2.3	H
5	381.917698	18.3	46.0	27.7	13.7	32.4	2.7	H
6	559.710646	40.2	46.0	5.8	15.5	32.4	3.1	H

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Horizontal
Test Mode:	802.11ax80		

5775 Horizontal




Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1306.000000	33.0	74.0	41.0	25.8	61.1	2.3	H
2	2267.350000	35.1	74.0	38.9	27.2	60.1	2.8	H
3	3850.050000	39.2	74.0	34.8	30.6	58.8	3.2	H
4	6241.950000	45.7	74.0	28.3	34.2	58.0	4.2	H
5	11351.300000	50.8	74.0	23.2	39.1	61.1	5.8	H
6	17607.300000	55.2	74.0	18.8	39.9	58.0	6.9	H
Avg								
1	1306.000000	24.4	54.0	29.6	25.8	61.1	2.3	H
2	2267.350000	26.0	54.0	28.0	27.2	60.1	2.8	H
3	3850.050000	30.2	54.0	23.8	30.6	58.8	3.2	H
4	6241.950000	37.4	54.0	16.6	34.2	58.0	4.2	H
5	11351.300000	42.2	54.0	11.8	39.1	61.1	5.8	H
6	17607.300000	45.9	54.0	8.1	39.9	58.0	6.9	H

30MHz - 1GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11ax80		

5775 Vertical




Mk.	Freq.(MHz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Ant.F/G.(dB/m)	Amp.G.(dB)	Cbl.L.(dB)	Pol.
Peak								
1	34.821189	21.9	40.0	18.1	13.4	32.2	0.8	V
2	66.266167	18.5	40.0	21.5	11.5	32.8	0.8	V
3	98.314078	20.8	43.5	22.7	10.0	32.9	1.3	V
4	181.601525	16.7	43.5	26.8	11.5	32.8	2.0	V
5	333.686743	23.5	46.0	22.5	13.5	32.6	2.7	V
6	559.710646	37.1	46.0	8.9	17.6	32.4	3.1	V

1GHz - 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Phase:	Vertical
Test Mode:	802.11ax80		

5775 Vertical



Mk.	Freq.(MHz)	Level (dBuV /m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	1316.200000	33.2	74.0	40.8	25.8	61.1	2.3	V
2	2192.550000	35.3	74.0	38.7	27.2	60.5	2.7	V
3	3853.450000	39.1	74.0	34.9	30.6	58.7	3.2	V
4	6452.750000	47.0	74.0	27.0	34.8	58.0	4.2	V
5	11443.100000	50.7	74.0	23.3	39.1	61.1	5.8	V
6	17779.850000	56.1	74.0	17.9	41.0	57.8	7.0	V
Avg								
1	1316.200000	24.5	54.0	29.5	25.8	61.1	2.3	V
2	2192.550000	25.9	54.0	28.1	27.2	60.5	2.7	V
3	3853.450000	30.5	54.0	23.5	30.6	58.7	3.2	V
4	6452.750000	38.3	54.0	15.7	34.8	58.0	4.2	V
5	11443.100000	41.3	54.0	12.7	39.1	61.1	5.8	V
6	17779.850000	47.1	54.0	6.9	41.0	57.8	7.0	V

Above 18GHz

Temperature:	23.0°C	Relative Humidity:	59%RH
Test Voltage:	AC120V	Polarization:	--
Test Mode:	TX Mode		

REMARK:


The measured value have enough margin over 20dB than the limit, therefore they are not reported.

3.2.7.2. FOR RESTRICTED BANDS OF OPERATION

5150MHz-5250MHz


802.11a

5180MHz Horizontal




Mk.	Frequency (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	5150.000000	43.6	74.0	30.4	33.0	57.5	3.7	H
2	5116.633802	45.0	74.0	29.0	33.1	57.5	3.7	H

Horizontal




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
AVG								
1	5150.000000	32.3	54.0	21.7	33.0	57.5	3.7	H
2	5113.482537	32.7	54.0	21.3	33.1	57.5	3.7	H

5180MHz Vertical




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
Peak								
1	5150.000000	65.7	74.0	8.3	33.0	57.5	3.7	V
2	5142.819105	63.1	74.0	10.9	33.0	57.5	3.7	V

Vertical




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
AVG								
1	5150.000000	43.5	54.0	10.5	33.0	57.5	3.7	V
2	5145.082723	37.9	54.0	16.1	33.0	57.5	3.7	V

5240MHz Horizontal




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
Peak								
1	5350.010000	43.7	74.0	30.3	32.8	57.9	3.9	H
2	5385.548126	45.8	74.0	28.2	32.8	58.0	3.9	H

Horizontal




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
AVG								
1	5350.010000	32.8	54.0	21.2	32.8	57.9	3.9	H
2	5373.238558	33.0	54.0	21.0	32.8	57.9	3.9	H

5240MHz Vertical




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
Peak								
1	5350.010000	43.8	74.0	30.2	32.8	57.9	3.9	V
2	5382.231240	44.7	74.0	29.3	32.8	57.9	3.9	V

Vertical




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
AVG								
1	5350.010000	32.9	54.0	21.1	32.8	57.9	3.9	V
2	5405.016689	33.1	54.0	20.9	32.7	58.0	3.9	V

5180MHz Horizontal




Mk.	Frequency (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	5150.000000	43.0	74.0	31.0	33.0	57.5	3.7	H
2	5145.988450	45.5	74.0	28.5	33.0	57.5	3.7	H

Horizontal




Mk.	Frequency (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
AVG								
1	5150.000000	33.0	54.0	21.0	33.0	57.5	3.7	H
2	5106.286931	32.6	54.0	21.4	33.1	57.5	3.7	H

5180MHz Vertical




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
Peak								
1	5150.000000	69.3	74.0	4.7	33.0	57.5	3.7	V
2	5092.822450	47.7	74.0	26.3	33.1	57.5	3.7	V

Vertical




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
AVG								
1	5150.000000	46.5	54.0	7.5	33.0	57.5	3.7	V
2	5143.724433	38.8	54.0	15.2	33.0	57.5	3.7	V

5240MHz Horizontal




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
Peak								
1	5350.010000	45.4	74.0	28.6	32.8	57.9	3.9	H
2	5371.347277	46.2	74.0	27.8	32.8	57.9	3.9	H

Horizontal




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
AVG								
1	5350.010000	33.1	54.0	20.9	32.8	57.9	3.9	H
2	5385.548126	33.4	54.0	20.6	32.8	58.0	3.9	H

5240MHz Vertical



Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
Peak								
1	5350.010000	44.1	74.0	29.9	32.8	57.9	3.9	V
2	5385.548126	45.3	74.0	28.7	32.8	58.0	3.9	V


Vertical



Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
AVG								
1	5350.010000	33.2	54.0	20.8	32.8	57.9	3.9	V
2	5374.657455	33.3	54.0	20.7	32.8	57.9	3.9	V


802.11n40

5190MHz Horizontal




Mk.	Frequency (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	5150.000000	50.4	74.0	23.6	33.0	57.5	3.7	H
2	5145.082723	49.8	74.0	24.2	33.0	57.5	3.7	H

Horizontal




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
AVG								
1	5150.000000	46.3	54.0	7.7	33.0	57.5	3.7	H
2	5146.441372	45.3	54.0	8.7	33.0	57.5	3.7	H

5190MHz Vertical




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
Peak								
1	5150.000000	67.8	74.0	6.2	33.0	57.5	3.7	V
2	5146.894335	69.3	74.0	4.7	33.0	57.5	3.7	V

Vertical




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
AVG								
1	5150.000000	51.4	54.0	2.6	33.0	57.5	3.7	V
2	5147.800380	50.4	54.0	3.6	33.0	57.5	3.7	V

5230MHz Horizontal




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
Peak								
1	5350.010000	43.7	74.0	30.3	32.8	57.9	3.9	H
2	5379.863286	45.1	74.0	28.9	32.7	58.0	3.9	H

Horizontal




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
AVG								
1	5350.010000	32.7	54.0	21.3	32.8	57.9	3.9	H
2	5373.711482	33.0	54.0	21.0	32.8	57.9	3.9	H

5230MHz Vertical




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
Peak								
1	5350.010000	44.3	74.0	29.7	32.8	57.9	3.9	V
2	5374.657455	45.8	74.0	28.2	32.8	57.9	3.9	V

Vertical




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
AVG								
1	5350.010000	32.9	54.0	21.1	32.8	57.9	3.9	V
2	5387.918581	33.2	54.0	20.8	32.7	58.0	3.9	V

5210MHz Horizontal




Mk.	Frequency (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	5150.000000	58.4	74.0	15.6	33.0	57.5	3.7	H
2	5142.819105	60.2	74.0	13.8	33.0	57.5	3.7	H

Horizontal




Mk.	Frequency (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
AVG								
1	5150.000000	42.5	54.0	11.5	33.0	57.5	3.7	H
2	5142.819105	41.7	54.0	12.3	33.0	57.5	3.7	H

5210MHz Vertical




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
Peak								
1	5150.000000	62.6	74.0	11.4	33.0	57.5	3.7	V
2	5144.629920	62.9	74.0	11.1	33.0	57.5	3.7	V

Vertical




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
AVG								
1	5150.000000	51.0	54.0	3.0	33.0	57.5	3.7	V
2	5147.347338	50.2	54.0	3.8	33.0	57.5	3.7	V

5250MHz Horizontal




Mk.	Frequency (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	5150.000000	56.2	74.0	17.8	33.0	57.5	3.7	H
2	5145.988450	61.5	74.0	12.5	33.0	57.5	3.7	H

Horizontal




Mk.	Frequency (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
AVG								
1	5150.000000	39.5	54.0	14.5	33.0	57.5	3.7	H
2	5136.034225	40.3	54.0	13.7	33.0	57.5	3.7	H

5250MHz Vertical



Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
Peak								
1	5150.000000	69.4	74.0	4.6	33.0	57.5	3.7	V
2	5095.064062	71.3	74.0	2.7	33.1	57.5	3.7	V

Vertical




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
AVG								
1	5150.000000	34.4	54.0	19.6	33.0	57.5	3.7	V
2	5136.034225	35.4	54.0	18.6	33.0	57.5	3.7	V

5250MHz-5350MHz


802.11a

5260MHz Horizontal




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
Peak								
1	5150.000000	44.7	74.0	29.3	33.0	57.5	3.7	H
2	5136.034225	45.5	74.0	28.5	33.0	57.5	3.7	H

Horizontal




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
AVG								
1	5150.000000	32.4	54.0	21.6	33.0	57.5	3.7	H
2	5121.589714	33.3	54.0	20.7	33.1	57.5	3.7	H

5260MHz Vertical




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
Peak								
1	5150.000000	44.1	74.0	29.9	33.0	57.5	3.7	V
2	5061.543237	45.7	74.0	28.3	33.1	57.5	3.7	V

Vertical




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
AVG								
1	5150.000000	32.4	54.0	21.6	33.0	57.5	3.7	V
2	5115.283022	32.6	54.0	21.4	33.1	57.5	3.7	V

5320MHz Horizontal




Mk.	Frequency (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	5350.000000	44.5	74.0	29.5	32.8	57.9	3.9	H
2	5373.711482	45.3	74.0	28.7	32.8	57.9	3.9	H

Horizontal




Mk.	Frequency (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
AVG								
1	5350.000000	33.0	54.0	21	32.8	57.9	3.9	H
2	5362.372780	33.4	54.0	20.6	32.8	57.9	3.9	H

5320MHz Vertical




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
Peak								
1	5350.000000	66.7	74.0	7.3	32.8	57.9	3.9	V
2	5360.013563	60.3	74.0	13.7	32.8	57.9	3.9	V

Vertical




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
AVG								
1	5350.000000	46.3	54.0	7.7	32.8	57.9	3.9	V
2	5351.999988	43.7	54.0	10.3	32.8	57.9	3.9	V

5260MHz Horizontal




Mk.	Frequency (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	5150.000000	42.8	74.0	31.2	33.0	57.5	3.7	H
2	5085.655917	45.1	74.0	28.9	33.1	57.5	3.7	H

Horizontal




Mk.	Frequency (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
AVG								
1	5150.000000	32.6	54.0	21.4	33.0	57.5	3.7	H
2	5123.393054	32.8	54.0	21.2	33.0	57.5	3.7	H

5260MHz Vertical




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
Peak								
1	5150.000000	42.9	74.0	31.1	33.0	57.5	3.7	V
2	5124.745976	44.8	74.0	29.2	33.0	57.5	3.7	V

Vertical




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
AVG								
1	5150.000000	32.1	54.0	21.9	33.0	57.5	3.7	V
2	5112.582532	32.1	54.0	21.9	33.1	57.5	3.7	V

5320MHz Horizontal




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
Peak								
1	5350.000000	44.9	74.0	29.1	32.8	57.9	3.9	H
2	5371.820035	45.4	74.0	28.6	32.8	57.9	3.9	H

Horizontal




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
AVG								
1	5350.000000	32.9	54.0	21.1	32.8	57.9	3.9	H
2	5364.260901	33.2	54.0	20.8	32.8	57.9	3.9	H

5320MHz Vertical



Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
Peak								
1	5350.000000	67.2	74.0	6.8	32.8	57.9	3.9	V
2	5352.942139	65.9	74.0	8.1	32.8	57.9	3.9	V


Vertical



Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
AVG								
1	5350.000000	47.7	54.0	6.3	32.8	57.9	3.9	V
2	5352.471043	45.6	54.0	8.4	32.8	57.9	3.9	V


802.11n40

5270MHz Horizontal




Mk.	Frequency (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	5150.000000	43.1	74.0	30.9	33.0	57.5	3.7	H
2	5054.865583	45.3	74.0	28.7	33.0	57.4	3.7	H

Horizontal




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
AVG								
1	5150.000000	32.5	54.0	21.5	33.0	57.5	3.7	H
2	5115.283022	32.7	54.0	21.3	33.1	57.5	3.7	H

5270MHz Vertical




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
Peak								
1	5150.000000	43.3	74.0	30.7	33.0	57.5	3.7	V
2	5121.589714	46.0	74.0	28.0	33.0	57.5	3.7	V

Vertical




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
AVG								
1	5150.000000	32.3	54.0	21.7	33.0	57.5	3.7	V
2	5102.692926	32.6	54.0	21.4	33.1	57.5	3.7	V

5310MHz Horizontal




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
Peak								
1	5350.000000	47.6	74.0	27.4	32.8	57.9	3.9	H
2	5401.212427	46.4	74.0	27.6	32.7	58.0	3.9	H

Horizontal




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
AVG								
1	5350.000000	32.4	54.0	21.6	32.8	57.9	3.9	H
2	5387.444407	32.7	54.0	21.3	32.8	58.0	3.9	H

5310MHz Vertical




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
Peak								
1	5350.000000	70.9	74.0	3.1	32.8	57.9	3.9	V
2	5354.826940	71.3	74.0	2.7	32.8	57.9	3.9	V

Vertical




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
AVG								
1	5350.000000	48.7	54.0	5.3	32.8	57.9	3.9	V
2	5353.884457	46.3	54.0	7.7	32.8	57.9	3.9	V

5290MHz Horizontal




Mk.	Frequency (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	5350.000000	49.8	74.0	24.2	32.8	57.9	3.9	H
2	5364.733035	51.2	74.0	22.8	32.8	57.9	3.9	H

Horizontal




Mk.	Frequency (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
AVG								
1	5350.000000	38.3	54.0	15.7	32.8	57.9	3.9	H
2	5362.844748	37.1	54.0	16.9	32.8	57.9	3.9	H

5290MHz Vertical



Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
Peak								
1	5350.000000	70.0	74.0	4.0	32.8	57.9	3.9	V
2	5359.541844	69.8	74.0	4.2	32.8	57.9	3.9	V

Vertical




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
AVG								
1	5350.000000	51.5	54.0	2.5	32.8	57.9	3.9	V
2	5353.413277	50.9	54.0	3.1	32.8	57.9	3.9	V

5470MHz-5725MHz


802.11a

5500MHz Horizontal




Mk.	Frequency (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	5460.000000	40.5	74.0	33.5	32.8	58.1	0.0	H
2	5389.425470	41.7	74.0	32.3	32.7	58.0	0.0	H

Horizontal




Mk.	Frequency (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
AVG								
1	5460.000000	34.5	54.0	19.5	32.8	58.1	4.0	H
2	5450.285950	34.8	54.0	19.2	32.8	58.1	3.9	H

5500MHz Vertical




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
Peak								
1	5460.000000	56.8	74.0	17.2	32.8	58.1	4.0	V
2	5456.174016	55.0	74.0	19.0	32.8	58.1	4.0	V

Vertical




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
AVG								
1	5460.000000	37.7	54.0	16.3	32.8	58.1	4.0	V
2	5456.174016	36.2	54.0	17.8	32.8	58.1	4.0	V

5700MHz Horizontal




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
Peak								
1	5850.010000	45.0	74.0	29.0	33.9	58.1	4.1	H
2	5906.188336	46.6	74.0	27.4	34.0	58.1	4.1	H

Horizontal




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
AVG								
1	5850.010000	35.2	54.0	18.8	33.9	58.1	4.1	H
2	5882.004839	35.7	54.0	18.3	34.0	58.1	4.1	H

5700MHz Vertical



Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
Peak								
1	5850.010000	45.3	74.0	28.7	33.9	58.1	4.1	V
2	5878.830180	46.7	74.0	27.3	34.0	58.1	4.1	V


Vertical



Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
AVG								
1	5850.010000	34.7	54.0	19.3	33.9	58.1	4.1	V
2	5879.464975	35.2	54.0	18.8	34.0	58.1	4.1	V


802.11ac20

5500MHz Horizontal




Mk.	Frequency (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	5460.000000	44.9	74.0	29.1	32.8	58.1	4.0	H
2	5409.247023	46.7	74.0	27.3	32.7	58.0	3.9	H

Horizontal




Mk.	Frequency (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
AVG								
1	5460.000000	34.0	54.0	20.0	32.8	58.1	4.0	H
2	5437.354563	34.2	54.0	19.8	32.7	58.0	3.9	H

5500MHz Vertical




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
Peak								
1	5460.000000	57.4	74.0	16.6	32.8	58.1	4.0	V
2	5454.995894	57.0	74.0	17.0	32.8	58.1	4.0	V

Vertical




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
AVG								
1	5460.000000	37.7	54.0	16.3	32.8	58.1	4.0	V
2	5436.767502	34.2	54.0	19.8	32.7	58.0	3.9	V

5700MHz Horizontal




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
Peak								
1	5850.010000	45.3	74.0	28.7	33.9	58.1	4.1	H
2	5878.830180	47.2	74.0	26.8	34.0	58.1	4.1	H

Horizontal




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
AVG								
1	5850.010000	34.9	54.0	19.1	33.9	58.1	4.1	H
2	5890.266977	35.5	54.0	18.5	34.0	58.1	4.1	H

5700MHz Vertical



Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
Peak								
1	5850.010000	44.6	74.0	29.4	33.9	58.1	4.1	V
2	5874.388537	46.4	74.0	27.6	34.0	58.1	4.1	V


Vertical



Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
AVG								
1	5850.010000	34.1	54.0	19.9	33.9	58.1	4.1	V
2	5884.545800	34.8	54.0	19.2	34.0	58.1	4.1	V


802.11n40

5510MHz Horizontal




Mk.	Frequency (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	5460.000000	45.9	74.0	28.1	32.8	58.1	4.0	H
2	5439.703440	45.8	74.0	28.2	32.8	58.0	3.9	H

Horizontal




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
AVG								
1	5460.000000	33.8	54.0	20.2	32.8	58.1	4.0	H
2	5435.593570	34.0	54.0	20.0	32.8	58.0	3.9	H

5510MHz Vertical




Mk.	Frequency (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	5460.000000	72.0	74.0	2.0	32.8	58.1	4.0	V
2	5453.229188	68.6	74.0	5.4	32.8	58.1	3.9	V

Vertical




Mk.	Frequency (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
AVG								
1	5460.000000	53.3	54.0	0.7	32.8	58.1	4.0	V
2	5456.174016	51.0	54.0	3.0	32.8	58.1	4.0	V

5670MHz Horizontal




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
Peak								
1	5850.010000	45.2	74.0	28.8	33.9	58.1	4.1	H
2	5887.087859	46.8	74.0	27.2	34.0	58.1	4.1	H

Horizontal




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
AVG								
1	5850.010000	34.8	54.0	19.2	33.9	58.1	4.1	H
2	5886.452241	35.3	54.0	18.7	34.0	58.1	4.1	H

5670MHz Vertical




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
Peak								
1	5850.010000	44.3	74.0	29.7	33.9	58.1	4.1	V
2	5881.369770	46.5	74.0	27.5	34.0	58.1	4.1	V

Vertical




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
AVG								
1	5850.010000	34.4	54.0	19.6	33.9	58.1	4.1	V
2	5878.830180	35.0	54.0	19.0	34.0	58.1	4.1	V

5530MHz Horizontal




Mk.	Frequency (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	5460.000000	48.2	74.0	25.8	32.8	58.1	4.0	H
2	5452.051702	49.2	74.0	24.8	32.8	58.1	3.9	H

Horizontal




Mk.	Frequency (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
AVG								
1	5460.000000	34.3	54.0	19.7	32.8	58.1	4.0	H
2	5437.354563	33.9	54.0	20.1	32.8	58.0	3.9	H

5530MHz Vertical




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
Peak								
1	5460.000000	72.8	74.0	1.2	32.8	58.1	4.0	V
2	5456.174016	73.3	74.0	0.7	32.8	58.1	4.0	V

Vertical




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
AVG								
1	5460.000000	53.7	54.0	0.3	32.8	58.1	4.0	V
2	5457.352392	53.9	54.0	0.1	32.8	58.1	4.0	V

5610MHz Horizontal




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
Peak								
1	5850.010000	45.1	74.0	28.9	33.9	58.1	4.1	H
2	5910.015862	46.6	74.0	27.4	34.0	58.1	4.1	H

Horizontal




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
AVG								
1	5850.010000	34.7	54.0	19.3	33.9	58.1	4.1	H
2	5876.291687	35.2	54.0	18.8	34.0	58.1	4.1	H

5610MHz Vertical




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
Peak								
1	5850.010000	44.8	74.0	29.2	33.9	58.1	4.1	V
2	5885.816692	45.6	74.0	28.4	34.0	58.1	4.1	V

Vertical




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
AVG								
1	5850.010000	34.5	54.0	19.5	33.9	58.1	4.1	V
2	5878.195454	34.7	54.0	19.3	34.0	58.1	4.1	V

5570MHz Horizontal




Mk.	Frequency (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	5460.000000	48.3	74.0	25.7	32.8	58.1	4.0	H
2	5452.051702	51.7	74.0	22.3	32.8	58.1	3.9	H

Horizontal




Mk.	Frequency (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
AVG								
1	5460.000000	33.6	54.0	20.4	32.8	58.1	4.0	H
2	5437.354563	33.9	54.0	20.1	32.8	58.0	3.9	H

5570MHz Vertical



Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
Peak								
1	5460.000000	68.8	74.0	5.2	32.8	58.1	4.0	V
2	5413.921503	71.3	74.0	2.7	32.7	58.0	3.9	V

Vertical




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
AVG								
1	5460.000000	50.1	54.0	3.9	32.8	58.1	4.0	V
2	5447.344300	49.8	54.0	4.2	32.7	58.0	4.0	V

5725MHz-5850MHz


802.11a

5745MHz Horizontal




Mk.	Frequency (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	5850.010000	45.3	74.0	28.7	33.9	58.1	4.1	H
2	5913.207361	46.8	74.0	27.2	34.0	58.1	4.1	H

Horizontal




Mk.	Frequency (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
AVG								
1	5850.010000	35.6	54.0	18.4	33.9	58.1	4.1	H
2	5890.266977	36.0	54.0	18.0	34.0	58.1	4.1	H

5745MHz Vertical




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
Peak								
1	5850.010000	45.0	74.0	29.0	33.9	58.1	4.1	V
2	5887.087859	45.4	74.0	28.6	34.0	58.1	4.1	V

Vertical




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
AVG								
1	5850.010000	34.8	54.0	19.2	33.9	58.1	4.1	V
2	5880.099838	35.5	54.0	18.5	34.0	58.1	4.1	V

5825MHz Horizontal




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
Peak								
1	5850.010000	44.6	74.0	29.4	33.9	58.1	4.1	H
2	5927.910471	46.4	74.0	27.6	34.0	58.1	4.1	H

Horizontal




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
AVG								
1	5850.010000	35.0	54.0	19.0	33.9	58.1	4.1	H
2	5875.657235	35.4	54.0	18.6	34.0	58.1	4.1	H

5825MHz Vertical




Mk.	Frequency (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	5850.010000	70.8	74.0	3.2	33.9	58.1	4.1	V
2	5856.655495	68.5	74.0	5.5	33.9	58.1	4.1	V

Vertical




Mk.	Frequency (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
AVG								
1	5850.010000	52.1	54.0	1.9	33.9	58.1	4.1	V
2	5852.230605	50.6	54.0	3.4	33.9	58.1	4.1	V

5745MHz Horizontal




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
Peak								
1	5850.010000	44.6	74.0	29.4	33.9	58.1	4.1	H
2	5892.175272	45.9	74.0	28.1	34.0	58.1	4.1	H

Horizontal




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
AVG								
1	5850.010000	34.7	54.0	19.3	33.9	58.1	4.1	H
2	5885.181212	35.5	54.0	18.5	34.0	58.1	4.1	H

5745MHz Vertical




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
Peak								
1	5850.010000	44.3	74.0	29.7	33.9	58.1	4.1	V
2	5889.631016	45.2	74.0	28.8	34.0	58.1	4.1	V

Vertical




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
AVG								
1	5850.010000	34.9	54.0	19.1	33.9	58.1	4.1	V
2	5891.539105	34.5	54.0	19.5	34.0	58.1	4.1	V

5825MHz Horizontal




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
Peak								
1	5850.010000	44.4	74.0	29.6	33.9	58.1	4.1	H
2	5881.369770	46.0	74.0	28.0	34.0	58.1	4.1	H

Horizontal




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
AVG								
1	5850.010000	34.8	54.0	19.2	33.9	58.1	4.1	H
2	5879.464975	35.3	54.0	18.7	34.0	58.1	4.1	H

5825MHz Vertical



Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
Peak								
1	5850.010000	68.2	74.0	5.8	33.9	58.1	4.1	V
2	5853.494518	69.5	74.0	4.5	33.9	58.1	4.1	V


Vertical



Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
AVG								
1	5850.010000	42.5	54.0	11.5	33.9	58.1	4.1	V
2	5854.758704	36.3	54.0	17.7	33.9	58.1	4.1	V


802.11n40

5755MHz Horizontal




Mk.	Frequency (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	5850.010000	44.6	74.0	29.4	33.9	58.1	4.1	H
2	5858.552900	46.1	74.0	27.9	33.9	58.1	4.1	H

Horizontal




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
AVG								
1	5850.010000	34.8	54.0	19.2	33.9	58.1	4.1	H
2	5889.631016	35.3	54.0	18.7	34.0	58.1	4.1	H

5755MHz Vertical




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
Peak								
1	5850.010000	46.4	74.0	27.6	33.9	58.1	4.1	V
2	5857.920364	49.8	74.0	24.2	33.9	58.1	4.1	V

Vertical




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
AVG								
1	5850.010000	34.9	54.0	19.1	33.9	58.1	4.1	V
2	5900.451695	34.9	54.0	19.1	34.0	58.1	4.1	V

5795MHz Horizontal




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
Peak								
1	5850.010000	45.3	74.0	28.7	33.9	58.1	4.1	H
2	5883.910457	46.2	74.0	27.8	34.0	58.1	4.1	H

Horizontal




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
AVG								
1	5850.010000	34.7	54.0	19.3	33.9	58.1	4.1	H
2	5876.926208	35.2	54.0	18.8	34.0	58.1	4.1	H

5795MHz Vertical




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
Peak								
1	5850.010000	63.3	74.0	10.7	33.9	58.1	4.1	V
2	5858.552900	61.4	74.0	12.6	33.9	58.1	4.1	V

Vertical




Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
AVG								
1	5850.010000	48.4	54.0	5.6	33.9	58.1	4.1	V
2	5854.126577	46.9	54.0	7.1	33.9	58.1	4.1	V

5775MHz Horizontal




Mk.	Frequency (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
Peak								
1	5850.010000	47.3	74.0	26.7	33.9	58.1	4.1	H
2	5857.287895	48.0	74.0	26.0	33.9	58.1	4.1	H

Horizontal




Mk.	Frequency (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Ant.F/G. (dB/m)	Amp.G. (dB)	Cbl.L. (dB)	Pol.
AVG								
1	5850.010000	35.1	54.0	18.9	33.9	58.1	4.1	H
2	5878.830180	35.4	54.0	18.6	34.0	58.1	4.1	H

5775MHz Vertical



Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
Peak								
1	5850.010000	71.4	74.0	2.6	33.9	58.1	4.1	V
2	5858.552900	70.9	74.0	3.1	33.9	58.1	4.1	V

Vertical



Mk.	Frequency	Level	Limit	Margin	Ant.F/G.	Amp.G.	Cbl.L.	Pol.
	(MHz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(dB)	(dB)	
AVG								
1	5850.010000	51.9	54.0	2.1	33.9	58.1	4.1	V
2	5857.920364	49.6	54.0	4.4	33.9	58.1	4.1	V

Remark:

The all data rate modes had been test, but only worse test data was recorded in the test report.

4. POWER SPECTRAL DENSITY TEST

4.1. LIMIT

4.1.1 For an indoor access point operating in the band 5.15-5.25 GHz, the maximum power spectral density shall not exceed 17 dBm in any 1 megahertz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

4.1.2 For the 5.25-5.35 GHz and 5.47-5.725 GHz bands, the maximum power spectral density shall not exceed 11 dBm in any 1 megahertz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

4.1.3 For the band 5.725-5.850 GHz, the peak power spectral density shall not exceed 30 dBm in any 500 kHz band. If transmitting antenna directional gain is greater than 6 dBi, both the maximum conducted output power and the peak power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

4.2. TEST PROCEDURE

The setting follows Method SA-1 of FCC KDB D02 General UNII Test Procedures New Rules v01r03.

For devices operating in the band, the rules specify a measurement bandwidth of 500 kHz. Many spectrum analyzers do not have 500 kHz RBW, thus a narrower RBW may need to be used. The rules permit the use of a RBW less than 1 MHz, or 500 kHz, "provided that the measured power is integrated over the full reference bandwidth" to show the total power over the specified measurement bandwidth (*i.e.*, 1 MHz, or 500 kHz). If measurements are performed using a reduced resolution bandwidth (< 1 MHz, or < 500 kHz) and integrated over 1 MHz, or 500 KHz bandwidth, the following adjustments to the procedures apply:


- a) Set $RBW \geq 1/T$, where T is defined in section II.B.I.a).
- b) Set $VBW \geq 3 RBW$.
- c) If measurement bandwidth of Maximum PSD is specified in 500 kHz, add $10 \log (500\text{kHz}/RBW)$ to the measured result, whereas $RBW (< 500 \text{ kHz})$ is the reduced resolution bandwidth of the spectrum analyzer set during measurement.
- d) If measurement bandwidth of Maximum PSD is specified in 1 MHz, add $10 \log (1\text{MHz}/RBW)$ to the measured result, whereas $RBW (< 1 \text{ MHz})$ is the reduced resolution bandwidth of spectrum analyzer set during measurement.
- e) Care must be taken to ensure that the measurements are performed during a period of continuous transmission or are corrected upward for duty cycle.

Note: As a practical matter, it is recommended to use reduced RBW of 100 kHz for the sections 5.c) and 5.d) above, since $RBW=100 \text{ KHz}$ is available on nearly all spectrum analyzers.

4.3. DEVIATION FROM STANDARD

No deviation.

4.4. TEST SETUP



4.5. EUT OPERATION CONDITIONS

The EUT tested system was configured as the statements of 2.1 Unless otherwise a special operating condition is specified in the follows during the testing.

4.6. TEST RESULTS

5150MHz-5250MHz

802.11a

CH.	Freq. MHz	Ant. No.	Ant. Gain (dBi)	Duty Factor (dB)	PSD Reading (dBm/MHz)	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
36	5180	0	6.71	2.76	4.465	7.23	17	PASS
40	5200	0	6.71	2.76	4.017	6.78	17	PASS
48	5240	0	6.71	2.76	5.670	8.43	17	PASS
36	5180	1	3.90	2.76	3.006	5.77	17	PASS
40	5200	1	3.90	2.76	2.154	4.91	17	PASS
48	5240	1	3.90	2.76	2.981	5.74	17	PASS

CH.	Freq. MHz	Ant. No.	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
36	5180	0+1	9.57	17	PASS
40	5200	0+1	8.95	17	PASS
48	5240	0+1	10.30	17	PASS

802.11n20

CH.	Freq. MHz	Ant. No.	Ant. Gain (dBi)	Duty Factor (dB)	PSD Reading (dBm/MHz)	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
36	5180	0	6.71	2.29	4.630	6.92	17	PASS
40	5200	0	6.71	2.29	4.256	6.55	17	PASS
48	5240	0	6.71	2.29	5.454	7.74	17	PASS
36	5180	1	3.90	2.29	3.052	5.34	17	PASS
40	5200	1	3.90	2.29	3.111	5.40	17	PASS
48	5240	1	3.90	2.29	3.360	5.65	17	PASS

CH.	Freq. MHz	Ant. No.	PSD (dBm/MHz)		Limit (dBm/MHz)	Result
36	5180	0+1	9.21		17	PASS
40	5200	0+1	9.02		17	PASS
48	5240	0+1	9.83		17	PASS

802.11n40

CH.	Freq. MHz	Ant. No.	Ant. Gain (dBi)	Duty Factor (dB)	PSD Reading (dBm/MHz)	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
38	5190	0	6.71	2.63	-1.400	1.23	17	PASS
46	5230	0	6.71	2.63	-1.664	0.97	17	PASS
38	5190	1	3.90	2.63	1.170	3.80	17	PASS
46	5230	1	3.90	2.63	0.178	2.81	17	PASS

CH.	Freq. MHz	Ant. No.	PSD (dBm/MHz)		Limit (dBm/MHz)	Result
38	5190	0+1	5.71		17	PASS
46	5230	0+1	4.99		17	PASS

802.11ac20

CH.	Freq. MHz	Ant. No.	Ant. Gain (dBi)	Duty Factor (dB)	PSD Reading (dBm/MHz)	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
36	5180	0	6.71	0.78	3.364	4.14	17	PASS
40	5200	0	6.71	0.78	3.943	4.72	17	PASS
48	5240	0	6.71	0.78	4.137	4.92	17	PASS
36	5180	1	3.90	0.78	5.475	6.26	17	PASS
40	5200	1	3.90	0.78	5.199	5.98	17	PASS
48	5240	1	3.90	0.78	5.191	5.97	17	PASS

CH.	Freq. MHz	Ant. No.	PSD (dBm/MHz)		Limit (dBm/MHz)	Result
36	5180	0+1	8.34		17	PASS
40	5200	0+1	8.41		17	PASS
48	5240	0+1	8.49		17	PASS

802.11ac40

CH.	Freq. MHz	Ant. No.	Ant. Gain (dBi)	Duty Factor (dB)	PSD Reading (dBm/MHz)	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
38	5190	0	6.71	0.98	0.553	1.53	17	PASS
46	5230	0	6.71	0.98	-0.151	0.83	17	PASS
38	5190	1	3.90	0.98	0.340	1.32	17	PASS
46	5230	1	3.90	0.98	1.153	2.13	17	PASS

CH.	Freq. MHz	Ant. No.	PSD (dBm/MHz)		Limit (dBm/MHz)	Result
38	5190	0+1	4.44		17	PASS
46	5230	0+1	4.54		17	PASS

802.11ac80

CH.	Freq. MHz	Ant. No.	Ant. Gain (dBi)	Duty Factor (dB)	PSD Reading (dBm/MHz)	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
42	5210	0	6.71	0.98	-2.896	-1.916	17	PASS
42	5210	1	3.90	0.98	-1.852	-0.872	17	PASS

CH.	Freq. MHz	Ant. No.	PSD (dBm/MHz)				Limit (dBm/MHz)	Result
42	5210	0+1	1.65				17	PASS

802.11ac160

CH.	Freq. MHz	Ant. No.	Ant. Gain (dBi)	Duty Factor (dB)	PSD Reading (dBm/MHz)	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
50	5250	0	6.71	1	-5.585	-4.585	17	PASS
50	5250	1	3.90	1	-5.151	-4.151	17	PASS

CH.	Freq. MHz	Ant. No.	PSD (dBm/MHz)				Limit (dBm/MHz)	Result
50	5250	0+1	-1.35				17	PASS

802.11ax20

CH.	Freq. MHz	Ant. No.	Ant. Gain (dBi)	Duty Factor (dB)	PSD Reading (dBm/MHz)	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
36	5180	0	6.71	0.42	3.631	4.05	17	PASS
40	5200	0	6.71	0.42	3.545	3.97	17	PASS
48	5240	0	6.71	0.42	3.848	4.27	17	PASS
36	5180	1	3.90	0.42	5.656	6.08	17	PASS
40	5200	1	3.90	0.42	3.669	4.09	17	PASS
48	5240	1	3.90	0.42	5.264	5.68	17	PASS

CH.	Freq. MHz	Ant. No.	PSD (dBm/MHz)				Limit (dBm/MHz)	Result
36	5180	0+1	8.19				17	PASS
40	5200	0+1	7.04				17	PASS
48	5240	0+1	8.04				17	PASS

802.11ax40

CH.	Freq. MHz	Ant. No.	Ant. Gain (dBi)	Duty Factor (dB)	PSD Reading (dBm/MHz)	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
38	5190	0	6.71	0.46	1.104	1.56	17	PASS
46	5230	0	6.71	0.46	0.973	1.43	17	PASS
38	5190	1	3.90	0.46	1.473	1.93	17	PASS
46	5230	1	3.90	0.46	2.143	2.60	17	PASS

CH.	Freq. MHz	Ant. No.	PSD (dBm/MHz)				Limit (dBm/MHz)	Result
38	5190	0+1	4.76				17	PASS
46	5230	0+1	5.07				17	PASS

802.11ax80

CH.	Freq. MHz	Ant. No.	Ant. Gain (dBi)	Duty Factor (dB)	PSD Reading (dBm/MHz)	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
42	5210	0	6.71	0.48	-2.326	-1.846	17	PASS
42	5210	1	3.90	0.48	-0.814	-0.334	17	PASS

CH.	Freq. MHz	Ant. No.	PSD (dBm/MHz)				Limit (dBm/MHz)	Result
42	5210	0+1	1.99				17	PASS

802.11ax160

CH.	Freq. MHz	Ant. No.	Ant. Gain (dBi)	Duty Factor (dB)	PSD Reading (dBm/MHz)	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
50	5250	0	6.71	0.49	-5.855	-5.365	17	PASS
50	5250	1	3.90	0.49	-3.965	-3.475	17	PASS

CH.	Freq. MHz	Ant. No.	PSD (dBm/MHz)				Limit (dBm/MHz)	Result
50	5250	0+1	-1.31				17	PASS

5250MHz-5350MHz

802.11a

CH.	Freq. MHz	Ant. No.	Ant. Gain (dBi)	Duty Factor (dB)	PSD Reading (dBm/MHz)	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
52	5260	0	6.71	2.76	4.104	6.86	11	PASS
60	5300	0	6.71	2.76	3.974	6.73	11	PASS
64	5320	0	6.71	2.76	4.145	6.91	11	PASS
52	5260	1	3.90	2.76	5.788	8.55	11	PASS
60	5300	1	3.90	2.76	5.676	8.44	11	PASS
64	5320	1	3.90	2.76	5.599	8.36	11	PASS

CH.	Freq. MHz	Ant. No.	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
52	5260	0+1	10.80	11	PASS
60	5300	0+1	10.68	11	PASS
64	5320	0+1	10.70	11	PASS

802.11n20

CH.	Freq. MHz	Ant. No.	Ant. Gain (dBi)	Duty Factor (dB)	PSD Reading (dBm/MHz)	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
52	5260	0	6.71	2.29	3.901	6.19	11	PASS
60	5300	0	6.71	2.29	3.792	6.08	11	PASS
64	5320	0	6.71	2.29	3.896	6.19	11	PASS
52	5260	1	3.90	2.29	5.608	7.90	11	PASS
60	5300	1	3.90	2.29	5.491	7.78	11	PASS
64	5320	1	3.90	2.29	5.633	7.92	11	PASS

CH.	Freq. MHz	Ant. No.	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
52	5260	0+1	10.14	11	PASS
60	5300	0+1	10.02	11	PASS
64	5320	0+1	10.15	11	PASS

802.11n40

CH.	Freq. MHz	Ant. No.	Ant. Gain (dBi)	Duty Factor (dB)	PSD Reading (dBm/MHz)	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
54	5270	0	6.71	2.63	1.078	2.18	11	PASS
62	5310	0	6.71	2.63	1.045	2.02	11	PASS
54	5270	1	3.90	2.63	2.132	3.61	11	PASS
62	5310	1	3.90	2.63	2.338	4.48	11	PASS

CH.	Freq. MHz	Ant. No.	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
54	5270	0+1	5.96	11	PASS
62	5310	0+1	6.43	11	PASS

802.11ac20

CH.	Freq. MHz	Ant. No.	Ant. Gain (dBi)	Duty Factor (dB)	PSD Reading (dBm/MHz)	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
52	5260	0	6.71	0.78	3.968	4.75	11	PASS
60	5300	0	6.71	0.78	3.432	4.21	11	PASS
64	5320	0	6.71	0.78	4.289	5.07	11	PASS
52	5260	1	3.90	0.78	5.703	6.48	11	PASS
60	5300	1	3.90	0.78	5.753	6.53	11	PASS
64	5320	1	3.90	0.78	5.582	6.36	11	PASS

CH.	Freq. MHz	Ant. No.	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
52	5260	0+1	8.71	11	PASS
60	5300	0+1	8.54	11	PASS
64	5320	0+1	8.77	11	PASS

802.11ac40

CH.	Freq. MHz	Ant. No.	Ant. Gain (dBi)	Duty Factor (dB)	PSD Reading (dBm/MHz)	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
54	5270	0	6.71	0.98	0.976	1.96	11	PASS
62	5310	0	6.71	0.98	1.290	2.27	11	PASS
54	5270	1	3.90	0.98	2.744	3.72	11	PASS
62	5310	1	3.90	0.98	2.164	3.14	11	PASS

CH.	Freq. MHz	Ant. No.	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
54	5270	0+1	5.94	11	PASS
62	5310	0+1	5.74	11	PASS

802.11ac80

CH.	Freq. MHz	Ant. No.	Ant. Gain (dBi)	Duty Factor (dB)	PSD Reading (dBm/MHz)	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
58	5290	0	6.71	0.98	-2.737	-1.757	11	PASS
58	5290	1	3.90	0.98	-1.023	-0.043	11	PASS

CH.	Freq. MHz	Ant. No.	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
58	5290	0+1	2.19	11	PASS

802.11ac160

CH.	Freq. MHz	Ant. No.	Ant. Gain (dBi)	Duty Factor (dB)	PSD Reading (dBm/MHz)	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
50	5250	0	6.71	1	-5.600	-4.600	11	PASS
50	5250	1	3.90	1	-4.277	-3.277	11	PASS

CH.	Freq. MHz	Ant. No.	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
50	5250	0+1	-0.88	11	PASS

802.11ax20

CH.	Freq. MHz	Ant. No.	Ant. Gain (dBi)	Duty Factor (dB)	PSD Reading (dBm/MHz)	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
52	5260	0	6.71	0.42	5.094	5.51	11	PASS
60	5300	0	6.71	0.42	4.303	4.72	11	PASS
64	5320	0	6.71	0.42	4.500	4.92	11	PASS
52	5260	1	3.90	0.42	5.244	5.66	11	PASS
60	5300	1	3.90	0.42	4.839	5.26	11	PASS
64	5320	1	3.90	0.42	5.080	5.50	11	PASS

CH.	Freq. MHz	Ant. No.	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
52	5260	0+1	8.60	11	PASS
60	5300	0+1	8.01	11	PASS
64	5320	0+1	8.23	11	PASS

802.11ax40

CH.	Freq. MHz	Ant. No.	Ant. Gain (dBi)	Duty Factor (dB)	PSD Reading (dBm/MHz)	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
54	5270	0	6.71	0.46	2.013	2.47	11	PASS
62	5310	0	6.71	0.46	1.882	2.34	11	PASS
54	5270	1	3.90	0.46	2.796	3.26	11	PASS
62	5310	1	3.90	0.46	2.944	3.40	11	PASS

CH.	Freq. MHz	Ant. No.	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
54	5270	0+1	5.89	11	PASS
62	5310	0+1	5.92	11	PASS

802.11ax80

CH.	Freq. MHz	Ant. No.	Ant. Gain (dBi)	Duty Factor (dB)	PSD Reading (dBm/MHz)	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
58	5290	0	6.71	0.48	-2.247	-1.767	11	PASS
58	5290	1	3.90	0.48	-1.047	-0.567	11	PASS

CH.	Freq. MHz	Ant. No.	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
58	5290	0+1	1.88	11	PASS

802.11ax160

CH.	Freq. MHz	Ant. No.	Ant. Gain (dBi)	Duty Factor (dB)	PSD Reading (dBm/MHz)	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
50	5250	0	6.71	0.49	-4.849	-4.359	11	PASS
50	5250	1	3.90	0.49	-3.681	-3.191	11	PASS

CH.	Freq. MHz	Ant. No.	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
50	5250	0+1	-0.73	11	PASS

5470MHz-5725MHz

802.11a

CH.	Freq. MHz	Ant. No.	Ant. Gain (dBi)	Duty Factor (dB)	PSD Reading (dBm/MHz)	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
100	5500	0	6.71	2.76	2.923	5.51	11	PASS
116	5580	0	6.71	2.76	1.471	4.72	11	PASS
140	5700	0	6.71	2.76	2.325	4.92	11	PASS
100	5500	1	3.90	2.76	2.688	5.66	11	PASS
116	5580	1	3.90	2.76	2.668	5.26	11	PASS
140	5700	1	3.90	2.76	3.891	5.50	11	PASS

CH.	Freq. MHz	Ant. No.	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
100	5500	0+1	8.60	11	PASS
116	5580	0+1	8.01	11	PASS
140	5700	0+1	8.23	11	PASS

802.11n20

CH.	Freq. MHz	Ant. No.	Ant. Gain (dBi)	Duty Factor (dB)	PSD Reading (dBm/MHz)	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
100	5500	0	6.71	2.29	2.956	5.25	11	PASS
116	5580	0	6.71	2.29	0.502	2.79	11	PASS
140	5700	0	6.71	2.29	2.579	4.87	11	PASS
100	5500	1	3.90	2.29	3.187	5.48	11	PASS
116	5580	1	3.90	2.29	3.076	5.37	11	PASS
140	5700	1	3.90	2.29	3.355	5.65	11	PASS

CH.	Freq. MHz	Ant. No.	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
100	5500	0+1	8.37	11	PASS
116	5580	0+1	7.28	11	PASS
140	5700	0+1	8.28	11	PASS

802.11n40

CH.	Freq. MHz	Ant. No.	Ant. Gain (dBi)	Duty Factor (dB)	PSD Reading (dBm/MHz)	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
102	5510	0	6.71	2.63	-0.463	2.17	11	PASS
110	5550	0	6.71	2.63	-1.399	1.23	11	PASS
134	5670	0	6.71	2.63	-0.369	2.26	11	PASS
102	5510	1	3.90	2.63	0.065	2.70	11	PASS
110	5550	1	3.90	2.63	0.115	2.75	11	PASS
134	5670	1	3.90	2.63	0.817	3.45	11	PASS

CH.	Freq. MHz	Ant. No.	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
102	5510	0+1	5.45	11	PASS
110	5550	0+1	5.06	11	PASS
134	5670	0+1	5.90	11	PASS

802.11ac20

CH.	Freq. MHz	Ant. No.	Ant. Gain (dBi)	Duty Factor (dB)	PSD Reading (dBm/MHz)	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
100	5500	0	6.71	0.78	4.386	5.17	11	PASS
116	5580	0	6.71	0.78	2.400	3.18	11	PASS
140	5700	0	6.71	0.78	3.307	4.09	11	PASS
100	5500	1	3.90	0.78	4.490	5.27	11	PASS
116	5580	1	3.90	0.78	3.986	4.77	11	PASS
140	5700	1	3.90	0.78	5.866	6.65	11	PASS

CH.	Freq. MHz	Ant. No.	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
100	5500	0+1	8.23	11	PASS
116	5580	0+1	7.06	11	PASS
140	5700	0+1	8.56	11	PASS

802.11ac40

CH.	Freq. MHz	Ant. No.	Ant. Gain (dBi)	Duty Factor (dB)	PSD Reading (dBm/MHz)	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
102	5510	0	6.71	0.98	1.323	2.30	11	PASS
110	5550	0	6.71	0.98	0.306	1.29	11	PASS
134	5670	0	6.71	0.98	-0.396	0.58	11	PASS
102	5510	1	3.90	0.98	1.521	2.50	11	PASS
110	5550	1	3.90	0.98	2.007	2.99	11	PASS
134	5670	1	3.90	0.98	2.307	3.29	11	PASS

CH.	Freq. MHz	Ant. No.	PSD (dBm/MHz)		Limit (dBm/MHz)	Result
102	5510	0+1	5.41		11	PASS
110	5550	0+1	5.23		11	PASS
134	5670	0+1	5.15		11	PASS

802.11ac80

CH.	Freq. MHz	Ant. No.	Ant. Gain (dBi)	Duty Factor (dB)	PSD Reading (dBm/MHz)	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
106	5530	0	6.71	0.98	-2.499	-1.52	11	PASS
122	5610	0	6.71	0.98	-2.196	-1.22	11	PASS
106	5530	1	3.90	0.98	-1.127	-0.15	11	PASS
122	5610	1	3.90	0.98	-0.794	0.19	11	PASS

CH.	Freq. MHz	Ant. No.	PSD (dBm/MHz)		Limit (dBm/MHz)	Result
106	5530	0+1	2.23		11	PASS
122	5610	0+1	2.55		11	PASS

802.11ac160

CH.	Freq. MHz	Ant. No.	Ant. Gain (dBi)	Duty Factor (dB)	PSD Reading (dBm/MHz)	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
114	5570	0	6.71	1	-5.913	-4.913	11	PASS
114	5570	1	3.90	1	-4.583	-3.583	11	PASS

CH.	Freq. MHz	Ant. No.	PSD (dBm/MHz)		Limit (dBm/MHz)	Result
114	5570	0+1	-1.19		11	PASS

802.11ax20

CH.	Freq. MHz	Ant. No.	Ant. Gain (dBi)	Duty Factor (dB)	PSD Reading (dBm/MHz)	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
100	5500	0	6.71	0.42	4.799	5.22	11	PASS
116	5580	0	6.71	0.42	3.215	3.64	11	PASS
140	5700	0	6.71	0.42	3.642	4.06	11	PASS
100	5500	1	3.90	0.42	4.862	5.28	11	PASS
116	5580	1	3.90	0.42	4.765	5.19	11	PASS
140	5700	1	3.90	0.42	6.145	6.57	11	PASS

CH.	Freq. MHz	Ant. No.	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
100	5500	0+1	8.26	11	PASS
116	5580	0+1	7.49	11	PASS
140	5700	0+1	8.50	11	PASS

802.11ax40

CH.	Freq. MHz	Ant. No.	Ant. Gain (dBi)	Duty Factor (dB)	PSD Reading (dBm/MHz)	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
102	5510	0	6.71	0.46	1.523	1.98	11	PASS
110	5550	0	6.71	0.46	0.347	0.81	11	PASS
134	5670	0	6.71	0.46	0.783	1.24	11	PASS
102	5510	1	3.90	0.46	2.666	3.13	11	PASS
110	5550	1	3.90	0.46	2.554	3.01	11	PASS
134	5670	1	3.90	0.46	2.504	2.96	11	PASS

CH.	Freq. MHz	Ant. No.	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
102	5510	0+1	5.60	11	PASS
110	5550	0+1	5.06	11	PASS
134	5670	0+1	5.20	11	PASS