

0  
-0.2  
60 mm

0  
-0.2  
40 mm

 ZHONE®

XDSL Bonded  
4-Port WiFi Gateway

Model: See Adjacent Label for Model Number

Rating: 12V  2A

US: 6RTDL01B67X8

Jack Type :RJ11C REN:0.1B

FCC ID: PJZ67X8

CE05600!



CONFORMS TO  
ANSI/UL STD. 60950-1  
CERTIFIED TO  
CAN/CSA STD.  
C22.2 NO. 60950-1



FC


This unit complies with Part 15 & 68 of FCC Rules.

Operation is subject to following two conditions:

- (1) This device may not cause harmful interference
- (2) This device must accept any interference received, including interference that may cause undesired operation.

Made in China

40.0 mm



38.0 mm

<sup>0</sup>  
-0.2  
60 mm

<sup>0</sup>  
-0.2  
40 mm

 **Z H O N E**<sup>®</sup> XDSL 4-Port 802.11N WiFi IAD

Model: See Adjacent Label for Model Number Rating: 12V  2A  
US: 6RTDL01B67X8 Jack Type: RJ11C REN: 0.1B  
FCC ID: PJZ67X8

**CE0560!**  **Intertek**  
4002720


  **FC**

This unit complies with Part 15 & 68 of FCC Rules.  
Operation is subject to following two conditions:  
(1) This device may not cause harmful interference  
(2) This device must accept any interference received,  
including interference that may cause undesired  
operation.


Made in China

来料方式：卷装

40.0 mm




38.0 mm



此图纸仅供打样

来料方式：卷装

40.0 mm



38.0 mm

$0$   
 $-0.2$   
60 mm

$0$   
 $-0.2$   
40 mm



XDSL Bonded(17A)  
4-Port WiFi Gateway

Model: See Adjacent Label for Model Number

Rating: 12V  $\equiv$  2A

US: 6RTDL01B67X8

Jack Type :RJ11C REN:0.1B

FCC ID: PJZ67X8

CE0560!



CONFORMS TO  
ANSI/UL STD. 60950-1  
CERTIFIED TO  
CAN/CSA STD.  
C22.2 NO. 60950-1

Intertek  
4002720



This unit complies with Part 15 & 68 of FCC Rules.


Operation is subject to following two conditions:

- (1) This device may not cause harmful interference
- (2) This device must accept any interference received, including interference that may cause undesired operation.

Made in China

40.0 mm

38.0 mm







Label location

1205C057