FW3000 Bluetooth (BT) Antenna Specifications

1. Antenna Part#:
    - Manufacturer: Inseego Corp.
    - BT Ant Assembly Part Number: 05000027

2. Antenna Construction:
    - Material: Printed Circuit Board (PCB) consisting of FR4, Copper, Polyimide, and Adhesive
    - Type: Dipole Antenna

3. Antenna Passive Gain Table:

BT	Frequency Range	Gain
ISM	2440 MHz (2412 MHz to 2462 MHz)	4.8 dBi

4. Antenna Passive Gain (dBi) Charts:
    - Antenna Engineer: Chung-Pin Cherng
    - Passive Measurement Date: 08-09-2023



Inseego Corp.
9710 Scranton Road Suite 200, San Diego CA 92121, USA
Toll Free: 888.888.9231♦ Main 858.812.3400
www.inseego.com

5. Antenna Passive Measurement Setup:

Passive Performance Test System components and diagram:

Frequency Bands: 600 MHz to 6 GHz
Max. Size of DUT: 450mm for spherical set-up
Max. Weight of DUT: 10 kgs
The system is capable of the following measurements:

- Gain
- Directivity
- Beamwidth
- Cross polar discrimination
- Sidelobe levels
- 3D radiation pattern
- Radiation pattern in any polarization (linear or circular)
- Antenna efficiency test



inseego

Gain Measurement Method Explained:

a) **Calibration**: Use Two Antennas (one must have a known gain [In this case Ref]) to measure and record the S parameter S(21) which is the input/output relationship between the ports on the Network analyzer
   a. Normalize the calibration to produce 0 DB reference on the network Analyzer.
   b. All cable loss factors are accounted for in the system.

Notes: A1 represents Arch antennas in system
The software instructs the VNA to produce a sweep signal over the frequency range specified. The it will generate the signal is a swept CW between the start and end frequency and pausing at predetermined points long enough to collect measurement.



Calibration diagram

b) **DUT Measurements**: Replace reference Antenna with DUT Antenna (maintaining the same conditions) distance etc.



DUT Measurement diagram

c) Remeasure S(21) response which now represents the gain relative to reference antenna. Collect G(Rel).
d) Calculate G(Dut)=G(ref)+ G(rel)

Inseego Corp.
9710 Scranton Road Suite 200, San Diego CA 92121, USA
Toll Free: 888.888.9231♦ Main 858.812.3400
www.inseego.com

Note: The chamber measurement system is automated. The measurement is taken at multiple locations points by rotating the DUT and the Arch.

6. DUT Measurement Setup Photos:





7. Measurement Equipment calibration:
    - MVG StarLab Multi-Probe Compact Passive Antenna Measurement Chamber Calibration Certificate:

Calibration Certificate

Manufacturer's Name :	MVG Industries
Manufacturer's Address :	13, rue du Zéphir Parc d'Activité de l'Océane 91140 Villejust FRANCE

Declares that product

Customer name :	INSEEGO
Product Name:	SL v1
Serial Number :	C253
Calibration date	19/02/2022

Has been calibrated according MVG procedure and \ Or according ISO 9001 requirements.

19 February, 2022 MVG Quality Manager

MICROWAVE VISION Société Anonyme 47, blvd St Michel
www.microwavevision.com Capital Social : 691 041€ 75005 Paris, FRANCE
RCS Evry B 340 342 153 Tel. : + 33 (0)75 77 58 50
Numéro SIREN : 340 342 153 Fax. : +33 (0)46 33 39 02

- E5071C Network Analyzer Calibration Certificate:

Certificate of Calibration

KEYSIGHT TECHNOLOGIES

ISO/IEC 17025:2017 and ANSI/NCSL Z540.1-1994

Certificate Number 1-13571508236-1

ANAB ANSI National Accreditation Board ACCREDITED CALIBRATION LABORATORY AC-1498

Model Number	E5071C
Manufacturer	Keysight Technologies Inc
Description	ENA Series Network analyzer
Serial Number	MY46103762
Date of Calibration	17 Dec 2020
Procedure	STE-50114528-C.06.06
Temperature	(23 ± 5) °C
Humidity	(50 ± 30) %RH

Customer
Inseego Corp
9710 Scranton Rd Ste 200
SAN DIEGO CA 92121-1744
United States

Location of Calibration
Keysight Technologies Inc
10090 Foothills Blvd.
Roseville CA 95747-7102
UNITED STATES

This certifies that the equipment has been calibrated using applicable Keysight Technologies procedures and in compliance with ISO/IEC 17025:2017 and ANSI/NCSL Z540.1-1994 (R2002). The quality management system is registered to ISO 9001:2015.