

PCTEST ENGINEERING LABORATORY, INC.

7185 Oakland Mills Road, Columbia, MD 21046 USA Tel. 410.290.6652 / Fax 410.290.6654 http://www.pctest.com



MEASUREMENT REPORT Part 96

Applicant Name: Inseego Corporation 9605 Scranton Road Suite 300 San Diego, CA 92121 **United States**

Date of Testing: 3/19/2019 - 3/25/2019**Test Site/Location:** PCTEST Lab. Columbia, MD, USA **Test Report Serial No.:** 1M1903190040-01.PKR

FCC ID: **PKRNVWMIFI8800**

APPLICANT: INSEEGO

Application Type: Certification Model: MIFI8800L

EUT Type: MiFi Wireless Hotspot Router

FCC Classification: Citizens Band End User Devices (CBE)

FCC Rule Part(s):

Test Procedure(s): KDB 940660 D01 v01, WINNF-TS-0122 V1.0.0

This equipment has been shown to be capable of compliance with the applicable technical standards as indicated in the measurement report and was tested in accordance with the measurement procedures specified in §2.947. Test results reported herein relate only to the item(s) tested.

I attest to the accuracy of data. All measurements reported herein were performed by me or were made under my supervision and are correct to the best of my knowledge and belief. I assume full responsibility for the completeness of these measurements and vouch for the qualifications of all persons taking them.

Randy Ortanez President







FCC ID: PKRNVWMIFI8800	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT INSECTION		Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 1 of 12
1M1903190040-01.PKR	3/19/2019-3/25/2019	MiFi Wireless Hotspot Router		Fage 1 01 12



TABLE OF CONTENTS

1.0	INTRO	DDUCTION	3
	1.1	Scope	
	1.2	PCTEST Test Location	
	1.3	Test Facility / Accreditations	
2.0	PROD	DUCT INFORMATION	
	2.1	Equipment Description	4
	2.2	Test Configuration	
	2.3	EMI Suppression Device(s)/Modifications	
3.0	TEST	EQUIPMENT CALIBRATION DATA	5
4.0	TEST	RESULTS	6
	4.1	Summary	
	4.2	End User Device Additional Requirement (CBSD Protocol)	
5.0		CLUSION	

FCC ID: PKRNVWMIFI8800	PETEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	insee go	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 2 of 12
1M1903190040-01.PKR	3/19/2019-3/25/2019	MiFi Wireless Hotspot Router		Page 2 of 12



. 0 INTRODUCTION

1.1 Scope

Measurement and determination of electromagnetic emissions (EMC) of radio frequency devices including intentional and/or unintentional radiators for compliance with the technical rules and regulations of the Federal Communications Commission.

PCTEST Test Location 1.2

These measurement tests were conducted at the PCTEST Engineering Laboratory, Inc. facility located at 7185 Oakland Mills Road, Columbia, MD 21046. The measurement facility is compliant with the test site requirements specified in ANSI C63.4-2014.

1.3 Test Facility / Accreditations

Measurements were performed at PCTEST Engineering Lab located in Columbia, MD 21046, U.S.A.

- PCTEST is a CBRS Alliance (OnGo) Approved Test Lab
- PCTEST is a WInnForum Approved Test Lab
- PCTEST is an ISO 17025-2005 accredited test facility under the American Association for Laboratory Accreditation (A2LA) with Certificate number 2041.01 for CBRS Alliance Certification Test Plan and WInnForum Conformance and Performance Test Technical Standard.
- PCTEST is an ISO 17025-2005 accredited test facility under the American Association for Laboratory Accreditation (A2LA) with Certificate number 2041.01 for Specific Absorption Rate (SAR), Hearing Aid Compatibility (HAC) testing, where applicable, and Electromagnetic Compatibility (EMC) testing for FCC and Innovation, Science, and Economic Development Canada rules.
- PCTEST TCB is a Telecommunication Certification Body (TCB) accredited to ISO/IEC 17065-2012 by A2LA (Certificate number 2041.03) in all scopes of FCC Rules and ISED Standards (RSS).
- PCTEST facility is a registered (2451B) test laboratory with the site description on file with ISED.

FCC ID: PKRNVWMIFI8800	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT INSERT	go	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 2 of 12
1M1903190040-01.PKR	3/19/2019-3/25/2019	MiFi Wireless Hotspot Router		Page 3 of 12



2.0 PRODUCT INFORMATION

2.1 Equipment Description

The Equipment Under Test (EUT) is the **Inseego MiFi Wireless Hotspot Router FCC ID: PKRNVWMIFI8800**. The test data contained in this report pertains only to the EUT's LTE Band 48 operation in the CBRS band.

Test Device Serial No.: 990009312531802

2.2 Test Configuration

The EUT was tested per the guidance of KDB 940660 D01 v01, WINNF-TS-0122 V1.0.0.

2.3 EMI Suppression Device(s)/Modifications

No EMI suppression device(s) were added and no modifications were made during testing.

FCC ID: PKRNVWMIFI8800	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	insee go	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogg 4 of 12
1M1903190040-01.PKR	3/19/2019-3/25/2019	MiFi Wireless Hotspot Router		Page 4 of 12



TEST EQUIPMENT CALIBRATION DATA 3.0

Test Equipment Calibration is traceable to the National Institute of Standards and Technology (NIST). Measurements antennas used during testing were calibrated in accordance to the requirements of ANSI C63.5-2017.

Manufacturer	Model	Description	Cal Date	Cal Interval	Cal Due	Serial Number
Agilent	N9038A	MXE EMI Receiver	6/11/2018	Annual	6/11/2019	MY51210133

Table 3-1. Test Equipment

FCC ID: PKRNVWMIFI8800	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT INS	see go	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo F of 12
1M1903190040-01.PKR	3/19/2019-3/25/2019	MiFi Wireless Hotspot Router		Page 5 of 12



TEST RESULTS 4.0

4.1 **Summary**

Company Name: <u>Inseego</u>

FCC ID: PKRNVWMIFI8800

FCC Classification: Citizens Band End User Devices (CBE)

Mode(s): <u>LTE</u>

FCC Part Section(s)	Test Description	Test Limit	Test Condition	Test Result	Reference
96.47	End User Device Additional Requirements (CBSD Protocol)	End User Devices may operate only if they can positively receive and decode an authorization signal transmitted by a CBSD, including the frequencies and power limits for their operation. An End User Device must discontinue operations, change frequencies, or change its operational power level within 10 seconds of receiving instructions from its associated CBSD.	CONDUCTED	PASS	Section 7.2

Table 4-1. Summary of Conducted Test Results

FCC ID: PKRNVWMIFI8800	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	see go	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 6 of 12
1M1903190040-01.PKR	3/19/2019-3/25/2019	MiFi Wireless Hotspot Router		Page 6 of 12



4.2 End User Device Additional Requirement (CBSD Protocol)

§96.47

Test Overview and Limit

End user device additional requirements (CBSD Protocol) are tested per the test procedures listed below. During testing, the EUT is connected to a certified CBSD (Ruckus FCC ID: S9GQ910US00) as a companion device to show compliance with Part 96.47.

End User Devices may operate only if they can positively receive and decode an authorization signal transmitted by a CBSD, including the frequencies and power limits for their operation.

An End User Device must discontinue operations, change frequencies, or change its operational power level within 10 seconds of receiving instructions from its associated CBSD.

Test Procedure Used

KDB 940660 D01 v01, WINNF-TS-0122 V1.0.0.

Test Setup/Method

The EUT was connected via an RF cable to a certified CBSD and spectrum analyzer. The following procedure is performed by applying WINNF-TS-0122 CBRS CBSD Test Specification.

- 1. Run#1:
 - a. Setup WINNF.PT.C.HBT.1 with 3615MHz 3635MHz and power level at 13 dBm/MHz.
 - b. Enable AP service from Ruckus Cloud management.
 - c. Check EUT Tx frequency and power.
 - d. Disable AP service from Ruckus Cloud management and check EUT stop transmission within 10s.
- 2. Run#2:
 - a. Setup WINNF.PT.C.HBT.1 with 3660MHz 3680MHz and power level at 8 dBm/MHz.
 - b. Enable AP service from Ruckus Cloud management.
 - c. Check EUT Tx frequency and power.
 - d. Disable AP service from Ruckus Cloud management and check EUT stop transmission within 10s.

Test Notes

The EUT is an End User Device.


FCC ID: PKRNVWMIFI8800	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	insee go	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Daga 7 of 10
1M1903190040-01.PKR	3/19/2019-3/25/2019	MiFi Wireless Hotspot Router		Page 7 of 12



Run#1:

• Tx frequency set: 3615 – 3635MHz.


MaxEIRP set: 13dBm/MHz



Plot 4-1. Run#1 End User Device Frequency of Operations

FCC ID: PKRNVWMIFI8800	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	insee go	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 9 of 12
1M1903190040-01.PKR	3/19/2019-3/25/2019	MiFi Wireless Hotspot Router		Page 8 of 12





Plot 4-2. Run#1 End User Device Discontinues Operations within 10s

Note:

Marker 1: CBSD sends instructions to discontinue LTE operations.

Marker 2: EUT discontinues operation.

Marker 3: 10 seconds elapsed time from CBSD sending instructions to EUT.


FCC ID: PKRNVWMIFI8800	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	insee go	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogg 0 of 12
1M1903190040-01.PKR	3/19/2019-3/25/2019	MiFi Wireless Hotspot Router		Page 9 of 12



Run#2:

Tx frequency set: 3660–3680MHz.


MaxEIRP set: 8dBm/MHz



Plot 4-3. Run#2 End User Device Frequency of Operations

FCC ID: PKRNVWMIFI8800	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	insee go	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 10 of 12
1M1903190040-01.PKR	3/19/2019-3/25/2019	MiFi Wireless Hotspot Router		raye 10 01 12





Plot 4-4. Run#2 End User Device Discontinues Operations within 10s

Note:

Marker 1: CBSD sends instructions to discontinue LTE operations.

Marker 2: EUT discontinues operation.

Marker 3: 10 seconds elapsed time from CBSD sending instructions to EUT.

FCC ID: PKRNVWMIFI8800	PETEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	insee go	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Dogo 11 of 12
1M1903190040-01.PKR	3/19/2019-3/25/2019	MiFi Wireless Hotspot Router		Page 11 of 12



CONCLUSION 5.0

The data collected relate only to the item(s) tested and show that the Inseego MiFi Wireless Hotspot Router FCC ID: PKRNVWMIFI8800 complies with all of the End User Device requirements of Part 96.47 of the FCC Rules.

FCC ID: PKRNVWMIFI8800	ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	insee go	Approved by: Quality Manager
Test Report S/N:	Test Dates:	EUT Type:		Page 12 of 12
1M1903190040-01.PKR	3/19/2019-3/25/2019	MiFi Wireless Hotspot Router		Fage 12 01 12