## 8.5 Test Result of the Bandedge

If any 100 kHz bandwidth outside these frequency bands, the radio frequency power that is produced by the modulation products of the spreading sequence, the information sequence and the carrier frequency shall be either at least 20 dB below that in any 100 kHz bandwidth within the band that contains the highest level of the desired power or shall not exceed the general levels specified id §15.209(*a*),

We perform this section by the *conducted* manner, the RBW is set to 100kHz and VBW>RBW. We'd made the observation up to 10<sup>th</sup> harmonics and the criterion is all the harmonic/spurious emissions must be 20dB below the highest emission level measured. If the emissions fall in the restricted bands stated in the Part15.205(a) must also comply with the radiated emission limits specified in Part15.209(a). (Peak mode: RBW=VBW=1MHz. Average mode: RBW=1MHz, VBW=10Hz)

The following pages show our observations referring to the channel 1 and 11 respectively.

Test Condition & Setup: same as 3.1

## Channel 1



## Channel 11



## *Test Report* ------ 37/45

This is the hard copy of our bandedge measurement generated by our bandedge testing program. The pictures shown above is the band-edge of channel 1 and 11.

- 1. The lob right and left by the fundamental side is already 20dB below the highest emission level.
- 2. The emissions recorded in the restricted band is do comply with the Part 15.209(a) as below. *Radiated Emissions : Band-edge and spurious for CH 1*

Radiated Emission					Corrected Amplitude		FCC Class B (3m)		
Frequency	Ant.	et. Ant. H.	Table	Factors	$(dB\mu V/m)$		Limit (dBµV/m)		Margin
(MHz)	Р.	( <i>m</i> )	(°)	(dB)	Peak	Average	Peak	Ave.	( <b>dB</b> )
2261.12	Ver	1.00	195	3.59	46.12		74.00	53.96	-7.84
2261.12	Hor	1.00	267	3.59	49.19		74.00	53.96	-4.77
2374.07	Hor	1.00	55	3.90	48.61		74.00	53.96	-5.35
2390.07	Ver	1.00	168	3.90	43.98		74.00	53.96	-9.98

Radiated Emissions : Spurious for CH 6

Radiated Emission					Corrected Amplitude		FCC Class B (3m)		
Frequency	Ant. P.	Ant. H. (m)	Table (°)	Factors (dB)	$(dB\mu V/m)$		Limit (dBµV/m)		Margin
(MHz)					Peak	Average	Peak	Ave.	(dB)
2284.87	Ver	1.00	257	3.66	46.54		74.00	53.96	-7.42
2284.87	Hor	1.00	39	3.66	51.76		74.00	53.96	-2.20
Padiated Emissions - Paul edge and survivus for CH 11									

Radiated Emissions : Band-edge and spurious for CH 11

Radiated Emission					Corrected Amplitude		FCC Class B (3m)			
Frequency	Ant.	Ant. H.	Table	Factors	$(dB\mu V/m)$		Limit (dBµV/m)		Margin	
(MHz)	Р.	( <b>m</b> )	(°)	(dB)	Peak	Average	Peak	Ave.	( <b>dB</b> )	
2311.00	Ver	1.00	166	3.73	47.87		74.00	53.96	-6.09	
2311.00	Hor	1.00	248	3.73	53.23	43.07	74.00	53.96	-10.89	
2500.25	Hor	1.00	167	4.01	47.57		74.00	53.96	-6.39	
2500.25	Ver	1.00	155	4.01	42.82		74.00	53.96	-11.14	

Note:

Margin = Corrected - Limit.

Correction factor = Antenna factor + ( Cable Loss – Amplitude gain)